- Yarns, FIBRES & TEXTILES in Eastern Europe 2007; 15, 4(63): 46-49.
- 2. Amirbayat J, An improved analysis of bagging of textile fabrics. Part I: theoretical, International Journal of Clothing Science and Technology 2005; 16, 5: 303-307
- 3. Nilgun O. Stretch and Bagging Properties of Denim Fabrics Containing Different Rates of Elastane". FIBRES & TEXTILES in Eastern Europe 2008: 18, 1(66): 63-67.
- 4. Xu B, Pourdeyhimi B, Sobus J. Fibre Crimp Characterization by Image Analysis: Definition, Algorithms, and Techniques, Textile Res. J. 1992; 62: 73-80.
- 5. Yokura H, Nagae S, Niwa M. Prediction of Fabric Bagging from Mechanical Properties, Textile Res. J. 1986; 56:
- 6. Zhang X, Li Y, Yeung KW, Yao M. Fabric Bagging, Part I: Subjective Perception and Psychophysical Mechanism, Textile Res. J. 1998; 67: 5191-518.
- 7. Zhang X, Li Y, Yeung KW, Yao M. Fabric Bagging, Part II: Objective Evaluation and Physical Mechanism, Textile Res. J. 1999; 68: 5998-606.
- 8. Yeung KW, Li Y, Zhang X. Evaluating and Predicting Fabric Bagging with Image Processing, Textile Res. J. 2002; 72(8): 693-700.
- 9. Yokura H, Nagae S, Niwa M. Prediction of Fabric Bagging from Mechanical Properties. Textile Res. J. 1986: 56: 748-754.
- 10. Zhang X, Li Y, Yeung KW, Yao M. Why It Bags, Textile Asia 1999; 30(6): 33-36.
- 11. Zhang X, Li Y, Yeung KW. Viscoelastic Behavior of Fibres During Woven Fabric Bagging, Textile Res. J. 2000; 70(9): 751-757.
- 12. Abghari R, Najar SS, Haghpanahi M, Latifi M. An Investigation on Woven Fabric Bagging Deformations Using New Developed Test Method, International Istanbul Textile Congress IITC2004, Istanbul, Turkey, 2004.
- 13. Yaida O. Bagging of Knitted Fabrics, The 3rd Japan/Australia Joint Symposium on Objective Measurement, Textile Machinery Society of Japan 1985; 210-213.
- 14. Ucar N, Realff ML, Radhakrishnaiah P, Ucar M. Objective and Subjective Analysis of Knitted Fabric Bagging, Textile Res. J. 2002; 72(11): 977-982.
- 15. Chot M, Ashdown SP. Effect of Changes in Knit Structure and Density on the Mechanical and Hand Properties of Weftknitted Fabrics for Outwear, Textile Res. J. 2000; 17(12): 1033-1045
- 16. Kirk W, Ibrahim SM. Fundamental Relationship of Fabric Extensibility to Anthropometric Requirements and Garment Performance, Textile Res. J. 1966; 36:
- 17. Engöz NG. Bagging in Textiles, Textile Progress, 2004; 36, 1: 1-64.
- Received 21.10.2010 Reviewed 14.11.2011



INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

LABORATORY OF BIODEGRADATION

The Laboratory of Biodegradation operates within the structure of the Institute of Biopolymers and Chemical Fibres. It is a modern laboratory with a certificate of accreditation according to Standard PN-EN/ISO/IEC-17025: 2005 (a quality system) bestowed by the Polish Accreditation Centre (PCA). The laboratory works at a global level and can cooperate with many institutions that produce, process and investigate polymeric materials. Thanks to its modern equipment, the Laboratory of Biodegradation can maintain cooperation with Polish and foreign research centers as well as manufacturers and be helpful in assessing the biodegradability of polymeric materials and textiles.

The Laboratory of Biodegradation assesses the susceptibility of polymeric and textile materials to biological degradation caused by microorganisms occurring in the natural environment (soil, compost and water medium). The testing of biodegradation is carried out in oxygen using innovative methods like respirometric testing with the



continuous reading of the CO2 delivered. The laboratory's modern MICRO-OXYMAX RESPIROMETER is used for carrying out tests in accordance with International Standards.

The methodology of biodegradability testing has been prepared on the basis of the following standards:

- testing in aqueous medium: 'Determination of the ultimate aerobic biodegrability of plastic materials and textiles in an aqueous medium. A method of analysing the carbon dioxide evolved' (PN-EN ISO 14 852: 2007, and PN-EN ISO 8192: 2007)
- testing in compost medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated composting conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 20 200: 2007, PN-EN ISO 14 045: 2005, and PN-EN ISO 14 806: 2010)
- testing in soil medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated soil conditions in a laboratory-scale test. A method of determining the weight loss" (PN-EN ISO 11 266:



Iac-MR/

1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).

The following methods are applied in the assessment of biodegradation: gel chromatography (GPC), infrared spectroscopy (IR), thermogravimet-

ric analysis (TGA) and scanning electron microscopy (SEM).

Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland Agnieszka Gutowska Ph. D., tel. (+48 42) 638 03 31, e-mail: lab@ibwch.lodz.pl