

REFERENCES

1. Midha VK, Chavhan V. Nonwoven sound absorption materials. *International Journal of Textile and Fashion* 2012; 2: 45-55.
2. Sengupta S. Sound reduction by needle-punched nonwoven fabrics. *Indian J. Fibre & Textil. Res.* 2010; 35: 237-242.
3. Cao H, Yu K, Qian K. Sound insulation property of three dimensional spacer fabric composites. *Fibres & Textiles in Eastern Europe* 2014; 4: 64-67.
4. Lou CW, Lin JH, Su KK. Recycling polyester and polypropylene nonwoven selvages to produce functional sound absorption composites. *Textil. Res. J.* 2005; 75: 390-394.
5. Nick A, Becker U, Thoma W. Improved acoustic behaviour of interior parts of renewable resources in the automotive industry. *Journal Poly Environment* 2002; 10: 115-118.
6. Liu X, Liu J, Su X. Simulation model for the absorption coefficient of double layered nonwovens. *Fibres & Textiles in Eastern Europe* 2012; 4: 102-107.
7. Ersoy S, Kücük H. Investigation of industrial tea-leaf-fibre waste materials for its sound absorption properties. *App. Acoustics* 2009; 70: 215-220.
8. Carvalho R, Rana S, Fangueiro R, Soutinho F. Noise reduction performance of thermobonded nonwovens. In: *12th World Textile Conference AUTEX*, 13-15 June 2012, Zadar, Croatia.
9. Dias T, Monaragala R. Sound absorption in knitted structures for interior noise reduction in automobiles. *Measurement Science and Technology* 2006; 17: 2499-2505.
10. Dias T, Monaragala R, Lay E. Analysis of thick spacer fabrics to reduce automobile interior noise. *Measurement Scien. and Techn.* 1991; 18: 1979-1991.

11. Öztürk MK, Nergis BU, Candan C. Knitted fabric design with enhanced Acoustic Properties. *J. Textil. Eng.* 2010; 27, 13-19.
12. Na Y, Lancaster J, Casali J, Cho G. Sound absorption coefficients of micro-fiber fabrics by reverberation room method. *Textil. Res. J.* 2010; 77: 330-335.
13. Krucinska I, Gliscinska E, Michalak M, Kazimierczak J, Bloda A, Ciechanska D. Preliminary studies on the manufacturing of thermoplastic sound absorbing composites from nonwovens and cellulose submicrofibres. In: *13th Autex Textil Conf.*, May 22-24, 2013, Dresden, Germany.
14. Chen D, Li J, Ren J. Study on sound absorption property of ramie fiber reinforced poly composites. *Composites: Part A*, 2010; 41: 1012-1018.
15. Büyükkökmen BY, Sökmen N, Küçük H. Thermal conductivity and acoustic properties of natural fiber mixed polyurethane composites. *Tekstil ve Konfeksiyon* 2011; 2: 124-132.
16. Chen Y, Jiang N. Carbonized and activated non-wovens as high-performance acoustics materials: part 1 noise absorption. *Textil. Res. J.* 2013; 77: 785-791.
17. Tascan M, Vaughn E. Effects of total surface area and fabric density on the acoustical behavior of needle-punched nonwoven fabrics. *Textil. Res. J.* 2010; 78: 289-296.
18. Küçük M, Korkmaz Y. The effect of physical parameters on sound absorption properties of natural fiber mixed nonwoven composites. *Textil. Res. J.* 2012; 82: 2043-2053.
19. Parikh DV, Chen Y, Sun L. Reducing automotive interior noise with natural fiber nonwoven floor covering systems. *Textil. Res. J.* 2006; 76: 813-820.
20. Lee Y, Joo C. Sound absorption properties of recycled polyester fibrous assembly absorbers. *Autex Res. J.* 2003; 3: 78-84.

21. Tai KC, Chen P, Lin CW, Lou CW, Tan HM, Lin JH. Evaluation on the sound absorption and mechanical property of the multi-layer needle-punching nonwovens. *Advanced Materials Res.* 2010; 123: 475-478.
22. Mirjalili SA, Shahi MM. Investigation on the acoustic characteristics of multi-layered nonwoven structure. Part 1- Multi-layer nonwoven structures with the simple configuration. *Fibres & Textiles in Eastern Europe* 2012; 3: 73-77.
23. Çinçik E, Koç E. An Analysis on air permeability of polyester/viscose blended needle-punched nonwovens. *Textil Res. J.* 2012; 82: 430-442.
24. Anandjiwala RD, Boguslavsky L. Development of needle-punched nonwoven fabrics from flax fibers for air filtration application. *Textil Res. J.* 2008; 87: 614-624.
25. Ciukas R, Abramaviciute J. Investigation of the air permeability of socks knitted from yarns with peculiar properties. *Fibres & Textiles in Eastern Europe* 2010; 18: 84-88.
26. Roy AN, Ray P. Optimization of jute needle-punched nonwoven fabric properties: part II-some mechanical and functional properties. *J. Natural Fibers* 2009; 6: 303-318.
27. Montgomery DC. *Design and Analysis of Experimental*. 5th Edition, New York, USA, John Wiley and Sons, 2011, p.175.