- 9. AS/NZS 4399:1996. Sun protective clothing evaluation and classification.
- Das B R. UV radiation protective clothing. Open Textile Journal 2010; 3: 14-21
- Majumdar A, Kothari V K, Mondal A K and Hatua P. Effect of weave, structural parameters and ultraviolet absorbers on in vitro protection factor of bleached cotton woven fabrics. *Photodermatology, Photoimmunology & Photomedicine* 2008; 28: 58– 67.
- Algaba I M, Pepio M and Riva A. Correlation between the ultraviolet protection factor and the weight and thickness of undyed cellulosic woven fabrics. Fibres & Textiles in Eastern Europe 2008; 16: 85–89.
- Algaba I and Riva A. Influence of fibre type and fabric porosity on the UPF of summer fabrics. AATCC Review 2004: 26–31.
- Morihiro Y, Eri F and Chie T. Effects of fiber materials and fabric thickness on UV shielding properties of fabrics. *Journal of Textile Engineering* 2009; 55: 103–109.
- Hang-kei S C, Chi-wai K, Jimmy K L, Sun-pui N, Hong H and Chun-wah M Y. Study on the relationship between UV protection and knitted fabric structure. *Journal of Textile Engineering* 2013; 59: 71-74.
- Eddie L Y, Chi-wai K, Jimmy K L, Sun-pui N, Hong H and Chun-wah M Y, The relationship between ultraviolet protection factor and fibre content. *Journal of Textile Engineering* 2013; 59: 83-86.
- Onofrei E, Rocha A M and Catarino A, The Influence of Knitted Fabrics' Structure on the Thermal and Moisture Management Properties. *Journal of Engineered Fibers and Fabircs* 2011; 6: 10-22.
- Ramachandran T, Manonmani G and Vigneswaran C, Thermal behavior of ring

 and compact spun yarn single jersey, rib and interlock knitted fabrics. *Indian Journal for Fibre & Textile Research* 2010; 35: 250-257.
- Oglakcioglu N and Marmarali A, Thermal Comfort Properties of Some Knitted Structure. Fibres & Textiles in Eastern Europe 2007; 15: 94-96.
- Ogulata R T and Mavruz S, Investigation of Porosity and Air Permeability Values of Plain Knitted Fabrics. Fibres & Textiles in Eastern Europe 2010; 18: 71-75.
- 21. Mavruz S and Ogulata R T, Optimization of Air permeability of Interlock Knitted Fabrics Using Different Experimental Design. Proceedings, 7th International Conference TEXSCI 2010, Liberec, Czech Republic.
- Fayala F, Alibi H, Benltoufa S and Jemni A, Neural Network for Predicting Thermal Conductivity of Knit Materials. *Jour*nal of Engineered Fibers and Fabrics 2008: 3: 53-59.
- Received 06.07.2015 Reviewed 07.09.2015



INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

LABORATORY OF BIODEGRADATION

The Laboratory of Biodegradation operates within the structure of the Institute of Biopolymers and Chemical Fibres. It is a modern laboratory with a certificate of accreditation according to Standard PN-EN/ISO/IEC-17025: 2005 (a quality system) bestowed by the Polish Accreditation Centre (PCA). The laboratory works at a global level and can cooperate with many institutions that produce, process and investigate polymeric materials. Thanks to its modern equipment, the Laboratory of Biodegradation can maintain cooperation with Polish and foreign research centers as well as manufacturers and be helpful in assessing the biodegradability of polymeric materials and textiles.

The Laboratory of Biodegradation assesses the susceptibility of polymeric and textile materials to biological degradation caused by microorganisms occurring in the natural environment (soil, compost and water medium). The testing of biodegradation is carried out in oxygen using innovative methods like respirometric testing with the continuous reading of the CO₂ delivered.



The laboratory's modern MICRO-OXYMAX RESPIROMETER is used for carrying out tests in accordance with International Standards.

The methodology of biodegradability testing has been prepared on the basis of the following standards:

- testing in aqueous medium: 'Determination of the ultimate aerobic biodegrability of plastic materials and textiles in an aqueous medium. A method of analysing the carbon dioxide evolved' (PN-EN ISO 14 852: 2007, and PN-EN ISO 8192: 2007)
- testing in compost medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated composting conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 20 200: 2007, PN-EN ISO 14 045: 2005, and PN-EN ISO 14 806: 2010)
- **testing in soil medium:** 'Determination of the degree of disintergation of plastic materials and textiles under simulated soil conditions in a laboratory-scale test. A method of determining the weight loss" (PN-EN ISO 11 266: 1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).





The following methods are applied in the assessment of biodegradation: gel chromatography (GPC), infrared spectroscopy (IR), thermogravimetric analysis (TGA) and scanning electron microscopy (SEM).

Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland Agnieszka Gutowska Ph. D., tel. (+48 42) 638 03 31, e-mail: lab@ibwch.lodz.pl