

References

1. Blais P, Carlsson DJ, Csullong CW and Wiles DM. The chromic acid etching of polyolefin surfaces, and adhesive bonding. *J Colloid Interface Sci* 1974; 47(3): 636–649.
2. Tsou C H, Suen MC, Tsou CYn, Chen JC, Yeh JT, Lin SM, Lai YC, Hwang JZ, Huang SH, Hong WS, Hu CC, Lee KR and Lai JY. New Plasma Process for Improving the Physical and Antibacterial Properties of Crosslinked Cotton Cellulose with Dimethyloldihydroxyethyleneurea-Maleic Acid. *Fibres & Textiles in Eastern Europe* 2015; 23, 1(109): 49-56.
3. Briggs D, Brewis DM and Konieczko MB. X-ray photoelectron spectroscopy studies of polymer surfaces - Part 3 Flame treatment of polyethylene. *J Mater Sci* 1979; 14(6): 1344–1348.
4. Briggs D. *Surface Analysis and Pretreatment of Plastics and Metals*. Applied Science Publishers: London, 1982.
5. Chen KS, Tsai JC, Tseng CC and Lin SF. Effects of additives on the photo-induced grafting polymerization of N-isopropylacrylamide gel onto PET film and PP nonwoven fabric surface. *Mat Sci Eng C Mater* 2002; 20(1-2): 203–208.
6. Park JS, Kim JH, Nho YC and Kwon OH. Antibacterial activities of acrylic acid-grafted polypropylene fabric and its metallic salt. *J Appl Polym Sci*, 1998; 69(11): 2213–2220.
7. Hu SG, Jou C H and Yang MC. Surface grafting of polyester fiber with chitosan and the antibacterial activity of pathogenic bacteria. *J Polym Sci* 2002; 86(12): 2977–2983.
8. Huh MW, Kang IK, Lee DH, Kim WS, Lee DH, Park LS, Min KE and Seo KH. *J Appl Polym Sci*, 2001; 81: 2769.
9. Friedrich J, Kühn G, Mix R and Unger W. Formation of plasma polymer layers with functional groups of different type and density at polymer surfaces and their interaction with Al atoms. *Plasma Process Polym* 2004; 1(1):28–50.
10. Kogelschatz U, Elliason B, Egli W. From ozone generators to flat television screens: History and future potential of dielectric-barrier discharges. *Pure Appl Chem* 1999; 71(10):1819–1828
11. Dorai R, M. Kushner J. A model for plasma modification of polypropylene using atmospheric pressure discharges. *J. Phys D: Appl Phys* 2003; 36(6): 666–685.
12. Courval GJ, Gray DG, Goring DAI. Chemical modification of polyethylene surfaces in a nitrogen corona. *J Polym Sci Polym Lett* 1976; 14(4): 231–235.
13. Guimond S, Radu I, Czeremuszkin G, Calsson DJ and Wertheimer MR. Biaxially Oriented Polypropylene (BOPP) Surface Modification by Nitrogen Atmospheric Pressure Glow Discharge (APGD) and by Air Corona. *Plasmas Polym* 2002; 7(1): 71–88.
14. Guimond S, Radu I, Czeremuszkin G, Wertheimer MR. *Proc 8th Int Symp High Pressure Low Temp Plasma Chem* 2002; 400
15. Kogelschatz U, Elliason B, Egli W (1999) From ozone generators to flat television screens: History and future potential of dielectric-barrier discharges. *Pure Appl Chem* 71(10):1819–1828.
16. Hong S-G and Ho C-A. The adhesion properties of a thermoplastic olefin elastomer grafted with maleic anhydride under nitrogen plasma. *J Polym Res* 2002; 9(4): 227–232
17. Boenig HV. *Plasma Science and Technology*. Cornell University Press, Ithaca, New York
18. Coad B R, Scholz T, Vasilev K, Hayball J D, Short R D and Griesser H J. *ACS Appl.*

Mater. Interfaces 2012, 4, 2455–2463.

19. Gupta B, Būchi FN, Scherer GG, and Chapiro A. Development of radiation-grafted FEP-g-polystyrene membranes: Some property-structure correlations. *Polym Adv Technol* 1994; 5(9): 493–498.
20. Liu ZM, Xu ZK, Wang JQ, Wu J and Fu JJ. Surface modification of polypropylene microfiltration membranes by graft polymerization of N-vinyl-2-pyrrolidone. *Eur Polym J* 2004; 40(9): 2077–2078.
21. Anjum N, Gulrej SKH, Singh H and Gupta B. Development of antimicrobial polypropylene sutures by graft polymerization. I. influence of grafting conditions and characterization. *J Appl Polym Sci* 2006; 101(6): 3895–3901.
22. Derkaoui SM, Avramoglou T, Barbaud C, Letourneur D. Synthesis and characterization of a new polysaccharide-graft-polymethacrylate copolymer for three-dimensional hybrid hydrogels. *Biomacromolecules* 2008; 9(11): 3033–3038.
23. Tokuyama H, Naohara S, Fujioka M and Sakohara S. Preparation of molecular imprinted thermosensitive gels grafted onto polypropylene by plasma-initiated graft polymerization. *React Funct Polym* 2008; 68(1):182–188
24. Yaman N, ŌZdoḡan E, Seventekin N and Ayhan H. Plasma treatment of polypropylene fabric for improved dyeability with soluble textile dyestuff. *Appl Surf Sci* 2009; 255(15):6764–6770.
25. Tai H-Y, Fu E, Cheng L-P and Don T-M. Fabrication of asymmetric membranes from polyhydroxybutyrate and biphasic calcium phosphate/chitosan for guided bone regeneration. *J Polym Res* 2014; 21(5):421
26. Yang MC and Lin WC. Surface Modification and Blood Compatibility of Polyacrylonitrile Membrane with Immobilized Chitosan–Heparin Conjugate. *J Polym Res* 2002; 9(3): 201–206.
27. Topfl O. Dornach, Switzerland, United States Patent, Patent Number: 5147411, Sep. 15, 1992.
28. Chen JC, Yeh JT and Chen CC. Crosslinking of cotton cellulose in the presence of alkyl diallyl ammonium salts. I. Physical properties and agent distribution. *J Polym Sci* 2003; 90(6):1662–1669.
29. Inagaki N, Tasaka S and Shimada S. Comparative studies on surface modification of poly(ethylene terephthalate) by remote and direct argon plasmas. *J Appl Polym Sci* 2001; 79(5):808–815
30. Persin Z, Jesih A, Stana-Kleinschek K. The Plasma Polymerisation Process For The Deposition Of Amino-Containing Film On The Poly(Ethylene Terephthalate) Dressing-Layer For Safe Wound-Healing. *Mater. Technolo*, 2012; 46 (1): 63–68.
31. Shaoyu WU, Xing J, Zheng C, Guanfan XU, Zheng G and Jiping XU. John Wiley & Sons, Inc. CCC 0021-8995/97/101923-04, 1997
32. Suzuki M, Kishida A, Iwata H, Ikada Y. Graft copolymerization of acrylamide onto a polyethylene surface pretreated with a glow discharge. *Macromolecules* 1986; 19(7): 1804–1808.
33. Good RJ, In: Contact Anele. Wettability and Adhesion. K.L. Mittal (Ed.), VSP, 1993.
34. Pavia DL, Lampman GM, Kriz GS. Introduction to Spectroscopy, Brooks/Cole-Thomson Learning Publishers: Washington; 2001.
35. Park YW, Inagaki N. Document Surface modification of poly(vinylidene fluoride) film by remote Ar, H₂, and O₂ plasmas. *Polymer* 2003; 44(5):1569–1575.
36. Park YW, Inagaki N. A new approach for selective surface modification of fluoropolymers by remote plasmas. *J Appl Polym Sci* 2004; 93(3):1012–1020.
37. Jaleh B, Parvin P, Wanichapichart P, Pourakbar Saffar A, Reyhani A. Document Induced super hydrophilicity due to surface modification of polypropylene membrane

- treated by O₂ plasma. *Appl Surf Sci*, 2010; 257(5):1655–1659
- 38. Liston E M, Martinu L and Wertheimer M R. Plasma surface modification of polymers for improved adhesion: a critical review. *J. Adhes. Sci. Technol.* 1993; 7(10), 1091–1127.
 - 39. Suzuki M, Kishida A, Iwata H and Ikada Y. Graft copolymerization of acrylamide onto a polyethylene surface pretreated with a glow discharge. *Macromolecules* 1986; 9(7): 1804–1808.
 - 40. Yao WH, Chen JC and Chen CC. Excellent anti-bacterial activity and surface properties of polyamide-6 films modified with argon-plasma and methyl diallyl ammonium salt-graft *Polym Advan Technol* 2008; 19(11): 1513–1521.
 - 41. Wagner AJ, Wolfe GM and Fairbrother DH. Reactivity of vapor-deposited metal atoms with nitrogen-containing polymers and organic surfaces studied by in situ XPS. *Appl Surf Sci*. 2003; 219(3-4): 317–328.
 - 42. Vesel A and Mozetic M. Surface functionalization of organic materials by weakly ionized highly dissociated oxygen plasma. *J Phys: Conf Ser* 2009; 162: 012015
 - 43. Weon JI and Choi KY. Surface characterization and morphology in Ar-plasma-treated polypropylene blend. *Macromol Res* 2009; 17(11): 886–893.
 - 44. Hua ZQ. *Plasma induced surface modification of lignocellulosic and synthetic polymers*, PhD Thesis, University of Wisconsin-Madison, 1996.
 - 45. Young RA, Denes F, Hua ZQ and Sitaru R. ESCA analysis of plasma modified cellulose. *Proceedings of 9th International Symposium on Wood and Pulping Chemistry* 129–1, 1997