

Reference

1. Ude AU. Bombyx mori silk fibre and its composite: a review of contemporary developments. *Mater Design* 2014; 57: 298-305.
2. Shao Z and Vollrath F. Surprising strength of silkworm silk. *Nature* 2002; 418: 741.
3. Perez-Rigueiro J, Biancotto L, Corsini P, Marsano E, Elices M, Plaza GR and Guinea GV. Supramolecular organization of regenerated silkworm silk fibers. *Int J Biol Macromol* 2009; 44: 195-202.
4. Jelinski LW. Establishing the relationship between structure and mechanical function in silks. *Curr Opin Solid State Mater Sci* 1998; 3: 237-245.
5. Chen F, David P and Vollrath F. Silk cocoon (bombyx mori): multi-layer structure and mechanical properties. *Acta Biomater* 2012; 8: 2620-2627.
6. Arai T, Freddi G, Innocenti R and Tsukada M. Biodegradable of bombyx mori silk fibroin fibers and films. *J Appl Polym Sci* 2004; 91: 2383-2390.
7. Hearle JWS. *Atlas of fiber fracture and damage to textiles*. 2nd ed. Cambridge England: CRC press, 1998, p.127.
8. Xu W. Research of repeated torsional fatigue property of textile fiber. *Cotton Text Technol* 1996; 6: 18-20.
9. Liu, X and Xu P. Study on torsion fatigue property of para-mid fiber. *Shanghai Text Sci Technol* 2004; 1: 8-9.
10. Feng H. Characterization of torsion fatigue of high-performance fibers. Master Thesis, Donghua University, China, 2005.