

References

1. Muzzarelli RAA and Muzzarelli C. Chitosan chemistry: relevance to the biomedical sciences. *Advances in Polymer Science* 2005; 186: 151–209.
2. Muzzarelli RAA, Guerrieri M, Goteri G, Muzzarelli C, Armeni T, Ghiselli R and Cornellsen M. The biocompatibility of dibutryl chitin in the context of wound dressings. *Biomaterials* 2005, 26: 5844-5854.
3. Rinaudo M. Chitin and chitosan: properties and applications. *Progress in Polymer Science* 2006; 31: 603–632.
4. Kumar MNVR. A review of chitin and chitosan applications. *Reactive and Functional Polymers* 2000; 46(1): 1–27.
5. Villetti MA, Crespo JS, Soldi MS, Pires ATN, Borsali R and Soldi V. Thermal Degradation of Natural Polymers. *Journal of Thermal Analysis and Calorimetry* 2002; 67(2): 295-303.
6. Kurita K. Controlled functionalization of the polysaccharide chitin. *Progress in Polymer Science* 2001; 26: 1921–1971.
7. Pillai CKS, Paul W and Sharma ChP. Chitin and chitosan polymers: Chemistry, solubility and fiber formation. *Progress in Polymer Science* 2009; 34: 641–678.
8. Hemant KSY, Shivakumar HG. Development of chitosan acetate films for transdermal delivery of propranolol hydrochloride. *Tropical Journal of Pharmaceutical Research* 2010; 9(2): 197–203.
9. Shu XZ and Zhu KJ. The influence of multivalent phosphate structure on the properties of ionically cross-linked chitosan films for controlled drug release. *European Journal of Pharmaceutics and Biopharmaceutics* 2002; 54: 235–243.
10. Silva CL, Pereira JC, Ramalho A, Pais ACC, Sousa JS. Films based on chitosan polyelectrolyte complex for skin drug delivery: development and characterization. *Journal of Membrane Science* 2008; 320: 268–279.
11. Kofuji K, Ito T, Murata Y and Kawashima S. The controlled release of a drug from biodegradable chitosan gel beads. *Chemical & Pharmaceutical Bulletin* 2000; 48(4): 579–581.
12. Martinez-Ruvalcaba A, Schanchez-Diaz JC, Becerra F and Cruz-Barba LE. Swelling characterization and drug delivery kinetics of polyacrylamide-coitaconic acid/chitosan hydrogels. *eXPRESS Polymer Letters* 2009; 3(1): 25–32.
13. Hirano S. Water-soluble glycol chitin and carboxymethylchitin. *Methods in Enzymology* 1988; 161: 408–410.
14. Lim SH and Hudson SM. Review of chitosan and its derivatives as antimicrobial agents and their uses as textile chemicals. *Journal of Macromolecular Science-Polymer Reviews*. 2003; C43: 223-269.
15. Sini TK, Santhosh S and Mathew PT. Study of the influence of processing parameters on the production of carboxymethylchitin. *Polymer* 2005; 46(9): 3128–3131.

16. Szosland L, Janowska G. The method of preparation of dibutyrylchitin. *Polish Patent PL 169077B1*; 1996.
17. Szosland, L. Di-O-butyrylchitin. In Muzzarelli RAA, Peter M G (Eds.), *Chitin Handbook* 1997; (53–60), Italy: Atec.
18. Szosland L. Synthesis of highly substituted butyrylchitin in the presence of perchloric acid. *Journal of Bioactive and Compatible Polymers* 1996; 11: 61–71.
19. Biniaś D, Boryniec S and Biniaś W. Dibutyrylchitin Fibres Formed from Ethylen Alcohol Solutions. *Progress on Chemistry and Application of Chitin and its Derivatives*. 2003 (Monograph.Vol.IX) Henryk Struszczyk (Eds.) Lodz, Polish Chitin Society; 161-168.
20. Biniaś D, Boryniec S and Biniaś W. Studies on the structure of polysaccharides in the process of alkaline treatment of dibutyrylchitin fibres. *Fibres and Textiles in Eastern Europe* 2005; 13(5): 137-140.
21. Wlochowicz A, Szosland L, Binias D and Szumilewicz J. Crystalline structure and mechanical properties of wet-spun dibutyrylchitin fibers and products of their alkaline treatment. *Journal of Applied Polymer Science* 2004; 94(5): 1861-1868.
22. Szosland L, Krucińska I, Cisło R, Paluch D, Staniszevska-Kuś J, Solski L and Szymonowicz M. Synthesis of dibutyrylchitin and preparation of new textiles made from dibutyrylchitin and chitin for medical applications. *Fibres and Textiles in Eastern Europe* 2001; 9, 3(34): 54-57.
23. Paluch D, Szosland L, Kołodziej J, Staniszevska-Kuś J, Szymonowicz M, Solski L and Zywiecka B. Biological investigation of the regenerated chitin fibers. *Engineering of Biomaterials* 1999; II: 52-60.
24. Paluch D, Pielka S, Szosland L, Kołodziej J, Staniszevska-Kuś J, Szymonowicz M, and Solski L. A biological investigation of dibutyrylchitin fibres. *Engineering of Biomaterials* 2000; III: 17-22.
25. Pielka S, Paluch D, Staniszevska-Kuś J, Zywicka B, Solski L, Szosland L, Czarny A and Zaczyńska E,. Wound healing accelerating by a textile dressing containing dibutyrylchitin and chitin. *Fibres and Textiles in Eastern Europe* 2003; 11, 2(41): 79-84.
26. Muzzarelli C, Francescangeli O, Tosi G and Muzzarelli RAA. Susceptibility of dibutyryl chitin and regenerated chitin fibres to deacetylation and depolymerization by lipases. *Carbohydrate Polymers* 2004; 56: 37–146.
27. Chilarski A, Szosland L, Krucińska I, Kiekens P, Błasińska A, Schoukens G, Cisło R, Szumilewicz J. Novel dressing materials accelerating wound healing made from dibutyrylchitin. *Fibres and Textiles in Eastern Europe* 2007; 4(63): 77–81.

28. Schoukens G, Kiekens P and Krucinska I. New bioactive textile dressing materials from dibutrylchitin. *International Journal of Clothing Science and Technology* 2009; 21(2/3): 93 – 101.
29. Krucinska I, Komisarczyk A, Paluch D, Szymonowicz M, Zywicka B and Pielka S. The impact of the dibutrylchitin molar mass on the bioactive properties of dressings used to treat soft tissue wounds. *J Biomed Mater Res Part B* 2012; 100B:11-22.
30. Błasińska A and Drobnik J. Effects of non-woven mats of di-O-butyrylchitin and related polymers on the process of wound healing. *Biomacromolecules* 2008, 3, vol. 9, 776-782.
31. Błasińska A and Kun T. Influence of dibutrylchitin on histamine release from mast cells. *Progress on Chemistry and Application of Chitin and Its Derivatives* ed. by M.M.Jaworska, Łódź-Poland, 2008, 95-106.
32. Domszy JG and Roberts GAF. Evaluation of infrared spectroscopic techniques for analysing chitosan. *Die Makromolekulare Chemie* 1985; 186: 1671–1677.
33. Focher B, Naggi A, Torri G, Cosani A and Terbojevich M. Structural differences between chitin polymorphs and their precipitates from solutions-evidence from CP-MAS ¹³C-NMR, FT-IR and FT-Raman spectroscopy. *Carbohydrate Polymers* 1992; 17(2): 97-102.
34. Brugnerotto J, Lizardi J, Goycoolea FM, Argüelles-Monal W, Desbrieres J and Rinaudo M. An infrared investigation in relation with chitin and chitosan characterization. *Polymer* 2001; 42 3569–3580.
35. Yamaguchi Y, Nge TT, Takemura A, Hori N and Ono H. Characterization of uniaxially aligned chitin film by FT-IR spectroscopy. *Biomacromolecules* 2005; 6:1941–1947.
36. Kumirska J, Czerwicka M, Kaczyński Z, Bychowska A, Brzozowski K, Thöming J and Stepnowski P. Application of Spectroscopic Methods for Structural Analysis of Chitin and Chitosan. *Marine Drugs* 2010; 8 (5): 1567–1636.
37. Prabu K, Natarajan E. Isolation and FTIR spectroscopy characterization of chitin from local sources. *Advances in Applied Science Research* 2012; 3(2): 1870-1875.
38. Van De Velde K, Kiekens P. Structure analysis and degree of substitution of chitin, chitosan and dibutrylchitin by FT-IR spectroscopy and solid state ¹³C NMR. *Carbohydrate Polymers* 2004; 58: 409–416.

39. Biniś D, Boryniec S, Biniś W and Włochowicz A. Changes in structure of dibutyrylchitin fibres in process of chitin regeneration. *Polimery* 2005; 50(10): 742-747.
40. Biniś D, Boryniec S, Biniś W and Włochowicz A. Alkaline treatment of dibutyrylchitin fibers spun from polymer solution in ethyl alcohol. *Fibres & Textiles in Eastern Europe* 2006; 14(3): 12-18.
41. Biniś D, Wyszomirski M., Biniś W and Boryniec S. Supermolecular structure of chitin and its derivatives in FTIR spectroscopy studies. *Progress on Chemistry and Application of Chitin and Its Derivatives* ed. by M.M. Jaworska, Łódź-Poland, 2007, 95-108.
42. Biniś W, Biniś D. Application of FTNIR Spectroscopy for evaluation of the degree of deacetylation of chitosan fibres. *Fibres & Textiles in Eastern Europe* 2015; 23, 2(110): 10-18.
43. Gałat A, Popowicz J. Study of the Raman scattering spectra of chitins, *Bulletin Academy Polonian Sciences, Series Science Biology* 1978; 26(8): 519–524.
44. De Gussem K, Vandenabeele P, Verbeken A, Moens L. Raman spectroscopic study of Lactarius spores (Russulales, Fungi), *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* 2005; 61: 2896–2908.
45. Ehrlich H, Maldonado M, Spindler K-D, Eckert C, Hanke T, Born R, Goebel C, Simon P, Heinemann S and Worch H. First Evidence of Chitinase Component of the Skeletal Fibers of Marine Sponges. Part I. Verongidae (Demospongia: Porifera) *Journal of experimental zoology* 2007; 308B: 347–356.
46. Ehrlich H, Kaluzhnaya O V, Brunner E, Tsurkan MV, Ereskovsky A, Ilan M, Tabachnick KR, Bazhenov VV, Paasch S, et al. Identification and first insights into the structure and biosynthesis of chitin from the freshwater sponge *Spongilla lacustris*, *Journal of Structural Biology* 2013; 183 (3): 474-483.
47. Ehrlich H, Kaluzhnaya OV, Tsurkan MV, Ereskovsky A, Tabachnick KR, Ilan M, Stelling A, Galli R, Petrova OV, Nekipelov SV, Sivkov VN, Vyalikh D, Born R, Behm T, Ehrlich A, Chernogor L I, Belikov S, Janussen D, Bazhenov VV and Wörheide G. *First report on chitinous holdfast in sponges (Porifera)*. *Proceedings of the Royal Society B* 2013; 280.
48. Wysokowski M, Bazhenov VV, Tsurkan MV, Galli R, Stelling AL, Stöcker H and Kaiser S. Isolation and Identification of chitin in three-dimensional skeleton of *Aplysina fistularis* marine sponge. *International Journal of Biological Macromolecules* 2013; 62: 94-100.
49. Brzeski M, Mieczkowska M, Sowa K, Stolz H, Wojtasz-Pająk A and Neugebauer W. Technologia otrzymywania chityny z pancerzy kryla antarktycznego, *Studia i Materiały Seria S* 1985; WMIR, Gdynia; (2): 13-23.

50. Socrates G. *Infrared and Raman characteristic group frequencies*, (3th Ed.) 2001; England: John Wiley&Sons Ltd.
51. Siesler HW, Ozaki Y, Kawata S and Heise HM. *Near-Infrared Spectroscopy* 2002 (Principles, Instruments, Applications); WILEY-VCH Weinheim (Germany).