

References

1. Asokan P, Firdoous M and Sonal W. Properties and potential of bio fibres, bio binders, and bio composites. *Rev Adv Mater Sci* 2012; 30: 254-261.
2. Reddy N and Yang Y. Biofibers from agricultural byproducts for industrial applications. *Trends in Biotechnology* 2005; 23(1): 22–27.
3. John MJ and Thomas S. Biofibres and biocomposites. *Carbohydrate Polymers* 2008; 71: 343–364.
4. Bodros E and Baley C. Study of the tensile properties of stinging nettle fibres (*Urtica dioica*). *Materials Letters* 2008; 62: 2143-2145.
5. Bacci L, Lonardo SD, Albanese L, Mastromei G and Perito B. Effect of different extraction methods on fiber quality of nettle (*Urtica dioica* L.). *Textile Research Journal* 2010; 81(8): 827-837.
6. Kurban M, Yavaş A and Avinç OO. Nettle fibers and their properties. *Electronic Journal of Textile Technologies* 2011; 5(1): 84-106.
7. Huang G. Nettle (*Urtica cannabina* L) fibre, properties and spinning practice. *Journal of the Textile Institute* 2005; 96(1): 11-15.
8. Swicofil, <http://www.swicofil.com/products/016nettle.html>. Accessed on 2014.
9. Kurban M. Pre-treatment of Nettle Fibre Fabrics. MSc Thesis, Pamukkale University, Turkey, 2012.
10. Schindler WD and Hauser PJ. *Chemical Finishing of Textiles*. Cambridge: Woodhead Publishing, 2004.
11. Lam YL, Kan CW and Yuen CWM. Wrinkle-resistant finishing of cotton fabric with BTCA—the effect of co-catalyst. *Textile Research Journal* 2010; 81(5): 482–493.
12. Harifi T and Montazer M. Past, present and future prospects of cotton cross-linking: New insight into nanoparticles. *Carbohydrate Polymers* 2012; 88: 1125–1140.
13. Perumalraj R. Single-stage antimicrobial and crease proof finishing of cotton materials. *Journal of Industrial Textiles* 2013; 42(4): 376-391.
14. Karthik T, Rathinamoorthy R and Murugan R. Enhancement of wrinkle recovery angle of cotton fabric using citric acid cross-linking agent with nano-TiO₂ as a co-catalyst. *Journal of Industrial Textiles* 2012; 42(2): 99-117.
15. Zhou W, Yang CQ and Lickfield GC. Mechanical strength of durable press finished cotton fabric Part V: Poly(vinyl alcohol) as an additive to improve fabric abrasion resistance. *Journal of Applied Polymer Science* 2004; 91: 3940–3946.

16. Refaie R. Polymeric additives for improving performance properties of cotton fabric crosslinked with 1,2,3,4 butane tetra carboxylic acid. In: *8th Arab International Conference on Polymer Science & Technology*, 2005.
17. Fouda MMG, El Shafei A, Sharaf S and Hebeish A. Microwave curing for producing cotton fabrics with easy care and antibacterial properties. *Carbohydrate Polymers* 2009; 77, 651–655.
18. Sauperl O and Stana-Kleinschek K. Differences between cotton and viscose fibers crosslinked with BTCA. *Textile Research Journal* 2010; 80(4): 383-392.
19. Dehabadi VA, Buschmann HJ and Gutmann JS. Study of easy care and biostatic properties of finished cotton fabric with polyamino carboxylic acids. *The Journal of the Textile Institute*. 2013; 104(4): 414–418.
20. Shekarriz S, Cohen P, Carr CM, Mitchell R and Jones C. Surface chemical analysis of 1,2,3,4-butanetetracarboxylic acid modified cotton. *Journal of Materials Science* 2003; 38: 2945-2951.
21. Zhou LM, Yeung KW, Yuen CWM and Zhou X. Characterization of ramie yarn treated with sodium hydroxide and crosslinked by 1,2,3,4-butanetetracarboxylic acid. *Journal of Applied Polymer Science* 2004; 91: 1857-1864.
22. Hebeish A, Hashem M, Abdel-Rahman A and El-Hilw ZH. Improving easy care nonformaldehyde finishing performance using polycarboxylic acids via precationization of cotton fabric. *Journal of Applied Polymer Science*. 2006; 100: 2697–2704.
23. Li W, Xu X, Chen S, Zhou X, Li L, Chen D and Wang X. Esterification crosslinking structures of rayon fibers with 1,2,3,4-butanetetracarboxylic acid and their water-responsive properties. *Carbohydrate Polymers* 2008; 71: 574-582.
24. Mostafa KhM, Samarkandy AR and El-Sanabary AA. Using persulfate oxidized chitosan as a novel additives in easy-care finishing for cotton textiles. *Polymer-Plastics Technology and Engineering* 2009; 48(2): 130-135.
25. Dehabadi VA, Buschmann H-J and Gutmann JS. Durable press finishing of cotton fabrics with polyamino carboxylic acids. *Carbohydrate Polymers* 2012; 89: 558– 563.
26. Vasluianu E, Popescu V, Grigoriu A, Forna NC and Sandu I. Comparative study concerning the FTIR analysis and the performances of chitosan-based wrinkle-proofing agents. *Rev Chim* 2013; 64(10): 1104-1115.
27. Bajaj P. Finishing of textile materials. *Journal of Applied Polymer Science* 2002; 83: 631–659.

28. El-tahlawy KF, El-bendary MA, Elhendawy AG and Hudson SM. The antimicrobial activity of cotton fabrics treated with different crosslinking agents and chitosan. *Carbohydrate Polymers* 2005; 60: 421-430.
29. Dehabadi VA, Buschmann H-J and Gutmann JS. Durable press finishing of cotton fabrics: An overview. *Textile Research Journal* 2013; 83(18): 1974-1995.
30. Oktem T. Surface treatment of cotton fabrics with chitosan. *Coloration Technology* 2003; 119: 241-246.
31. Aly AS, Hashem A and Hussein SS. Utilization of chitosan citrate as crease-resistant and antimicrobial finishing agent for cotton fabric. *Indian Journal of Fibre & Textile Research* 2004; 29: 218-222.
32. Montazer M and Afjeh MG. Simultaneous X-linking and antimicrobial finishing of cotton fabric. *Journal of Applied Polymer Science* 2007; 103: 178-185.
33. Demir A, Arik B, Ozdogan E and Seventekin N. A new application method of chitosan for improved antimicrobial activity on wool fabrics pretreated by different ways. *Fibers and Polymers* 2010; 11(3): 351-356.
34. Arik B and Seventekin N. Evaluation of antibacterial and structural properties of cotton fabric coated by chitosan/titania and chitosan/silica hybrid sol-gel coatings. *Tekstil ve Konfeksiyon* 2011; 2: 107-115.
35. Hebeish A, Abdel-Mohdy FA, Fouda MMG, Elsaid Z, Essam S, Tammam GH and Drees EA. Green synthesis of easy care and antimicrobial cotton fabrics. *Carbohydrate Polymers* 2011; 86: 1684–1691.
36. Bhuiyan MAR, Shaid A, Bashar MM, Haque P and Hannan MA. A novel approach of dyeing jute fiber with reactive dye after treating with chitosan. *Open Journal of Organic Polymer Materials* 2013; 3: 87-91.
37. Viju S and Thilagavathi G. Effect of chitosan coating on the characteristics of silk-braided sutures. *Journal of Industrial Textiles* 2013; 42(3): 256-268.
38. Gaffer HE, Gouda M and Abdel-Latif E. Antibacterial activity of cotton fabrics treated with sulfadimidine azo dye/chitosan colloid. *Journal of Industrial Textiles* 2013; 42(4): 392-399.
39. Kim YH, Nam CW, Choi JW and Jang J. Durable antimicrobial treatment of cotton fabrics using N-(2-Hydroxy)propyl-3-trimethylammonium chitosan chloride and polycarboxylic acids. *Journal of Applied Polymer Science* 2003; 88: 1567-1572.

40. Sauperl O and Volmajer-Valh J. Viscose functionalisation with a combination of chitosan/BTCA using microwaves. *Fibres & Textiles in Eastern Europe* 2013; 21: 24-29.
41. Sharaf S, Opwis K, Knittel D and Gutmann JS. Comparative investigations on the efficiency of different anchoring chemicals for the permanent finishing of cotton with chitosan. *AUTEX Research Journal* 2011; 11(2): 71-77.
42. Cheng X, Ma K, Li R, Ren X and Huang TS. Antimicrobial coating of modified chitosan onto cotton fabrics. *Applied Surface Science* 2014; 309: 138-143.
43. Ak FN. The effect of some weaving constructions on fabric performance properties. MSc Thesis, University of Cukurova, Turkey, 2006.
44. Lam YL, Kan CW and Yuen CWM. Physical and chemical analysis of plasma-treated cotton fabric subjected to wrinkle-resistant finishing. *Cellulose* 2011; 18: 493-503.
45. Surina R and Andrassy M. Effect of preswelling and ultrasound treatment on the properties of flax fibers cross-linked with polycarboxylic acids. *Textile Research Journal* 2013; 83(1): 66-75.