

References

1. Malasauskiene J, Milasius R, Kuchanauskaite E. Possibilities for the Estimation of Electrospun Nanofibre Diameter Distribution by Normal (Gaussian) Distribution. *Fibres & Textiles in Eastern Europe* 2016; 116, 2(116): 23-28. Nr DOI: 10.5604/12303666.1191423
2. Malasauskiene J, Milasius R. Mathematical Analysis of the Diameter Distribution of Electrospun Nanofibres. *Fibres & Textiles in Eastern Europe* 2010; 83, 6(83): 45-48.
3. Brown P J, Stevens K. *Nanofibers and nanotechnology in textiles*. Ed. Woodhead Publishing Limited, Cambridge, England. 2007, p. 528.
4. Vasita R, Katti D S. Nanofiber and their application in tissue engineering. *International Journal of Nanomedicine* 2006; 1,1: 15-30.
5. Mikucioniene D, Milasius R, Daugelavicius R, Rageliene L, Venklauskaite N, Ragaisiene A, Rukuiziene Z. Preliminary Investigation into the Antimicrobial Activity of an Electrospun Polyamide Nanofibrous Web with Micro Particles of Baltic Amber. *Fibres & Textiles in Eastern Europe* 2016; 119, 5(119): 34-37. Nr DOI: 10.5604/12303666.1215524
6. Khurshid M F, Hussain T, Masood R, Hussain N. Development and evaluation of a controlled drug delivery wound dressing based on polymeric porous microspheres. *Journal of Industrial textiles* 2016; 46, 3: 986-999.
7. Sato T, Sakamoto O, Odanaka W, Yoshida K, Urishibata, O. Clinical Effects of dietary hyaluronic acid on dry, rough skin. *J. Aesthetic Dermatology* 2002; 12: 109-120.
8. Kajimoto O, Odanaka W, Sakamoto W, Yoshida K, Takahashi T. Clinical Effects of Hyaluronic acid diet for dry skin. *J. New Rem & Clin* 2001; 90-102.
9. Duranti F, Salti G, Bovani B, Calandra M, Rosati M L. Injectable hyaluronic acid gel for soft tissue augmentation: A clinical and histological study. *Dermatologic Surgery* 1998; 24: 1317-1325.
10. Liu Y, Ma G, Fang D, Xu J, Zhang H, Nie J. Effects of solution properties and electric field on the electrospinning of hyaluronic acid. *Carbohydrate Polymers* 2011; 83: 1011-1015.
11. Rajzer I, Menaszek E, Bacakova L, Orzelski M, Blaźewicz M. Hyaluronic Acid-Coated Carbon Nonwoven Fabrics as Potential Material for Repair of Osteochondral Defects. *Fibres & Textiles in Eastern Europe* 2013; 99, 3: 102-107.
12. Suh K Y, Yang J M, Khademhosseini A, Berry D, Tran T N, Park H, Langer R. Characterization of chemisorbed hyaluronic acid directly immobilized on solid substrates. *Journal of Biomedical Materials Research Part B: Applied Biomaterials* 2005; 72, 2: 292-298.
13. Leach J B, Bivens K A, Patrick C W, Schmidt C E. Photocrosslinked Hyaluronic Acid Hydrogels: Natural, Biodegradable Tissue Engineering Scaffolds. *Biotechnology and Bioengineering* 2003; 82, 5: 578-589.
14. Kim T G, Chung H J, Park T G. Macroporous and nanofibrous hyaluronic acid/collagen hybrid scaffold fabricated by concurrent electrospinning and deposition/leaching of salt particles. *Acta Biomaterialia* 2008; 4: 1611-1619.
15. Wang X, Um I Ch, Fang D, Okamoto A, Hsiao B S. Formation of water-resistant hyaluronic acid nanofibers by blowing-assisted electro-spinning and non-toxic post treatments. *Polymer* 2005; 46: 4853-4867.
16. Mason M, Vercruyse K P, Kirker K R, Frisch R, Marecak D M, Prestwich G D, Pitt W G. Attachment of hyaluronic acid to polypropylene, polystyrene and polytetrafluoroethylene. *Biomaterials* 2000; 21: 31-36.

17. Hild M, Al Rez M F, Aibibu D, Toskas G, Cheng T, Laourine E, Cherif Ch. Pcl/Chitosan Blended Nanofibrous Tubes Made by Dual Syringe Electrospinning. *Autex Research Journal* 2015; 15, 1: 54-59, DOI: 10.1515/aut-2015-0016.
18. Sutka A, Kukle S., Gravitis J, Milasius R, Malasauskiene J. Nanofibre Electrospinning Poly(vinyl alcohol) and Cellulose Composite Mats Obtained by Use of a Cylindrical Electrode. *Advances in Materials Science and Engineering* 2013; 2013: 1-6, DOI: 10.1155/2013/932636.