

References

1. Chadwick JC, van der Burgt FP, Rastogi S, Busico V, Cipullo R, Talarico G, et al. Influence of Ziegler- Natta Catalyst Regioselectivity on Polypropylene Molecular Weight Distribution and Rheological and Crystallization Behavior. *Macromolecules* 2004; 37(26): 9722–9727.
2. Qiub Z, Yuanb S. Effect of molecular weight of PDMS on morphology and mechanical properties of pp/pdms blends. *Chinese J Polym Sci.* 2009; 27(1): 137–143.
3. Castro M, Carrot C, Prochazka F. Experimental and theoretical description of low frequency viscoelastic behaviour in immiscible polymer blends. *Polymer* 2004; 45(12): 4095–4104.
4. Gahleitner M, Wolfschwenger J, Bachner C, Bernreitner K, Nei\sl W. Crystallinity and mechanical properties of PP-homopolymers as influenced by molecular structure and nucleation. *J Appl Polym Sci.* 1996; 61(4): 649–657.
5. Cho K, Li F, Choi J. Crystallization and melting behavior of polypropylene and maleated polypropylene blends. *Polymer* 1999; 40(7): 1719–1729.
6. Rana SK. Effect of cocrystallization on kinetic parameters of high-density polyethylene/linear low-density polyethylene blend. *J Appl Polym Sci.* 1996; 61(6): 951–957.
7. de Candia F, Russo R, Vittoria V. Physical behaviour of stereoblock-isotactic polypropylene. *Macromol Chem Phys.* 1988; 189(4): 815–821.
8. Canevarolo S, De Candia F. Stereoblock polypropylene/isotactic polypropylene blends. I. Phase organization. *J Appl Polym Sci.* 1994; 54(13): 2013–2021.
9. Canevarolo S, De Candia F. Stereoblock polypropylene/isotactic polypropylene blends. III. Isothermal crystallization kinetics of iPP component. *J Appl Polym Sci.* 1995; 57(5): 533–538.
10. Canevarolo SV, De Candia F. Stereoblock polypropylene/isotactic polypropylene blends. IV. Cocrystallization and phase separation. *J Appl Polym Sci.* 1996; 61(2): 217–220.
11. Keith HD, Padden Jr FJ. Spherulitic crystallization from the melt. I. Fractionation and impurity segregation and their influence on crystalline morphology. *J Appl Phys.* 1964; 35(4): 1270–1285.
12. Keith HD, Padden Jr FJ. Spherulitic crystallization from the melt. II. Influence of fractionation and impurity segregation on the kinetics of crystallization. *J Appl Phys.* 1964; 35(4): 1286–1296.
13. Wang Z-G, Phillips RA, Hsiao BS. Morphology development during isothermal crystallization. II. Isotactic and syndiotactic polypropylene blends. *J Polym Sci Part B Polym Phys.* 2001; 39(16): 1876–1888.

14. Kristofic M, Ujhelyiova A, Ryba J. Thermal Properties of Functionalised Metallocene Polypropylene Fibres. *FIBRES & TEXTILE in Eastern Europe* 2012; 20, 4(93): 24-29.
15. Ramamurthy P, Chellamani KP, Dhurai B, ThankaRajan SP, Subramanian B, Santhini E. Antimicrobial Characteristics of Pulsed Laser Deposited Metal Oxides on Polypropylene Hydroentangled Nonwovens for Medical Textiles. *FIBRES & TEXTILE in Eastern Europe* 2017; 25, 2(122): 112-119. DOI: 10.5604/12303666.1228192.
16. Broda J, Brachaczek W. Influence of Polypropylene fibre geometry on the mechanical properties of cement mortars. *FIBRES & TEXTILE in Eastern Europe* 2015; 23, 2(110): 123-129.
17. Koichi N. Idemitsu Kosan Co, Ltd. L-MODU for Nonwovens and Hot Melt Adhesives – A New Type of Polypropylene. Insight Conference Minneapolis USA. 2011, 23rd-27th October.
18. Koichi N. Idemitsu Kosan Co, Ltd. New polyolefin polymer L-MODU for soft nonwovens. *Chemical Fibers International* March 2011; 62(1): 24.
19. Chen J-H, Tsai F-C, Nien Y-H, Yeh P-H. Isothermal crystallization of isotactic polypropylene blended with low molecular weight atactic polypropylene. Part I. Thermal properties and morphology development. *Polymer* 2005; 46(15): 5680–5688.
20. Foresta T, Piccarolo S, Goldbeck-Wood G. Competition between α and γ phases in isotactic polypropylene: effects of ethylene content and nucleating agents at different cooling rates. *Polymer* 2001; 42(3): 1167–1176.