References

1. Sieminski MA, Hotte G. The porosity of the textile materials. *Rayon Text Mon.* 1944; 25(12): 608–10.

2. Zupin Z, Hladnik A, Dimitrovski K. Prediction of one-layer woven fabrics air permeability using porosity parameters. *Text Res J.* 2012; 82(2): 117–28.

3. Ogulata RT, Mezarcioz S (Mavruz). Total porosity, theoretical analysis, and prediction of the air permeability of woven fabrics. *J Text Inst.* 2012;103(6):654–61.

4. Xu G, Wang F. Prediction of the Permeability of Woven Fabrics. *J Ind Text.* 2005; 34(4): 243–54.

5. Xiao X, Zeng X, Long a., Lin H, Clifford M, Saldaeva E. An analytical model for through-thickness permeability of woven fabric. *Text Res J.* 2012;82(5): 492–501.

6. Havlová M. Air Permeability and Costructional Parameters of Woven Fabrics. *FIBRES & TEXILES in Eastern Europe* 2013; 21 2(98): 84–89.

7. Burleigh EG, Wakeham H, Honold E, Skau EL. Pore-Size Distribution in Textiles. *Text Res J.* 1949; 19(9): 547–55.

8. Xiao X. *Modeling the Structure-Permeability Relationship for Woven Fabrics*. PhD Thesis, The Unievrsity of Nottingham, 2012.

9. Laourine E, Cherif C. Characterisation of barrier properties of woven fabrics for surgical protective textiles. *Autex Res J.* 2011; 11(2): 31–6.

10. Aibibu D. *Charakterisierung , Modellierung und Optimierung der Barriereeigenschaften von OP-Textilien*. PhD Thesis, Technische Universität Dresden, 2005.

11. Aibibu D, Lehmann B, Offermann P. Barrier effect of woven fabrics used for surgical gowns. *Autex Res J.* 2003; 3(4): 186–93.

12. Farooq A, Cherif C. Use of artificial neural networks for determining the leveling action point at the auto-leveling draw frame. *Text Res J.* 2008; 78(6): 502–9.

13. Malik SA, Arain RA, Khatri Z, Saleemi S, Cherif C. Neural network modeling and principal component analysis of antibacterial activity of chitosan/AgCl-TiO2 colloid treated cotton fabric. *Fibers Polym.* 2015; 16(5): 1142–9.

14. Malik SA, Farooq A, Gereke T, Cherif C. Prediction of blended yarn evenness and tensile properties by using artificial neural network and multiple linear regression. *Autex Res J.* 2016; 16(2): 43–50.

15. Malik SA, Saleemi S, Mengal N. Predicting hydrophobicity of silica sol-gel coated dyed cotton fabric by artificial neural network and regression. *Indian J Fibre Text Res.* 2016; 41(1): 67–72.

16. Behera BK, Mani MP. Characterization and Classification of Fabric Defects using Discrete Cosine Transformation and Artificial Neural Network. *Indian J Fiber Text Res.* 2007; 32(4):421–6.

17. Jin G, Zhu C. Artificial Neural Network Modeling for Predicting Pore Size and Its Distribution for Melt Blown Nonwoven. *SEN'I GAKKAISHI.* 2015; 71(11): 317–22.

18. Ibrahim MZ, Norashikin MZ. Pore Size Prediction of Polyethersulfone Ultrafiltration Membranes Using Artificial Neural *Networks. J Nanosci Nanotechnol* 2010;10(9):6211–5.

19. Malik SA, Kocaman RT, Kaynak HK, Gereke T, Aibibu D, Babaarslan O, et al. Analysis and prediction of air permeability of woven barrier fabrics with respect to material, fabric construction and process parameters. *Fibers Polym* [Internet]. 2017 Oct; 18(10): 2005–17. Available from: https://doi.org/10.1007/s12221-017-7241-5

20. Wakeham H, Spicer N. Pore-Size Distribution in Textiles-A Study of Windproof and Water-Resistant Cotton Fabrics *. *Text Res J.* 1949; 19(11): 703–10.

21. Bhatia SK, Smith JL. Application of the bubble point method to the characterization of the pore-size distribution of geotextiles. Geotech *Test J.* 1995; 18(1): 94–105.

22. Li D, Frey MW, Joo YL. Characterization of nanofibrous membranes with capillary flow porometry. *J Memb Sci.* 2006; 286(1–2): 104–14.

23.   Kopitar D, Skenderi Z, Matijasic G. Influence of nonwoven fabric pore sizes on water vapor resistance. *Text Res J* [Internet]. 2017; Available from: http://journals.sagepub.com/doi/10.1177/0040517517700200

24.   Angelova RA. Determination of the pore size of woven structures through image analysis. *Cent Eur J Eng.* 2012;2(1):129–35.

25.   Gong RH, Newton A. Image-analysis Techniques. Part I: The Measurement of Pore-size Distribution. J Text Inst [Internet]. 1992;83(2):253–68. Available from: http://www.tandfonline.com/doi/abs/10.1080/00405009208631195

26.   316-03 AF. Standard Test Methods for Pore Size Characteristics of Membrane Filters by Bubble Point and Mean Flow Pore Test. ASTM International, West Conshohocken, PA. 2011. p. 1–7.

27.   E1294-89(1999) A. Standard Test Method for Pore Size Characteristics of Membrane Filters Using. ASTM Int West Conshohocken, PA. 1999;1–2.

28.   Walz F, Luibrand J. Die Gewebedichte. *Text Prax.* 1947;2:330–5.

29.   Backer S. The Relationship Between the Structural Geometry of a Textile Fabric and Its Physical Properties Part IV: Interstice Geometry and Air Permeability. *Text Res J.* 1951; 21(10): 703–14.

30.   Rumelhart DE, Hinton GE, Williams RJ. Learning representations by back-propagating errors. Nature. 1986;323:533–6.

31.   Minsky M, Papert S. Perceptrons. MIT Press, Cambridge MA; 1969.

32.   Hagan MT, Menhaj MB. Training Feedforward Networks with the Marquardt Algorithm. *IEEE Trans Neural Networks.* 1994;5(6):989–93.

33.   Marquardt DW. An Algorithm for Least Squares Estimation of Nonlinear Parameters. *J Soc Ind Appl Math.* 1963;11(2):431–41.

34.   Wilamowski BM, Iplikci S, Kaynak O, Efe MO. An algorithm for fast convergence in training neural networks. In: *Proceedings IJCNN '01 International Joint Conference on Neural Networks* 2001, p. 1778–82.

35.   MacKay DJC. Bayesian Interpolation. *Neural Comput.* 1992;4(3):415–47.

36. Döbrich O, Gereke T, Cherif C. Modeling of textile composite reinforcements on the micro-scale. *Autex Res J.* 2014; 14(1): 28–33.