

References

1. Lamba NMK, Woodhouse KA, Cooper SL, Lelah MD. Polyurethanes in biomedical applications. CRC press, Washington, DC, 1998
2. Francolini I, Crisante F, Martinelli A, et al. Synthesis of biomimetic segmented polyurethanes as antifouling biomaterials. *Acta Biomater* 2012; 8:549–558. DOI: 10.1016/j.actbio.2011.10.024.
3. Gabriel L, Zavaglia C, Jardini A, et al. Isocyanates as Precursors to Biomedical Polyurethanes. *Chem Eng Trans* 2014; 38: 253–258. DOI: 10.3303/CET1438043.
4. Barrioni BR, De Carvalho SM, Oréfice RL, et al. Synthesis and characterization of biodegradable polyurethane films based on HDI with hydrolyzable crosslinked bonds and a homogeneous structure for biomedical applications. *Mater Sci Eng C* 2015; 52: 22–30. DOI: 10.1016/j.msec.2015.03.027.
5. Wang J, Zheng Z, Wang Q, et al. Synthesis and characterization of biodegradable polyurethanes based on L-cystine/cysteine and poly(e-caprolactone). *J Appl Polym Sci* 2013; 128: 4047–4057. DOI: 10.1002/app.38613.
6. Kucinska-Lipka J, Gubanska I, Strankowski M, et al. Synthesis and characterization of cycloaliphatic hydrophilic polyurethanes, modified with L-ascorbic acid, as materials for soft tissue regeneration. *Mater Sci Eng C* 2017; 75:671–681. DOI: 10.1016/j.msec.2017.02.052.
7. Abraham GA, Marcos-Fernández A, San Román J. Bioresorbable poly(ester-ether urethane)s from L-lysine diisocyanate and triblock copolymers with different hydrophilic character. *J Biomed Mater Res - Part A* 2006; 76: 729–736. DOI: 10.1002/jbm.a.30540.
8. Mondal S, Martin D. Hydrolytic degradation of segmented polyurethane copolymers for biomedical applications. *Polym Degrad Stab* 2012; 97: 1553–1563. DOI: 10.1016/j.polymdegradstab.2012.04.008.
9. Ruiz A, Rathnam KR, Masters KS. Effect of hyaluronic acid incorporation method on the stability and biological properties of polyurethane–hyaluronic acid biomaterials. *J Mater Sci Mater Med* 2014; 25: 487–498. DOI: 10.1007/s10856-013-5092-1.
10. Cauich-rodríguez J V, Chan-Chan LH, Hernandez-Sánchez F, Cervantes-Uc JM. Degradation of Polyurethanes for Cardiovascular Applications. In: Pignatello R (ed) *Adv. Biomater. Sci. Biomed. Appl. InTech* 2012; pp 51–82.
11. Oprea S. The effect of chain extenders structure on properties of new polyurethane elastomers. *Polym Bull* 2010; 65: 753–766. DOI: 10.1007/s00289-009-0242-9.
12. Karchin A, Simonovsky FI, Ratner BD, Sanders JE. Melt electrospinning of biodegradable polyurethane scaffolds. *Acta Biomater* 2011; 7: 3277–3284. DOI: 10.1016/j.actbio.2011.05.017.
13. Blit PH, Battiston KG, Yang M, et al. Electrospun elastin-like polypeptide enriched polyurethanes and their interactions with vascular smooth muscle cells. *Acta Biomater* 2012; 8: 2493–2503. DOI: 10.1016/j.actbio.2012.03.032.
14. Jiang X, Yu F, Wang Z, et al. Fabrication and characterization of waterborne biodegradable polyurethanes 3-dimensional porous scaffolds for vascular tissue engineering. *J Biomater Sci Polym Ed* 2010; 21: 1637–1652. DOI: 10.1163/092050609X12525750021270.

15. Spontak RJ, Patel NP. Thermoplastic elastomers: fundamentals and applications. *Curr Opin Colloid Interface Sci* 2000; 5: 333–340. DOI: 10.1016/S1359-0294(00)00070-4.
16. Carneiro OS, Silva AF, Gomes R. Fused deposition modeling with polypropylene. *Mater Des* 2015; 83: 768–776. DOI: 10.1016/j.matdes.2015.06.053.
17. Chia HN, Wu BM () Recent advances in 3D printing of biomaterials. *J Biol Eng* 2015; 9:1–14. DOI: 10.1186/s13036-015-0001-4.
18. Ventola CL. Medical Applications for 3D Printing: Current and Projected Uses. *Pharm Ther* 2014; 39: 704–711. DOI: 10.1016/j.infsof.2008.09.005.
19. Klammert U, Gbureck U, Vorndran E, et al. 3D powder printed calcium phosphate implants for reconstruction of cranial and maxillofacial defects. *J Cranio-Maxillofacial Surg* 2010; 38: 565–570. DOI: 10.1016/j.jcms.2010.01.009
20. Bergmann C, Lindner M, Zhang W, et al. 3D printing of bone substitute implants using calcium phosphate and bioactive glasses. *J Eur Ceram Soc* 2010; 30: 2563–2567. DOI: 10.1016/j.jeurceramsoc.2010.04.037.
21. Lee M-Y, Chang C-C, Ku YC. New layer-based imaging and rapid prototyping techniques for computer-aided design and manufacture of custom dental restoration. *J Med Eng Technol* 2008; 32: 83–90. DOI: 10.1080/03091900600836642.
22. Do A-V, Khorsand B, Geary SM, Salem AK. 3D Printing of Scaffolds for Tissue Regeneration Applications. *Adv Healthc Mater* 2015; 4: 1742–1762. DOI: 10.1002/adhm.201500168.
23. Zhu W, Ma X, Gou M, et al. 3D printing of functional biomaterials for tissue engineering. *Curr Opin Biotechnol* 2016; 40: 103–112. DOI: 10.1016/j.copbio.2016.03.014.
24. Zein I, Hutmacher DW, Tan KC, Teoh SH. Fused deposition modeling of novel scaffold architectures for tissue engineering applications. *Biomaterials* 2002; 23: 1169–85.
25. Garcia J, Yang Z, Mongrain R, et al. 3D printing materials and their use in medical education: a review of current technology and trends for the future. *BMJ Simul Technol Enhanc Learn bmjstel-2017-000234*. DOI: 10.1136/bmjstel-2017-000234.
26. O'reilly MK, Reese S, Herlihy T, et al. Fabrication and Assessment of 3D Printed Anatomical Models of the Lower Limb for Anatomical Teaching and Femoral Vessel Access Training in Medicine. DOI: 10.1002/ase.1538.
27. Esses SJ, Berman P, Bloom AI, Sosna J (2011) Clinical Applications of Physical 3D Models Derived From MDCT Data and Created by Rapid Prototyping. *Am J Roentgenol* 196:W683–W688. DOI: 10.2214/AJR.10.5681.
28. Prasad LK, Smyth H. 3D Printing technologies for drug delivery: a review. *Drug Dev Ind Pharm* 2016; 42:1019–1031. DOI: 10.3109/03639045.2015.1120743.
29. Ursan L, Chiu L, Pierce A. Three-dimensional drug printing: A structured review. *J Am Pharm Assoc* 2013; 53: 136–144. DOI: 10.1331/JAPHA.2013.12217.
30. Robinson A. Welcome to the complex world of 3D-printed drugs. <https://www.theguardian.com/sustainable-business/2015/aug/21/welcome-to-complex-world-of-3d-printed-drugs-spritam-fda>. Accessed 9 Oct 2017
31. Pietrzak K, Isreb A, Alhnani MA. A flexible-dose dispenser for immediate and extended release 3D printed tablets. *Eur J Pharm Biopharm* 2015; 96: 380–387. DOI: 10.1016/j.ejpb.2015.07.027

32. Bertol LS, Júnior WK, Silva FP da, Aumund-Kopp C () Medical design: Direct metal laser sintering of Ti-6Al-4V. *Mater Des* 2010; 31: 3982–3988. DOI: 10.1016/j.matdes.2010.02.050.
33. Hao L, Savalani MM, Zhang Y, et al. Selective laser sintering of hydroxyapatite reinforced polyethylene composites for bioactive implants and tissue scaffold development. *Proc Inst Mech Eng Part H J Eng Med* 2006; 220: 521–531. DOI: 10.1243/09544119JEIM67.
34. Matsuda T, Mizutani M, Arnold SC. Molecular design of photocurable liquid biodegradable copolymers. 1. Synthesis and photocuring characteristics. *Macromolecules* 2000; 33: 795–800. DOI: 10.1021/ma991404i.
35. Lee KW, Wang S, Fox BC, et al. Poly(propylene fumarate) bone tissue engineering scaffold fabrication using stereolithography: Effects of resin formulations and laser parameters. *Biomacromolecules* 2007; 8: 1077–1084. DOI: 10.1021/bm060834v.
36. Patra S, Young V. A Review of 3D Printing Techniques and the Future in Biofabrication of Bioprinted Tissue. *Cell Biochem Biophys* 2016; 74: 93–98. DOI: 10.1007/s12013-016-0730-0.
37. Murphy S V, Atala A. 3D bioprinting of tissues and organs. *Nat Biotechnol* 2014; 32: 773.
38. Feuerbach T, Kock S, Thommes M. Characterisation of fused deposition modeling 3D printers for pharmaceutical and medical applications. *Pharm Dev Technol.* 2018. DOI: 10.1080/10837450.2018.1492618.
39. Salentijn GIJ, Oomen PE, Grajewski M, Verpoorte E. Fused Deposition Modeling 3D Printing for (Bio)analytical Device Fabrication: Procedures, Materials, and Applications. *Anal Chem* 2017; 89: 7053–7061. DOI: 10.1021/acs.analchem.7b00828.
40. Mohamed OA, Masood SH, Bhowmik JL. Optimization of fused deposition modeling process parameters: a review of current research and future prospects. *Adv Manuf* 2015; 3: 42–53. DOI: 10.1007/s40436-014-0097-7.
41. Xiao J, Gao Y. The manufacture of 3D printing of medical grade TPU. *Prog Addit Manuf* 2017; 2: 117–123. DOI: 10.1007/s40964-017-0023-1.
42. Gkartzou E, Koumoulos EP, Charitidis CA. Production and 3D printing processing of bio-based thermoplastic filament. *Manuf Rev* 2017; 4: 1. DOI: 10.1051/mfreview/2016020.
43. Melocchi A, Parietti F, Maroni A, et al. Hot-melt extruded filaments based on pharmaceutical grade polymers for 3D printing by fused deposition modeling. *Int J Pharm* 2016; 509: 255–263. DOI: 10.1016/j.ijpharm.2016.05.036.
44. Lam CX., Mo X., Teoh S., Hutmacher D. Scaffold development using 3D printing with a starch-based polymer. *Mater Sci Eng C* 2002; 20: 49–56. DOI: 10.1016/S0928-4931(02)00012-7.
45. Wu C-S. Modulation, functionality, and cytocompatibility of three-dimensional printing materials made from chitosan-based polysaccharide composites. *Mater Sci Eng C Mater Biol Appl* 2016; 69: 27–36. DOI: 10.1016/j.msec.2016.06.062.
46. Esposito Corcione C, Gervaso F, Scalera F, et al. The feasibility of printing polylactic acid–nanohydroxyapatite composites using a low-cost fused deposition modeling 3D printer. *J Appl Polym Sci* 2017; 134: 1–10. DOI: 10.1002/app.44656.

47. Patrício T, Domingos M, Gloria A, Bárto P. Characterisation of PCL and PCL/PLA scaffolds for tissue engineering. *Procedia CIRP* 2013; 5:110–114. DOI: 10.1016/j.procir.2013.01.022.
48. Hutmacher DW, Schantz T, Zein I, et al. Mechanical properties and cell cultural response of polycaprolactone scaffolds designed and fabricated via fused deposition modeling. *J Biomed Mater Res* 2001; 55:203–216. DOI: 10.1002/1097-4636(200105)55:2<203:AID-JBM1007>3.0.CO;2-7.
49. Stivaros SM, Williams LR, Senger C, et al. Woven polydioxanone biodegradable stents: A new treatment option for benign and malignant oesophageal strictures. *Eur Radiol* 2010; 20: 1069–1072. DOI: 10.1007/s00330-009-1662-5.
50. Zhang H, Mao X, Du Z, et al () Three dimensional printed macroporous polylactic acid/hydroxyapatite composite scaffolds for promoting bone formation in a critical-size rat calvarial defect model. *Sci Technol Adv Mater* 2016; 17: 136–148. DOI: 10.1080/14686996.2016.1145532.
51. Mohseni M, Hutmacher DW, Castro NJ. Independent evaluation of medical-grade bioresorbable filaments for fused deposition modelling/fused filament fabrication of tissue engineered constructs. *Polymers (Basel)* 2018; DOI: 10.3390/polym10010040.
52. Gorna K, Gogolewski S. Preparation, degradation, and calcification of biodegradable polyurethane foams for bone graft substitutes. *J Biomed Mater Res* 2003; 67A: 813–827. DOI: 10.1002/jbm.a.10148.
53. Guan J, Sacks MS, Beckman EJ, Wagner WR. Biodegradable poly(ether ester urethane)urea elastomers based on poly(ether ester) triblock copolymers and putrescine: Synthesis, characterization and cytocompatibility. *Biomaterials* 2004; 25: 85–96. DOI: 10.1016/S0142-9612(03)00476-9.
54. Guelcher S, Srinivasan A, Hafeman A, et al. Synthesis, In Vitro Degradation, and Mechanical Properties of Two-Component Poly(Ester Urethane)Urea Scaffolds: Effects of Water and Polyol Composition. *Tissue Eng* 2007; 13: 2321–2333. DOI: 10.1089/ten.2006.0395.
55. Kütting M, Roggenkamp J, Urban U, et al. Polyurethane heart valves: Past, present and future. *Expert Rev Med Devices* 2011; 8: 227–233. DOI: 10.1586/erd.10.79.
56. Park JH, Cho YW, Kwon IC, et al. Assessment of PEO/PTMO multiblock copolymer/segmented polyurethane blends as coating materials for urinary catheters: In vitro bacterial adhesion and encrustation behavior. *Biomaterials* 2002; 23: 3991–4000. DOI: 10.1016/S0142-9612(02)00144-8.
57. Lee SM, Park IK, Kim YS, et al. Physical, morphological, and wound healing properties of a polyurethane foam-film dressing. *Biomater Res* 2016; 20: 1–11. DOI: 10.1186/s40824-016-0063-5.
58. Shimizu R, Nonomura Y. Preparation of Artificial Skin that Mimics Human Skin Surface and Mechanical Properties. *J Oleo Sci* 2018; 54:47–54. DOI: 10.5650/jos.ess17152.
59. Gogolewski S, Gorna K. Biodegradable polyurethane cancellous bone graft substitutes in the treatment of iliac crest defects. *J Biomed Mater Res Part A* 2006; 94–101. DOI: 10.1002/jbm.a.30834.
60. Sivak WN, Pollack IF, Petoud S, et al () Catalyst-dependent drug loading of LDI-glycerol polyurethane foams leads to differing controlled release profiles. *Acta Biomater* 2008; 4:1263–1274. DOI: 10.1016/j.actbio.2008.01.008.

61. Kucińska-Lipka J, Gubanska I, Pokrywczynska M, et al. Polyurethane porous scaffolds (PPS) for soft tissue regenerative medicine applications. *Polym Bull* 2017; 1–23. DOI: 10.1007/s00289-017-2124-x.
62. Teo AJT, Mishra A, Park I, et al. Polymeric Biomaterials for Medical Implants and Devices. *ACS Biomater Sci Eng* 2016; 2: 454–472. DOI: 10.1021/acsbiomaterials.5b00429
63. Jung SY, Lee SJ, Kim HY, et al. 3D printed polyurethane prosthesis for partial tracheal reconstruction: a pilot animal study. *Biofabrication* 2016; 8:045015. DOI: 10.1088/1758-5090/8/4/045015.
64. Hung K-C, Tseng C-S, Dai L-G, Hsu S. Water-based polyurethane 3D printed scaffolds with controlled release function for customized cartilage tissue engineering. *Biomaterials* 2016; 83: 156–168. DOI: 10.1016/j.biomaterials.2016.01.019.
65. Hung K-C, Tseng C-S, Hsu S. Synthesis and 3D Printing of Biodegradable Polyurethane Elastomer by a Water-Based Process for Cartilage Tissue Engineering Applications. *Adv Healthc Mater* 2014; 3:1578–1587. DOI: 10.1002/adhm.201400018.
66. Chen Q, Mangadlao JD, Wallat J, et al. 3D Printing Biocompatible Polyurethane/Poly(lactic acid)/Graphene Oxide Nanocomposites: Anisotropic Properties. *ACS Appl Mater Interfaces* 2017; 9:4015–4023. DOI: 10.1021/acsami.6b11793.
67. Tsai KJ, Dixon S, Hale LR, et al. Biomimetic heterogenous elastic tissue development. *npj Regen Med* 2017; 2:16. DOI: 10.1038/s41536-017-0021-4.
68. Qiu K, Zhao Z, Haghiashtiani G, et al. 3D Printed Organ Models with Physical Properties of Tissue and Integrated Sensors. *Adv Mater Technol* 2017; 1700235:1700235. DOI: 10.1002/admt.201700235.
69. Jiang X, Yu F, Wang Z, et al. Fabrication and Characterization of Waterborne Biodegradable Polyurethanes 3-Dimensional Porous Scaffolds for Vascular Tissue Engineering. *J Biomater Sci Polym Ed* 2010; 21: 1637–1652. DOI: 10.1163/092050609X12525750021270.
70. Hung KC, Tseng CS, Hsu SH. Synthesis and 3D Printing of biodegradable polyurethane elastomer by a water-based process for cartilage tissue engineering applications. *Adv Healthc Mater* 2014; 3:1578–1587. DOI: 10.1002/adhm.201400018
71. Chung M, Radaci N, Robert C, et al. On the optimization of low-cost FDM 3D printers for accurate replication of patient-specific abdominal aortic aneurysm geometry. *3D Print Med* 2018; 4:2. DOI: 10.1186/s41205-017-0023-2.