

## References:

1. Kesting RY. *Sinteticheskiye polimernyye membrany*. Moskva: Khimiya, 1991, 336 p.
2. Rabek YA. *Eksperimental'nyye metody v khimii polimerov: v 2 chastyakh. Translated from English*. Moskva: Mir, 1983, 384 p.
3. Korycki R, Szafrańska H. Thickness optimisation of sealed seams in respect of insulating properties. *FIBRES & TEXTILES in Eastern Europe* 2017; 25, 2 (122): 68–75. DOI: 10.5604/12303666.1228185
4. Bokova Ye.S. *Fiziko-khimicheskiye osnovy i tekhnologiya modifikatsii rastvorov polimerov v proizvodstve voloknistoporistykh materialov*. Doctoral Thesis, MGUDT, Russia, 2007
5. Filatov YU.N. *Elektroformovaniye voloknistykh materialov (EFV-protsess)*. Moskva: Neft' i gaz, 1997, 297
6. Andrade A.L. *Science and technology of polymer nanofibers*. USA: John Wiley & Sons, Inc.: 2008, 403 p.
7. Szafrańska H, Pawłowa M. Aesthetical aspects of clothing products in the context of maintenance procedures. *FIBRES & TEXTILES in Eastern Europe* 2007; 15, 5-6(64-65): 109-112.
8. Jaganathan, S.K., Mani, M.P., Ayyar, M., Krishnasamy, N.P., Nageswaran, G. Blood compatibility and physicochemical assessment of novel nanocomposite comprising polyurethane and dietary carotino oil for cardiac tissue engineering applications. *Journal of Applied Polymer Science* 2018; 135, 3: 45691.
9. Karahaliloglu, Z. Electrospun PU-PEG and PU-PC hybrid scaffolds for vascular tissue engineering. *Fibers and Polymers* 2017; 18, 11: 2135-2145.
10. Kedroňová E, Kupka V, Manakhov A, Stoica A, Vojtová L, Zajícková L. Electrospun biodegradable PCL, PEG and PCL/PEG polyurethane nanofibers coated by amine-rich plasma polymers. *8th International Conference on Nanomaterials - Research and Application, NANOCOM 2016*, Brno, Czech Republic, 19-21 October 20, paper no 126915, pp. 490-496.