

References

1. Danielewicz D, Surma-Ślusarska B. Bleached kraft pulps from blends of wood and hemp. Part I. Demand of alkali, yield of pulps, their fractional composition and fibre properties. *FIBRES & TEXTILES in Eastern Europe* 2019, 27, 1(133): 100-105. DOI: 10.5604/01.3001.0012.7514
2. PN-EN 25264-3. Fibrous pulps - Laboratory beating - The Jokro mill method. Polish Committee for Standardization, Warsaw, Poland, 1999.
3. PN-EN ISO 5267-1. Pulps - Determination of the degree of beating - Part 1: Schopper-Riegler method. Polish Committee for Standardization, Warsaw, Poland, 2002.
4. PN-EN-ISO 5269-1. Pulps – Preparation of laboratory paper handsheets for testing physical properties – Part 1: The conventional method of forming of handsheets. Polish Committee for Standardization, Warsaw, Poland, 2005.
5. PN-EN ISO 536. Paper and paperboard – Determination of basis weight. Polish Committee for Standardization, Warsaw, Poland, 2012.
6. PN-EN ISO 534 Paper and paperboard – Determination of thickness, density and bulk. Polish Committee for Standardization, Warsaw, Poland, 2012.
7. ISO 5636-5. Paper and board – Determination of air permeance and air resistance (medium range) – Part 5: Gurley method. International Organization for Standardization, Geneva, Switzerland, 2003.
8. PN-EN ISO 1924-2. Paper and paperboard. Determination of properties of paper and paperboard exposed to tensile forces – Part 2: The test at a constant stretching speed (20 mm/min). Polish Committee for Standardization, Warsaw, Poland, 2010.
9. PN-EN ISO 2758. Paper – Determination of burst strength. Polish Committee for Standardization, Warsaw, Poland, 2004.
10. PN-EN ISO 1974. Paper – Determination of tearing resistance – Elmendorf method. Polish Committee for Standardization, Warsaw, Poland, 2012.
11. TAPPI T 423 om-89. Folding endurance of paper (Schopper type tester). TAPPI Press, Atlanta, 1992.
12. Levlin J-E. The characterization of papermaking pulps. *TAPPI J.* 1975; 58: 71-74.
13. Danielewicz D, Surma-Ślusarska B. Properties and fibre characterization of bleached hemp, birch and pine pulps: a comparison. *Cellulose* 2017; 24: 5173-5186.
14. Zomers FHA, Gosselink RJA, Van Dam JEG, Tjeerdsma BF. Organosolv pulping and test paper characterization of fiber hemp. *TAPPI J.* 1995; 78:149–155.
15. De Groot B, Van der Kolk JC, Van Dam JEG, Van T'Riet K. Papermaking characteristics of alkaline hemp-woody-core pulps. *TAPPI J.* 1999; 82:107–112.
16. Dutt D, Upadhyaya JS, Malik RS, Tyagi CH. Studies on the pulp and papermaking characteristics of some Indian non-woody fibrous raw materials. *Cell. Chem. Technol.* 2005; 39:115–128.
17. Kellicut KQ. How paperboard properties affect corrugated container performance. *TAPPI J.* 1961; 44: 201A-204A.
18. Modrzejewski K, Olszewski J, Rutkowski J. *Methods in pulp and paper industry*. Lodz, Poland: Lodz University of Technology Press; 1985 (*in Polish*).
19. Janknecht S, Michaud G, Barbe MC, Dessureaut S, Koran Z. Optimum CTMP/CMP pulps for board production. *Pulp Pap-Canada* 1997; 98: T163-170.
20. Richter GA. Some aspects of papermaking properties of wood pulps. *TAPPI J.* 1958; 41: 778-795.

21. Stone JE, Clayton DW. The role of sulphide in the kraft pulping. *Pulp Pap Mag Canada* 1960; 61: T307-313.
22. Clark JA. Effect of fiber coarseness and length. I. Bulk, burst, tear, fold and tensile tests. *TAPPI J.* 1982; 45: 628-634.
23. Dinwoodie JM. The influence of anatomical and chemical characteristics of softwood fibres on properties of sulfate pulps. *TAPPI J.* 1965; 49: 57-66.
24. Tasman JE. The mechanical modification of papermaking fibres. *Pulp Pap Mag Canada* 1966; 67: T553-569.
25. Horn RA. Morphology of pulp fiber from hardwoods and influence on paper strength. USDA Forest Service. Research Paper FPL 312, For. Prod. Lab, Madison, WI, USA, 1978.
26. El-Hosseiny F, Anderson, D. Effect of fibre length and coarseness on the burst strength of paper. *TAPPI J.* 1999; 82: 202-203.
27. Carlson WE. Improving the performance of shipping sack papers. *TAPPI J.* 1981; 64: 85-87.
28. Seth RS, Page DH. Fibre properties and tearing resistance. *TAPPI J.* 1988; 71: 103–107.
29. Page DH, McLoed JM. Fiber strength and its impact on tear strength. *TAPPI J.* 1992; 75: 172-174.
30. Kärlenlampi P. The effect of wood raw material of kraft pulp to the properties of wood containing printing papers. *Pap Puu-Pap Tim.* 1995; 77: 565-570.
31. Retulainen E. Fibre properties as a control variables in papermaking. Part. I. Fibre properties of key importance in the network. *Pap Puu-Pap Tim.* 1996; 78: 187-194.
32. Jarba R, Fuente E, Monte MC, Savastano H, Mutjé P, Negro C. Use of cellulose fibres from hemp core in fiber-cement production. Effect on flocculation, retention, drainage and product properties. *Ind. Crops Prod.* 2012; 39: 89-96.
33. Brandon CE. Effect of basis weight on folding endurance. *TAPPI J.* 1966; 49: 233-235.
34. Cardwell R, Lyon L, Luner P. Evaluation of a fold test procedure for paper aging studies. *TAPPI J.* 1972; 55: 228-233.
35. Kohler S. Folding endurance of paper. *World's Pap Trade Rev* 1955; 145: 1749-1772.
36. Kleinau J. Properties of secondary fibres. *TAPPI J.* 1966; 49: 90A-93A.
37. Paavilainen L. Quality-competitiveness of Asian short-fibre raw materials in different paper grades. *Pap Puu-Pap Tim.* 2000; 82: 156-161.
38. Green CJ. Functional paper properties in xerography. *TAPPI J.* 1981; 64: 79-81.
39. Engman C. Iggesund's experience of CTMP in high-quality packaging board. *Pulp Pap-Canada* 1989; 90: T303-305.
40. Renman S. CTMP in sanitary products. *Pulp Pap-Canada* 1988; 89: T381-383.
41. Jackson M, Akerlund G. Chemithermomechanical pulp production and end-uses in Scandinavia. *TAPPI J.* 1985; 68: 64-68.
42. Scott-Kerr C. Manufacture of multiwall sack papers. *Pulp Pap-Canada.* 1997; 98: 45-47.
43. Kawka W, Rogut R, Szymański A. Technological tendencies in production of filter papers for automotive and aviation. *Przegl. Papiern.* 2005; 64: 457-460 (*in Polish*).
44. Breck DH, Styan GE. High quality, high-yield pulps: the pulps of the future. *Pulp Pap- Canada* 1985; 86: T81-86.

45. Danielewicz D, Surma-Ślusarska B. Characterization of bleached hemp pulps with the use of computer image analysis method. *FIBRES & TEXTILES in Eastern Europe* 2011; 19, 2(85): 96-101.
46. Thygesen A, Oddershede J, Lilholt H. On the determination of crystallinity and cellulose content in plant fibres. *Cellulose* 2005; 12: 563-576.
47. Kopania E, Wietecha J, Ciechańska D. Studies on isolation of cellulose fibres from waste plant biomass. *FIBRES & TEXTILES in Eastern Europe* 2012; 20; 6B(96): 167-172.
48. Garnagul N, Ju S, Shallhorn P, Miles K. Optimizing high-consistency refining conditions for good sack paper quality. *APPITA J.* 2006; 59: 476-480.
49. Hawel J, Komorovsky W. Porównanie aparatów do oznaczania przepuszczalności powietrza system Schoppera i Gurleya. *Przegl. Papiern.* 1949; 5: 116-119.
50. Libal J. Technological filter papers. *Pap Celul.* 1988; 43: 109-113.
51. Carter D. By using technology, improved SCA grades can target LWC. *Pulp Pap.* 1999; 73(11): 56-58, 60-61.
52. Tiikkaja E. Fibre dimensions: their effect on paper properties and required measuring accuracy. *Pulp Pap-Canada* 1999; 100: T386-388.
53. Seth RS. The measurement and significance of fines. *Pulp Pap-Canada* 2003; 104: T47-50.
54. Van der Akker JA. The meaning and measurement of opacity. *TAPPI J.* 1967; 50: 41A-44A.
55. Middleton SR, Scallan AM. The optical properties of bleached kraft pulps. *Nordic Pulp Pap Res J.* 1992; 7: 22-29