

## References

1. BizVibe (2017): <https://www.bizvibe.com/blog/global-cotton-stocks-and-production-outlook-2016/2017/> Accessed 26.11.2017
2. Mishra SP. A Text Book of Fibre Science and Technology; New Age International (P) Ltd, Publishers; 2000. ISBN:81-224-1250-5, page 76.
3. Raza Ali Zulfigar et.al. Production of Rhamnolipid Surfactant and its Application in Bioscouring of Cotton Fibres. *Carbohydr Res* 2014; 391: 97-105; <http://doi.org/10.1016/j.carres.2014.03.009>.
4. Hashem MM. An Approach Towards a Single Pretreatment Recipe for Different Types of Cotton. *FIBRES & TEXTILES in Eastern Europe* 2007; 15, 2(61): 85–92.
5. Agrawal PB, Rogalla H. The Performance of Cutinase and Pectinase in Cotton Scouring (Vol. Doctor). 2005. Retrieved from [http://doc.utwente.nl/50801/1/thesis\\_Agrawal.pdf](http://doc.utwente.nl/50801/1/thesis_Agrawal.pdf).
6. Chowdhury TA. Effect of Sodium Hydroxide (NaOH) Concentration in Scouring Bleaching Process of Knit Fabric. *International Journal of Science, Environmental and Technology*; 2014; 3 (6): 2145–2149.
7. SCAN-CM 65:02. Pulp Total Acidic Group nContent; Scandinavian Pulp Paper and Board, Testing Committee, 2002.
8. Fras L, Laine J, Stenius P, Stana-Kleinsek K, Ribitsch V, Doleček V. Determination of Dissociable Groups in Natural and Regenerated Cellulose Fibres by Different Titration Methods. *J Appl. Polym. Sci*; 2004; 92: 3286-3195.
9. Tarbuk A, Grancarić AM, Marković L. *Interface Phenomena of Ecologically Scour Cotton Material* Annals of DAAAM & Proceedings Publisher, 2007. Acc. No 177174831.
10. Grancarić AM, Tarbuk A & Pusic T. Electrokinetic Properties of Textile Fabrics. *Color Technol*; 2005; 121: 221-227.
11. Rybicki E. Electrokinetic phenomena in textiles, PAN Branch in Łódź, 2003. Textile Commission; ISBN 83-911012-0-7.
12. Luxbacher T, Cirlin M, Petrinic I, Buksek H, Pusic T. Assessing the Quality of Raw Cotton Knitted Fabrics by their Streaming Potential Coefficients. *Cellulose* 2014; 21: 3929-3839, <https://link.springer.com/article/10.1007/s10570-014-0388-y>.
13. Bellmann C, Caspari A, Albrecht V, Loan Doan TT, Mäder E, Luxbacher T, Kohl R. Electrokinetic Properties of Natural Fibres. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 2005; 267(1–3): 19–23. <https://doi.org/10.1016/j.colsurfa.2005.06.033>.
14. Ribitsch V, Stana-Kleinsek K, Jeler S. The influence of Classical and Enzymatic Treatment on The surface Charge of Cellulose. *Fibres Colloid & Polymer Science* 1996; 274 (4): 388–394. <https://doi.org/10.1007/BF00654060>
15. Ribitsch V, Stana-Kleinsek K, Kreze T, Strnad S. The Significance of Surface Charge and Structure on the Accessibility of Cellulose Fibres. *Macromol. Mater Eng*; 2001; 286: 648–654. [http://onlinelibrary.wiley.com/doi/10.1002/14392054\(20011001\)286:10%3C648::AID-MAME648%3E3.0.CO;2-6/abstract](http://onlinelibrary.wiley.com/doi/10.1002/14392054(20011001)286:10%3C648::AID-MAME648%3E3.0.CO;2-6/abstract)
16. Bellmann C, Caspari A, Loan Doan TT, Mäder E, Luxbacher T, Kohl R. Electrokinetic Properties of Natural Fibres. *Int. Electrokinetics Conference*, Pittsburgh, June 15, 2004.
17. Stana-Kleinsek K, Strnad S, Ribitsch V. Surface Characterization and Adsorption Abilities of Cellulose Fibers. *Polym Eng Sci*; 1999; 39 (8): 1412–1424 <https://doi.org/10.1002/pen.11532>.
18. BTG Muetek GmbH; Operation Manual for Particle Charge Detector PCD 03 /PCD 03 pH, December 2003
19. SCAN-W 12:04 (2004) Process waters, Cationic Demand; Scandinavian Pulp Paper and Board, Testing Committee,
20. Zhang Hongjie et. al. The Fiber Charge Measurement Depending on the Poly-DADMAC Accessibility to Cellulose Fibers. *Cellulose*; 2016; 23, 1: 163-173, <doi:10.1007/s10570-015-0793-x>; ISSN: 09690239
21. Grancarić AM, Ristic N, Tarbuk A, Ristic I. Electrokinetic Phenomena of Cationised Cotton and its Dyeability with Reactive Dyes; *FIBRES & TEXTILES in Eastern Europe* 2013; 21, 6(102): 106-110.
22. Tarbuk A, Grancarić AM, Dordevic D, Smelcerovic M. *Adsorption of Plant Extracts on Cationized Cotton*, Zbornik radova Tehnoloskog fakulteta u Lescovcu, 2009. ISSN 0352-6542 19, 257-264.
23. Pusic T, Grancarić AM, Soljacic I, Ribitsch V. The Effect of Mercerisation on the Electrokinetic Potential of Cotton. *JSDC* 1999; 115, April 121-124.
24. Hebeish A, Hasem M, Shaker N, Ramadan M, Sadek B, Hady M. New Development for Combined Bioscouring and Bleaching of Cotton-based Fabrics. *Carbohydr Polym* 2009; 78: 961-972.
25. Spicka N, Travcer PF. Complete Enzymatic Pre-treatment of Cotton Fabric with Incorporated Bleach Activator. *Tex Res J* 2013; 83: 566-573.
26. Wijapala Samudrika UG, Sharmasena DKA, Bandra DMN, Chaturanga MAI, Rajapakshe KS. Development of the New Scouring Methodology for the Textile Industry; *National Engineering Conference, 19<sup>th</sup> ERU Symposium*, Faculty of Engineering University of Moratuwa, Sri Lanka, 2013.
27. Raja ASM, Arputharaj A, Saxena S, Patil PG. Single bath enzymatic scouring and bleaching process for preparation of absorbent cotton. *Indian J Fibre Text* 2017; 42, June: 202-208.
28. Tegewa Drop Test. Melland Textilberichte 1987; 68: 581-583.
29. Mitchel R, Carr CM, Parfitt M, Vickerman JC, Jones C. Surface Chemical Analysis of Raw Cotton Fibres and Associated Materials. *Cellulose*; 2005; 12: 629-639. <https://link.springer.com/article/10.1007/s10570-005-9000-9>,