

References

1. Jin XC, Liu GQ, Xu ZH, Tao WY. Decolorization of a dye industry effluent by *Aspergillus fumigatus* XC6. *Applied Microbiology and Biotechnology* 2007; 74(1): 239-243.
2. Okoniewska E. Usuwanie barwnika pąsu kwasowego 4R z roztworów wodnych na węglach aktywnych. *Inżynieria i Ochrona Środowiska* 2016; 19(3): 331-340.
3. Barbusiński K, Pieczykolan B. Wstępne badania degradacji barwnika Acid Green 16 w systemie H₂O₂/wiórki stalowe. *Inżynieria i Ochrona Środowiska* 2009; 12(1): 35-49.
4. San Sebastian Martinez N, Figuls Fernández J, Font Segura X, Sanchez Ferrer A. Pre-Oxidation of an extremely polluted industrial wastewater by the Fenton's reagent. *Journal of Hazardous Materials* 2003; B101(3): 315-322.
5. Barbusinski K, Fajkis S. Optimization of the Fenton oxidation of wastewater generated by rape oil soapstock splitting. *Environmental Progress & Sustainable Energy* 2011; 30(4): 620-631.
6. Wąsowski J, Piotrowska A. Rozkład organicznych zanieczyszczeń wody w procesach pogłębionego utleniania. *Ochrona Środowiska* 2002; 2(85): 27-32.
7. Pratiwi MI, Afifah N, Saleh R. Decoloration of organic dyes using zeolites supported Fe-doped ZnO under UV light irradiation. *AIP Conference Proceedings* 2017; 1862: 1-4.
8. Fang ZD, Zhang K, Liu J, Fan JY, Zhao ZW. Fenton-like oxidation of azo dye in aqueous solution using magnetic Fe₃O₄-MnO₂ nanocomposites as catalysts. *Water Science and Engineering* 2017; 10(4): 326-333.
9. Barbusiński K. The modified Fenton process for decolorization of dye wastewater. *Polish Journal of Environmental Studies* 2005; 14(3): 281-285.
10. Lin YT, Weng CH, Chen FY. Effective removal of AB24 dye by nano/micro-size zero-valent iron. *Separation and Purification Technology* 2008; 64(1): 26-30.
11. Shu HY, Chang MC, Chen CC, Chen PE. Using resin supported nano zero-valent iron particles for decoloration of Acid Blue 113 azo dye solution. *Journal of Hazardous Materials* 2010; 184(1-3): 499-505.
12. Fu F, Wang Q, Tang B. Effective degradation of C.I. Acid Red 73 by advanced Fenton process. *Journal of Hazardous Materials* 2010; 174(1-3): 177-22.
13. He Y, Gao JF, Feng FQ, Liu C, Peng YZ, Wang SY. The comparative study on the rapid decolorization of azo, anthraquinone and triphenylmethane dyes by zero-valent iron. *Chemical Engineering Journal* 2012; 179(1): 8-18.

14. Weng CH, Lin YT, Yuan HM. Rapid decoloration of Reactive Black 5 by an advanced Fenton process in conjunction with ultrasound. *Separation and Purification Technology* 2013; 117: 75-82.
15. Li H, Wan J, Ma Y, Wang Y, Huang M. Influence of particle size of zero-valent iron and dissolved silica on the reactivity of activated persulfate for degradation of acid orange 7. *Chemical Engineering Journal* 2014; 237(2): 487-496.
16. PN-EN ISO 10523:2012. Water Quality. Determination of pH.
17. PN-ISO 15705:2005. Water Quality. Determination of the Chemical Oxygen Demand Index. Small-scale. Sealed-tube Method.
18. BN-89/6191-04. Chemical reagents. Hydrogen peroxide about 30% (m/m), solution.
19. Płonka I, Pieczykolan B, Barbusiński K, Kalka J, Thomas M, Piskorz PJ. Investigation of the efficiency of the UV/H₂O₂ process on the removal of dye Acid Green 16 from aqueous solutions: process optimization and toxicity assessment. *FIBRES & TEXTILES in Eastern Europe* 2017; 25, 6(126): 103-107. DOI: 10.5604/01.3001.0010.5379.
20. PN-EN ISO 11348-3:2008. Water quality. Determination of the inhibitory effect of water samples on the light emission of *Vibrio fischeri* (Luminescent bacteria test) – Part 3: Method using freeze-dried bacteria.
21. Thommes M, Kaneko K, Neimark AV, Olivier JP, Rodriguez-Reinoso F, Rouquerol J, Sing KSW. Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry* 2015; 87(9-10): 1051-1069.
22. Bohdziewicz J, Dudziak M, Kamińska G, Kudlek E. Chromatographic determination and toxicological potential evaluation of selected micropollutants in aquatic environment - analytical problems. *Desalination and Water Treatment* 2016; 57(3): 1361-1369.
23. Lucas MS, Peres JA. Decolorization of the azo dye Reactive Black 5 by Fenton and photo-Fenton oxidation. *Dyes and Pigments* 2006; 71(3): 236-244.
24. Fernandes NC, Brito LB, Costa GG, Taveira SF, Cunha-Filho MSS, Oliveira GAR, Marreto RN. Removal of azo dye using Fenton and Fenton-like processes: Evaluation of process factors by Box-Behnken design and ecotoxicity tests. *Chemicobiological Interactions* 2018; 291: 47-54.
25. Ertugay N, Nuran Acar F. Sonocatalytic degradation of Direct Blue 71 azo dye at the presence zero valent iron (ZVI). *Desalination and Water Treatment* 2013; 51(40-42): 7570-7576.

26. Malakootian M, Mansoorian HJ, Hossein A, Khanjani N. Evaluating the efficacy of alumina/carbon nanotube hybrid adsorbents in removing azo Reactive Red 198 and Blue 19 dyes from aqueous solutions. *Process Safety and Environmental Protection* 2015; 9(6): 125-137.
27. Fard RF, Sar MEK, Fahiminia M, Mirzaei N, Yousefi N, Mansoorian HJ, Khanjani N, Razaei S, Ghadiri SK. Efficiency of multi walled carbon nanotubes for removing Direct Blue 71 from aqueous solutions. *Eurasian Journal of Analytical Chemistry* 2018; 13(3):em13.
28. Mansoorian HJ, Bazrafshan E, Yari A, Alizadeh M. Removal of azo dyes from aqueous solution using Fenton and modified Fenton processes. *Health Scope* 2014; 3(2): e15507.
29. Barbusiński K, Majewski J. Discoloration of azo dye Acid Red 18 by Fenton reagent in the presence of iron powder. *Polish Journal of Environmental Studies* 2003; 12(2): 151-155.
30. Li S, Ding Y, Wang W, Lei H. A facile method for determining the Fe(0) content and reactivity of zero valent iron. *Analytical Methods* 2016; 8(6): 1239-1248.