

References

1. Sanan A, Haines SR. Repairing Holes in the Head: A History of Cranioplasty. *Neurosurgery* 1997; 40: 588-603.
2. Koliaş AG, Kirkpatrick PJ, Hutchinson PJ. Decompressive Craniectomy: Past, Present and Future. *Nat Rev Neurol*. 2013 Jul; 9 (7):405-15. DOI: 10.1038/nrneuro.2013.106. Epub 2013 Jun 11.
3. Consensus Conference on Cranioplasty for TBI Patients During *International Conference on Recent Advances in Neurotraumatology* (ICRAN), Naples, Italy on June 20-22, 2018
4. Kasprzak P, Tomaszewski G, Sujka W, Kotwica Z, Stoma F, Kwinta B, Moskala M, Papierz T, Wójcik R, Zwolinski J, Trojanowski T. Treatment of very Large Cranial Defects with Individually Shaped Polypropylene Polyester Knitwear Prostheses - Series Of 11 Cases. *J Neurosurg Sci*. 2015, 1-10.
5. Kasprzak P, Ormezowska E, Jaskólski D. Cranioplasty As the Return-To-Work Factor - 112 Patients with Cranial Defects Treated in the Department of Neurosurgery at the Medical University of Lodz. *Int J Occup Med Environ Health* 2017; 30(5): 803-809.
6. Nasi D, Dobran M, Di Rienzo A, di Somma L, Gladi M, Moriconi E, Scerrati M, Iacoangeli M. Decompressive Craniectomy for Traumatic Brain Injury: The Role of Cranioplasty and Hydrocephalus on Outcome. *World Neurosurg*. 2018; 116, e543-e549.
7. Leão RS, Maior JRS, Lemos CAA, Vasconcelos BCDE, Montes MAJR, Pellizzer EP, Moraes SLD. Complications with PMMA Compared with Other Materials Used in Cranioplasty: A Systematic Review and Meta-Analysis. *Braz Oral Res*. 2018; 32, e31.
8. Holmes RE. Alloplastic Implants. In: *McCarthy (ed) Plastic surgery*, vol. 1, 2nd edn., Saunders, Philadelphia, 1990: pp 698-731.
9. Ousterhout DK, Baker S, Zlotolow I. Methylmethacrylate Onlay Implants in the Treatment of Forehead Deformities Secondary To Craniosynostosis. *J Maxillofac Surg* 1980; 8: 228-233.
10. Replogle RE, Lanzino G, Francel P, Henson S, Lin K, Jane JA. Acrylic Cranioplasty Using Miniplate Struts. *Neurosurgery* 1996; 39: 747-749.
11. Saringer W, Nobauer-Huhmann I, Knosp E. Cranioplasty with Individual Carbon Fibre Reinforced Polymere (CFRP) Medical Grade Implants Based on CAD/CAM Technique. *Acta Neurochir* 2002; 144: 1193-1203.
12. Baker S, Brooks SC, Walker DM. The Release of Residual Monomeric Methyl Methacrylate from Acrylic Appliances in the Human Mouth: an Assay For Monomer in Saliva. *J Dent Res*. 1988; 67(10): 1295-9.
13. Kumar KVA, Singla NK, Gowda ME, Kumar D, Legha VS. Current Concepts in Restoring Acquired Cranial Defects. *J Indian Prosthodont Soc*. Dec. 2014; 14(S 1): 14–17.
14. Garcia-Gonzalez D, Jayamohan J, Sotiropoulos SN, Yoon S-H, Cook J, Siviour CR, Ariasa A, Jérusalem A. On the Mechanical Behaviour of PEEK and HA Cranial Implants under Impact Loading. *Journal of the Mechanical Behaviour of Biomedical Materials* 2017; 69: 342-354.

15. Goyal S, Goyal MK. Restoration of Large Cranial Defect for Cranioplasty with Alloplastic Cranial Implant Material: A Case Report. *J Indian Prosthodont Soc.* 2014; 14(2): 191–194.
16. Staffa G, Barbanera A, Faiola A, Fricia M, Limoni P, Mottaran R, Zanotti B, Stefini R. Custom made Bioceramic Implants In Complex and Large Cranial Reconstruction: A Two-Year Follow-Up. *Journal of Cranio-Maxillofacial Surgery* 2012; 40(3): e65-e70.
17. Lye KW, Tideman H, Merckx MAW, Jansen JA. Bone Cements and their Potential use in A Mandibular Endoprosthesis. *Tissue Engineering - Part B: Reviews.* 2009; 15(4): 485-496.
18. Lindner D, Schlothofer-Schumann K, Kern BC, Marx O, Müns A, Meixensberger J. Cranioplasty using Custom-Made Hydroxyapatite Versus Titanium: A Randomized Clinical Trial. *Journal of Neurosurgery* 2017; 126(1): 1-345.
19. Cook F, Celentano D, Ramos-Grez J. Experimental-Numerical Methodology for the Manufacturing of Cranial Prosthesis Via Laser Forming. *The International Journal of Advanced Manufacturing Technology.* 2016; 86 (5–8): 2187–2196.
20. Khader BA, Towler M R. Materials and Techniques used in Cranioplasty Fixation: A Review. *Materials Science and Engineering: C.* 2016; 66: 315-322.
21. Wurm G, Tomancok B, Holl K, Trenkler J. Prospective Study on Cranioplasty with Individual Carbon Fiber. *Surg Neurol.* 2004; 62: 510-521.
22. Vaishya R, Agarwal A K, Tiwari M, Vaish A, Vijay V, Nigam Y. Medical Textiles in Orthopedics: An Overview. *Journal of Clinical Orthopaedics and Trauma* 2018; 9, S 1, S26-S33.
23. Teo AJT, Mishra A, Park I, Kim Y, Park W, Yoon Y. Polymeric Biomaterials for Medical Implants and Devices. *ACS Biomaterials Science & Engineering.* 2016; 2 (4), 454-472.
24. Taylor D. The Failure of Polypropylene Surgical Mesh in Vivo. *Journal of the Mechanical Behavior of Biomedical Materials* 2018; 88: 370-376.
25. Wang S, Zhao Z, Yang Y, Mikos AG, Qiu Z, Song T, Cui F, Wang X, Zhang C. A High-Strength Mineralized Collagen Bone Scaffold for Large-Sized Cranial Bone Defect Repair in Sheep Regen. *Biomater.* 2018; Oct, 5(5): 283-292.
26. Karbowski K, Banach M, Czepko R, Masłowski P, Sujka W. Reverse Engineering in Computer-Aided Engineering of Medical Products. *Mechanik* 2014; 5-6: 472-473.
27. Karbowski K, Chrzan R, Moskała M, Polak J, Urbanik A, Sujka W. Reverse engineering in cranioplasty. *Innovative Technologies in Biomedicine* 2015; 101-108.
28. Sujka W, Karbowski K. Reverse engineering in medicine. *Mechanik* 2015; 12: 111-113.
29. Kasprzak P, Tomaszewski G, Wróbel-Wiśniewska G, Zawirski M. Polypropylene-polyester cranial prostheses prepared with CAD/CAM technology. Report of first 15 cases. *Clin Neurol Neurosurg.* 2011; 113(4): 311-315.
30. Sujka W, Karbowski K, Gąsiorowski T, Matras-Michalska J. Anatomical Knitted Polypropylene Orbital Wall Prostheses Codubix Orbital Wall 3D and 3D CT. *Innovative Technical Textiles*, Science Editor Józef Masajtis, 2016, 71-79.
31. Lv Y, Li A, Zhou F, Pan X, Liang F, Qu X, Qiu D, Yang Z. A Novel Composite PMMA-based Bone Cement with Reduced Potential for Thermal Necrosis. *ACS Appl Mater Interfaces* 2015; 7(21): 11280-11285.

32. PN-EN ISO 10993-11:2009. Biological evaluation of medical devices - Part 11: Tests for systemic toxicity.
33. PN-EN ISO 10993-12:2012. Biological evaluation of medical devices – Part 12: Sample preparation and reference materials.