

References

1. The European Commission. Integrated Pollution Prevention and Control. Reference Document on Best Available Techniques for the Textiles Industry. 2003; 626. Available from: <http://eippcb.jrc.ec.europa.eu/reference/>.
2. Sójka-Ledakowicz J, Kos L, Żyłła R, Paździor K, Ledakowicz S. Studies on the Use of Water Reclaimed from Textile Wastewater in a Closed Circuit. *FIBRES & TEXTILES in Eastern Europe* 2017; 25, 5(125): 61–66. DOI: 10.5604/01.3001.0010.4629.
3. Bilińska L, Gmurek M, Ledakowicz S. Comparison Between Industrial and Simulated Textile Wastewater Treatment by AOPS – Biodegradability, Toxicity and Cost Assessment. *Chem. Eng. J.* 2016; 306: 550–559.
4. Vajnhandl S, Valh JV. The Status of Water Reuse in European Textile Sector. *J. Environ. Manage.* [Internet]. 2014;141:29–35. Available from: <http://dx.doi.org/10.1016/j.jenvman.2014.03.014>.
5. Holkar CR, Jadhav AJ, Pinjari D V, et al. A Critical Review on Textile Wastewater Treatments: Possible Approaches. *J. Environ. Manage.* [Internet]. 2016; 182: 351–366. Available from: <http://dx.doi.org/10.1016/j.jenvman.2016.07.090>.
6. Güyer GT, Nadeem K, Dizge N. Recycling of Pad-Batch Washing Textile Wastewater through Advanced Oxidation Processes and its Reusability Assessment for Turkish Textile Industry. *J. Clean. Prod.* 2016; 139: 488–494.
7. Imran M, Crowley DE, Khalid A, et al. Microbial Biotechnology for Decolorization of Textile Wastewaters. *Rev. Environ. Sci. Biotechnol.* 2014; 14: 73–92.
8. Freitas TKFS, Oliveira VM, Souza MTF De, et al. Optimization of Coagulation-Flocculation Process for Treatment of Industrial Textile Wastewater Using Okra (*A. Esculentus*) Mucilage as Natural Coagulant 2015; 76: 538–544.
9. Frijters CTMJ, Vos RH, Scheffer G, et al. Decolorizing and Detoxifying Textile Wastewater, Containing Both Soluble and Insoluble Dyes. In a Full Scale Combined Anaerobic/Aerobic System. *Water Res.* 2006; 40: 1249–1257.
10. Klepacz-Smółka A, Sójka-Ledakowicz J, Ledakowicz S. Biological Treatment of Post-Nanofiltration Concentrate of Real Textile Wastewater. *FIBRES & TEXTILES in Eastern Europe* 2015; 23, 4(112): 138–143. DOI: 10.5604/12303666.1152748.
11. Manai I, Miladi B, El Mselmi A, et al. Industrial Textile Effluent Decolourization in Stirred and Static Batch Cultures of a New Fungal Strain *Chaetomium Globosum* IMA1 KJ472923. *J. Environ. Manage* 2016; 170: 8–14.
12. Kaushik P, Malik A. Fungal Dye Decolourization: Recent Advances and Future Potential. *Environ. Int.* [Internet]. 2009; 35:127–141. Available from: <http://dx.doi.org/10.1016/j.envint.2008.05.010>.
13. Punzi M, Anbalagan A, Aragão Börner R, et al. Degradation of a Textile Azo Dye Using Biological Treatment Followed by Photo-Fenton Oxidation: Evaluation of Toxicity and Microbial Community Structure. *Chem. Eng. J.* [Internet]. 2015;270:290–299. Available from: <http://dx.doi.org/10.1016/j.cej.2015.02.042>.
14. Novotný Č, Svobodová K, Benada O, et al. Potential of Combined Fungal and Bacterial Treatment for Color Removal in Textile Wastewater. *Bioresour. Technol.* 2011; 102: 879–888.
15. Kang Y, Won T, Hyun K. Efficient Treatment of Real Textile Wastewater: Performance of Activated Sludge and Biofilter Systems with a High-Rate Filter as a Pre-Treatment Process. *KSCE J. Civ. Eng.* 2012; 16: 308–315.
16. Chang W, Hong S, Park J. Effect of Zeolite Media for the Treatment of Textile Wastewater in a Biological Aerated Filter. *Process Biochem.* 2002; 37: 693–698.
17. Kornaros M, Lyberatos G. Biological Treatment of Wastewaters from a Dye Manufacturing Company Using a Trickling Filter. *J. Hazard. Mater.* 2006; 136: 95–102.
18. Yang Q, Wang J, Wang H, et al. Evolution of the Microbial Community in a Full-Scale Printing and Dyeing Wastewater Treatment System. *Bioresour. Technol.* [Internet]. 2012;117:155–163. Available from: <http://dx.doi.org/10.1016/j.biortech.2012.04.059>.

19. Chaudhari AU, Paul D, Dhotre D, et al. Effective Biotransformation and Detoxification of Anthraquinone Dye Reactive Blue 4 by Using Aerobic Bacterial Granules. *Water Res.* [Internet]. 2017;122:603–613. Available from:http://www.sciencedirect.com/science/article/pii/S0043135417304797?dgcid=raven_sd_ai_p_email.
20. Shi S, Qu Y, Ma Q, et al. Performance and Microbial Community Dynamics in Bioaugmented Aerated Filter Reactor Treating with Coking Wastewater. *Bioresour. Technol.* [Internet]. 2015;190:159–166. Available from: <http://dx.doi.org/10.1016/j.biortech.2015.04.075>.
21. Yang Y, Chen Z, Wang X, et al. Partial Nitrification Performance And Mechanism Of Zeolite Biological Aerated Filter For Ammonium Wastewater Treatment. *Bioresour. Technol.* 2017; 241: 473–481.
22. Gao XY, Xu Y, Liu Y, et al. Bacterial Diversity, Community Structure and Function Associated with Biofilm Development In a Biological Aerated Filter In a Recirculating Marine Aquaculture System. *Mar. Biodivers.* [Internet]. 2012;42:1–11. Available from: <http://link.springer.com/10.1007/s12526-011-0086-z>.
23. Ellouze E, Tahri N, Amar R Ben. Enhancement of Textile Wastewater Treatment Process using Nanofiltration. *Desalination.* 2012; 286: 16–23.
24. GilPavas, E., Dobrosz-Gómez, I. Gómez-& García MA. Coagulation- Fl Occulation Sequential with Fenton or Photo-Fenton Processes as an Alternative for the Industrial Textile Wastewater Treatment. *J. Environ. Manage.* 2017; 191: 189–197.
25. Verma AK, Dash RR, Bhunia P. A Review on Chemical Coagulation/Flocculation Technologies for Removal of Colour from Textile Wastewaters [Internet]. *J. Environ. Manage.* Elsevier Ltd; 2012. p. 154–168. Available from: <http://dx.doi.org/10.1016/j.jenvman.2011.09.012>.
26. Khouni I, Marrot B, Moulin P, et al. Decolourization of the Reconstituted Textile Effluent by Different Process Treatments : Enzymatic Catalysis , Coagulation/Flocculation and Nano Filtration Processes. *Desalination* [Internet]. 2011; 268: 27–37. Available from: <http://dx.doi.org/10.1016/j.desal.2010.09.046>.
27. GilPavasa E, Dobrosz-Gómez I, Gómez-García M A. Coagulation-Flocculation Sequential with Fenton or Photo-Fenton Processes as an Alternative for the Industrial Textile Wastewater Treatment. *J. Environ. Manage.* 2017; 191: 189–197.
28. Bilińska L, Biliński K, Ledakowicz S. Ocena efektywności procesu koagulacji ścieków włókienniczych w warunkach przemysłowych. *Inżynieria i Apar. Chem.* 2015; 54: 143–145.
29. Wrębiak J, Paździor K, Klepacz-Smółka A, et al. Treatment of Wastewater from Textile Industry in Biological Aerated Filters. Taylor & Francis Group, 6000 Broken Sound Parkway NW, Suite 300, Boca Raton, FL 33487-2742: CRC Press; [cited 2017 Aug 30]. p. 145–154. Available from: <http://www.crcnetbase.com/doi/10.1201/9781315281971-21>.
30. Anonymous. Decolorizing and Clarifying Flocculant for Waste Water. Eksoy, Manuf. Descr. [Internet]. 2015; Available from: http://www.eksoy.com/PDF/FLAYER/EPOLY_CRD.pdf.
31. Loosdrecht MCM van, Nielsen PH, Lopez-Vazquez CM, et al. Experimental Methods in Wastewater Treatment [Internet]. IWA Publ. 2016. Available from: <http://www.iwapublishing.com/books/9781780404745/experimental-methods-wastewater-treatment>.
32. Greenberg AE, Clesceri LS, Eaton AD, et al. Standard methods for the examination of water and wastewater. American Public Health Association; 1992.
33. Zhang J, Kobert K, Flouri T, et al. PEAR: A fast and accurate Illumina Paired-End reAd mergeR. *Bioinformatics* 2014; 30: 614–620.
34. Caporaso JG, Kuczynski J, Stombaugh J, et al. QIIME allows analysis of high-throughput community sequencing data. *Nat. Methods* [Internet]. 2010; 7: 335–336. Available from: <http://dx.doi.org/10.1038/nmeth0510-335>.
35. Edgar RC. UPARSE: Highly Accurate OTU Sequences from Microbial Amplicon Reads. *Nat. Methods* [Internet]. 2013;10:996–998. Available from: <http://dx.doi.org/10.1038/nmeth.2604>.

36. McDonald D, Price MN, Goodrich J, et al. An Improved Greengenes Taxonomy with Explicit Ranks for Ecological and Evolutionary Analyses of Bacteria and Archaea. *ISME J.* [Internet]. 2012; 6: 610–618. Available from: <http://www.nature.com/doifinder/10.1038/ismej.2011.139>.
37. Mokhtar NM, Lau WJ, Ismail AF, et al. The Potential of Direct Contact Membrane Distillation for Industrial Textile Wastewater Treatment Using PVDF-Cloisite 15A Nanocomposite Membrane. *Chem. Eng. Res. Des.* [Internet]. 2016;111:284–293. Available from: <http://dx.doi.org/10.1016/j.cherd.2016.05.018>.
38. Gottschalk C (Christiane), Libra JA (Judy A., Saupe A (Adrian). Ozonation of Water and Waste Water: A Practical Guide To Understanding Ozone and its Applications. Wiley-VCH; 2010.
39. Persoone G, Marsalek B, Blinova I, et al. A Practical and User-Friendly Toxicity Classification System with Microbiotests for Natural Waters and Wastewaters. *Environ. Toxicol.* 2003; 18: 395–402.
40. Ito T, Adachi Y, Yamanashi Y, et al. Long-term Natural Remediation Process in Textile Dye-Polluted River Sediment Driven by Bacterial Community Changes. *Water Res.* [Internet]. 2016; 100: 458–465. Available from: <http://dx.doi.org/10.1016/j.watres.2016.05.050>.
41. Manai I, Miladi B, El Mselmi A, et al. Improvement of Activated Sludge Resistance to Shock Loading by Fungal Enzyme Addition During Textile Wastewater Treatment. *Environ. Technol.* (United Kingdom). 2017; 38: 880–890.
42. Perry RN, Moens M. Plant nematology. 2nd ed. Perry RN, Moens M, editors. Flanders Research Institute for Agriculture, Fisheries and Food, Belgium; 2006.
43. Den BE, Jansen E. Saprophytic and Predacious Abilities in Arthrobotrys Oligospora in Relation to Dead and Living Root-Knot Nematodes. *Fundam. Appl. Nematol.* [Internet]. 1994;17:423–431. Available from: http://horizon.documentation.ird.fr/exl-doc/pleins_textes/fan/40780.pdf.
44. Chhabra M, Mishra S, Sreekrishnan TR, et al. Combination of Chemical and Enzymatic Treatment for Efficient Decolorization/Degradation of Textile Effluent: High Operational Stability of the Continuous Process. *Biochem. Eng. J.* [Internet]. 2015;93:17–24. Available from: <http://dx.doi.org/10.1016/j.bej.2014.09.007>.