

References

1. Feng X, Li S, Wang Y, Wang Y, Liu J. Effects of Different Silica Particles on Quasi-Static Stab Resistant Properties of Fabrics Impregnated with Shear Thickening Fluids. *Materials & Design* 2014; 64: 456-61.
2. Gürgen S, Kuşhan MC. The Stab Resistance of Fabrics Impregnated with Shear Thickening Fluids Including Various Particle Size of Additives. *Composites Part A-Applied Science and Manufacturing* 2017; 94, 50-60.
3. Hasanzadeh M, Mottaghtalab V. The Role of Shear-Thickening Fluids (STFs) in Ballistic and Stab-Resistance Improvement of Flexible Armor. *Journal of Materials Engineering and Performance* 2014; 23, 4: 1182-1196.
4. Srivastava A, Majumdar A, Butola BS. Improving The Impact Resistance of Textile Structures by Using Shear Thickening Fluids: A Review. *Critical Reviews in Solid State and Materials Sciences* 2012; 37, 2: 115-29.
5. Barnes HA, Shear-Thickening (“Dilatancy”) in Suspensions of Nonaggregating Solid Particles Dispersed in Newtonian Liquids. *Journal of Rheology* 1989; 33: 329-366.
6. Decker MJ, Halbach CJ, Nam CH, Wagner NJ, Wetzel ED. Stab Resistance of Shear Thickening Fluid (STF)-Treated Fabrics. *Composites Science and Technology* 2007; 67, 3: 565-578.
7. Hassan TA, Rangari VK, Jeelani S. Synthesis, Processing and Characterization of Shear Thickening Fluid (STF) Impregnated Fabric Composites. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing* 2010; 527, 12: 2892-2899.
8. Kalman DP, Merrill RL, Wagner NJ, Wetzel ED. Effect of Particle Hardness on the Penetration Behavior of Fabrics Intercalated with Dry Particles and Concentrated Particle-Fluid Suspensions. *ACS Applied Materials & Interfaces* 2009; 1, 11: 2602-2612.
9. Gong X, Xu Y, Zhu W, Xuan S, Jiang W, Jiang W. Study of the Knife Stab and Puncture-Resistant Performance for Shear Thickening Fluid Enhanced Fabric. *Journal of Composite Materials* 2014; 48, 6: 641-657.
10. Kang TJ, Kim CY, Hong KH. Rheological Behavior of Concentrated Silica Suspension and its Application to Soft Armor. *Journal of Applied Polymer Science* 2012; 124, 2: 1534-1541.
11. Lu Z, Wu L, Gu B, Sun B. Numerical Simulation of the Impact Behaviors of Shear Thickening Fluid Impregnated Warp-Knitted Spacer Fabric. *Composites Part B-Engineering* 2015; 69: 191-200.
12. Messiry El M, Eltahan E. Stab Resistance of Triaxial Woven Fabrics for Soft Body Armor. *Journal of Industrial Textiles* 2016; 45, 5: 1062-1082.
13. Majumdar A, Laha A. Effects of Fabric Construction and Shear Thickening Fluid on Yarn Pull-Out From High-Performance Fabrics. *Textile Research Journal* 2016; 86, 19: 2056-2066.
14. Laha A, Majumdar A. Interactive Effects of P-Aramid Fabric Structure and Shear

- Thickening Fluid on Impact Resistance Performance of Soft Armor Materials. *Materials & Design* 2016; 89: 286-293.
15. Chua CK, Chena YL. Ballistic-Proof Effects of Various Woven Constructions. *FIBRES & TEXTILES in Eastern Europe* 2010; 18, 6 (83): 83-87.
 16. Shimek ME, Fahrenthold EP. Effects of Weave Type on the Ballistic Performance of Fabrics. *AIAA Journal* 2012; 50, 11: 2558-2565.
 17. Li TT, Wang R, Lou CW, Lin JH. Static and Dynamic Puncture Behaviors of Compound Fabrics with Recycled High-Performance Kevlar Fibres. *Composites Part B-Engineering* 2014; 59: 60-66.
 18. Li TT, Wang R, Lou CW, Lin JY, Lin JH. Static and Dynamic Puncture Failure Behaviors of 3D Needle-Punched Compound Fabric Based on Weibull Distribution, *Textile Research Journal* 2014; 84, 18:1903-1914.
 19. Li TT, Lou CW, Lin JY, Lin MC, Lin JH. Static and Dynamic Puncture Properties of Intra-/Inter-Laminar Reinforced Multilayer Compound Fabrics by Needle-Punching and Thermal Bonding. *Textile Research Journal* 2016; 86, 14: 1487-1497.
 20. Peters IR, Majumdar S, Jaeger HM. Direct Observation of Dynamic Shear Jamming in Dense Suspensions. *Nature* 2016; 532, 7598: 214-217.
 21. Lee BW, Kim IJ, Kim CG. The Influence Of The Particle Size of Silica on The Ballistic Performance of Fabrics Impregnated with Silica Colloidal Suspension. *Journal of Composite Materials* 2009; 43, 23: 2679-2698.
 22. Srivastava A, Majumdar A, Butola BS. Improving The Impact Resistance Performance of Kevlar Fabrics using Silica Based Shear Thickening Fluid. *Materials Science and Engineering A-Structural Materials Properties Microstructure and Processing* 2011; 529: 224-229.
 23. Wang J, Chen P, Li H, Li W, Wang B, Zhang C, Ni R. Surface Characteristic of Poly (P - Phenylene Terephthalamide). *Fibres with Oxygen Plasma Treatment, Surface and Interface Analysis* 2008; 40, 9: 1299-1303.
 24. Ren Y, Wang C, Qiu Y. Influence of Aramid Fibre Moisture Regain During Atmospheric Plasma Treatment on Aging of Treatment Effects on Surface Wettability and Bonding Strength to Epoxy. *Applied Surface Science* 2007; 253, 23: 9283-9289.
 25. On SY, Kim MS, Kim SS. Effects of Post-Treatment of Meta-Aramid Nanofibre Mats on The Adhesion Strength of Epoxy Adhesive Joints. *Composite Structures* 2017; 159: 636-645.
 26. Martinez MA, Abenojar J, Enciso B, Velasco FJ. Effect of Atmospheric Plasma Torch on Ballistic Woven Aramid. *Textile Research Journal*, 0040517516671122, 2016.
 27. Li TT, Wang R, Lou CW, Huang CH, Lin JH. Mechanical and Physical Properties of Puncture-Resistance Plank Made of Recycled Selvages. *Fibres and Polymers* 2013; 14, 2: 258-265.

28. Li TT, Fang J, Huang CH, Lou CW, Lin JY, Lin MC, Lin JH. Numerical Simulation of Dynamic Puncture Behaviors of Woven Fabrics Based on the Finite Element Method. *Textile Research Journal* 2017; 87, 11: 1308-1317.
29. Hosur MV, Vaidya UK, Ulven C, Jeelani S. Performance of Stitched/Unstitched Woven Carbon/Epoxy Composites under High Velocity Impact Loading. *Composite Structures* 2004; 64, 3: 455-466.