

References

1. Wong CE, Dolzhenko AV, Lee SM, et al. Cyclodextrins: A Weapon in the Fight Against Antimicrobial Resistance. *Journal of Molecular Engineering Materials* 2017; 5(01):1740006.
2. Ghorani B, Kadkhodae R, Rajabzadeh G, et al. Assembly of Odour Adsorbent Nanofilters by Incorporating Cyclodextrin Molecules into Electrospun Cellulose Acetate Webs. *Reactive Functional Polymers* 2019; 134: 121-132.
3. Morin-Crini N, Winterton P, Fourmentin S, et al. Water-Insoluble B-Cyclodextrin–Epichlorohydrin Polymers for Removal of Pollutants from Aqueous Solutions by Sorption Processes Using Batch Studies: A Review of Inclusion Mechanisms. *Progress in Polymer Science* 2018;78:1-23.
4. Ishiguro T, Sakata Y, Arima H, et al. Release Control of Fragrances by Complexation with B-Cyclodextrin and Its Derivatives. *Journal of Inclusion Phenomena Macrocyclic Chemistry* 2018; 92(1-2): 147-155.
5. Marcos X, Pérez-Casas S, Llovo J, et al. Poloxamer-Hydroxyethyl Cellulose-A-Cyclodextrin Supramolecular Gels for Sustained Release of Griseofulvin. *International Journal of Pharmaceutics* 2016; 500(1-2):11-19.
6. Cova TF, Murtinho D, Pais AA, et al. Combining Cellulose and Cyclodextrins: Fascinating Designs for Materials and Pharmaceutics. *Frontiers in Chemistry* 2018; 6: 271.
7. Del Valle EM. Cyclodextrins and their Uses: A Review. *Process Biochemistry* 2004; 39(9): 1033-1046.
8. Hedges AR. Industrial Applications of Cyclodextrins. *Chemical Reviews* 1998; 98(5): 2035-2044.
9. Irie T, Uekama K. Pharmaceutical Applications of Cyclodextrins. III. Toxicological Issues and Safety Evaluation. *Journal of Pharmaceutical Sciences* 1997; 86(2): 147-162.
10. Loftsson T, Brewster ME. Pharmaceutical Applications of Cyclodextrins. 1. Drug Solubilization and Stabilization. *Journal of Pharmaceutical Sciences* 1996; 85(10): 1017-1025.
11. Li B, Dong Y, Wang P, et al. Release Behavior and Kinetic Evaluation of Formaldehyde from Cotton Clothing Fabrics Finished with DMDHEU-Based Durable Press Agents in Water and Synthetic Sweat Solution. *Textile Research Journal* 2016; 86(16): 1738-1749.
12. Montazer M, Mehr EB. Na-Diclofenac B-Cyclodextrin Inclusion Complex on Cotton Wound Dressing. *Journal of the Textile Institute* 2010; 101(5): 373-379.
13. Hong KH. Preparation and Properties of Phenolic Compound/BTCA Treated Cotton Fabrics for Functional Textile Applications. *Cellulose* 2015; 22(3): 2129-2136.
14. Voncina B, Le Marechal AM. Grafting of Cotton with B-Cyclodextrin via Poly (Carboxylic Acid). *Journal of Applied Polymer Science* 2005; 96(4): 1323-1328.
15. Medronho B, Andrade R, Vivod V, et al. Cyclodextrin-Grafted Cellulose: Physico-Chemical Characterization. *Carbohydrate Polymers* 2013; 93(1): 324-330.
16. Novikov M, Thong KL, Zazali NIM, et al. Treatment of Cotton by β -Cyclodextrin/Triclosan Inclusion Complex and Factors Affecting Antimicrobial Properties. *Fibers and Polymers* 2018; 19(3): 548-560.

17. El-Tahlawy K, El-Nagar K, Elhendawy A. Cyclodextrin-4 Hydroxy Benzophenone Inclusion Complex for UV Protective Cotton Fabric. *Journal of the Textile Institute* 2007; 98(5): 453-462.
18. Bajpai M, Gupta P, Bajpai S. Silver (I) Ions Loaded Cyclodextrin-Grafted-Cotton Fabric with Excellent Antimicrobial Property. *Fibers and Polymers* 2010; 11(1):8-13.
19. Salah F, El Ghouli Y, Roudesli S. Bacteriological Effects of Functionalized Cotton Dressings. *Journal of the Textile Institute* 2016; 107(2): 171-181.
20. Gawish S, Ramadan A, Abo El-Ola S, et al. Citric Acid used as a Cross-Linking Agent for Grafting B-Cyclodextrin onto Wool Fabric. *Polymer-Plastics Technology Engineering* 2009; 48(7): 701-710.
21. Haji A, Mehrizi MK, Akbarpour R. Optimization of B-Cyclodextrin Grafting on Wool Fibers Improved by Plasma Treatment and Assessment of Antibacterial Activity of Berberine Finished Fabric. *Journal of Inclusion Phenomena* 2015; 81(1-2): 121-133.
22. Mehrzad L, Nouri M. Preparation and Characterization of B-Cyclodextrin Grafted Silk Fabric. *Journal of Natural Fibers* 2018: 1-11.
23. Bandyopadhyay S, Das D. Retention and Sustained Release of Fragrance by Cyclodextrin Functionalized Cotton Fabric Modified using Maleic Anhydride. *Flavour Fragrance Journal* 2017; 32(3): 207-211.
24. Dehabadi VA, Buschmann H-J, Gutmann JS. A Novel Approach for Fixation of B-Cyclodextrin on Cotton Fabrics. *Journal of Inclusion Phenomena Macrocyclic Chemistry* 2014; 79(3-4): 459-464.
25. Hebeish A, Sharaf S, Refaie R, et al. Multifinishing of Cotton Fabrics using Microwave Techniques. *Research Journal of Textile Apparel* 2012; 16(2): 68-81.
26. Ping Z, Xin Y, Lin Z, et al. Study on Inclusion Medicine of Cotton Fabric Grafted with B-Cyclodextrin. *Journal of Textile Research* 2010; 31(7): 64-68.
27. Youyi X, Junmin W. Preparation and Mechanism of B-Cyclodextrin Grafted Cellulose Fiber. *Journal of Textile Research* 2006; 27(2): 25-28.
28. Szejtli J, Zsádon B, Fenyvesi E, et al. Sorbents of Cellulose Basis Capable of Forming Inclusion Complexes and a Process for the Preparation Thereof. U.S. Patent 4,357,468. 1982-11-2.
29. Neto R, Cardoso A, Silva C. Functional Substrates for the Gradual Release of Agents. *Progress in Organic Coatings* 2015; 78: 474-479.
30. Wang C X, Chen S L. Anchoring B-Cyclodextrin to Retain Fragrances on Cotton by Means of Heterobifunctional Reactive Dyes. *Coloration Technology* 2004; 120(1): 14-18.
31. Agrawal P, Warmoeskerken M. Permanent Fixation of B-Cyclodextrin on Cotton Surface- an Assessment between Innovative and Established Approaches. *Journal of Applied Polymer Science* 2012; 124(5): 4090-4097.
32. Ismail WNW. Sol-Gel Technology for Innovative Fabric Finishing-A Review. *Journal of Sol-Gel Science Technology* 2016; 78(3): 698-707.
33. Wang C X, Chen S L. Surface Treatment of Cotton Using B-Cyclodextrins Sol-Gel Method. *Applied Surface Science* 2006; 252(18): 6348-6352.
34. Wang C X, Chen S L. Surface Modification of Fabric by Sol-Gel Method. *Journal of Textile Research* 2005; 26(4): 24.

35. Ghosh S, Chipot N. Embedding Aromatherapy Essential Oils into Textile Fabric using B-Cyclodextrin Inclusion Compound. *Indian Journal of Fibre & Textile Research* 2015; 40: 140-143.
36. Kettel MJ, Hildebrandt H, Schaefer K, et al. Tenside-Free Preparation of Nanogels with High Functional B-Cyclodextrin Content. *ACS nano* 2012; 6(9): 8087-8093.
37. Kettel MJ, Schaefer K, Groll J, et al. Nanogels with High Active B-Cyclodextrin Content as Physical Coating System with Sustained Release Properties. *ACS Applied Materials Interfaces* 2014; 6(4): 2300-2311.
38. Madrid JF, Abad LV. Modification of Microcrystalline Cellulose by Gamma Radiation-Induced Grafting. *Radiation Physics Chemistry* 2015; 115: 143-147.
39. Madrid JF, Nuesca GM, Abad LV. Gamma Radiation-Induced Grafting of Glycidyl Methacrylate (GMA) onto Water Hyacinth Fibers. *Radiation Physics Chemistry* 2013; 85: 182-188.
40. Wojnárovits L, Földváry CM, Takács E. Radiation-Induced Grafting of Cellulose for Adsorption of Hazardous Water Pollutants: A Review. *Radiation Physics Chemistry* 2010; 79(8): 848-862.
41. Hirotsu T. Plasma Graft Polymerization of Glycidyl Methacrylate and Cyclodextrin Immobilization. *Thin Solid Films* 2006; 506: 173-175.
42. Abdel-Halim E, Fouda MM, Hamdy I, et al. Incorporation of Chlorohexidin Diacetate into Cotton Fabrics Grafted with Glycidyl Methacrylate and Cyclodextrin. *Carbohydrate Polymers* 2010; 79(1): 47-53.
43. Hebeish A, El-Sawy S, Ragaei M, et al. New Textiles of Biocidal Activity by Introduce Insecticide in Cotton-Poly (GMA) Copolymer Containing B-Cd. *Carbohydrate Polymers* 2014; 99: 208-217.
44. Desmet G, Takács E, Wojnárovits L, et al. Cellulose Functionalization via High-Energy Irradiation-Initiated Grafting of Glycidyl Methacrylate and Cyclodextrin Immobilization. *Radiation Physics Chemistry* 2011; 80(12): 1358-1362.
45. Hiriart-Ramírez E, Contreras-García A, Garcia-Fernandez MJ, et al. Radiation Grafting of Glycidyl Methacrylate onto Cotton Gauzes for Functionalization with Cyclodextrins and Elution of Antimicrobial Agents. *Cellulose* 2012; 19(6): 2165-2177.
46. Denter U, Schollmeyer E. Surface Modification of Synthetic and Natural Fibres by Fixation of Cyclodextrin Derivatives. *Proceedings of the Eighth International Symposium on Cyclodextrins*. Springer, Dordrecht, 1996: 559-564.
47. Lee MH, Yoon KJ, Ko SW. Synthesis of a Vinyl Monomer Containing B-Cyclodextrin and Grafting onto Cotton Fiber. *Journal of Applied Polymer Science* 2001; 80(3): 438-446.
48. Nostro PL, Fratoni L, Baglioni P. Modification of a Cellulosic Fabric with B-Cyclodextrin for Textile Finishing Applications. *Journal of Inclusion Phenomena Macrocyclic Chemistry* 2002; 44(1-4): 423-427.
49. Reuscher H, Hirsenkorn R. BETA W7 MCT-New Ways in Surface Modification. *Proceedings of the Eighth International Symposium on Cyclodextrins*. Springer, Dordrecht, 1996: 553-558.
50. Buschmann H, Knittel D, Schollmeyer E. Use of Cyclodextrin±Dye Complexes in Dyeing Processes. *Textilveredlung* 1996; 31: 115-117.

51. Peila R, Migliavacca G, Aimone F, et al. A Comparison of Analytical Methods for the Quantification of a Reactive B-Cyclodextrin Fixed onto Cotton Yarns. *Cellulose* 2012; 19(4): 1097-1105.
52. Xiao Z, Feng N, Zhu G, et al. Preparation and Application of Citral–Monochlorotriazine-B-Cyclodextrin Inclusion Complex Nanocapsule. *Journal of The Textile Institute* 2016; 107(1): 64-71.
53. Hebeish A, Fouda MM, Hamdy I, et al. Preparation of Durable Insect Repellent Cotton Fabric: Limonene as Insecticide. *Carbohydrate Polymers* 2008;74(2): 268-273.
54. Shahba AF. Production and Characterization of Novel Perfumed Curtain Fabrics. *Research Journal of Textile Apparel* 2008; 12(4): 31-40.
55. Angela C, Luminita C, Muresan E, et al. Textile Materials Functionalised with Natural Biologically Active Compounds. *Romanian Biotechnological Letters* 2010; 15(5): 5538.
56. Racu C, Cogeanu AM, Diaconescu RM, et al. Antimicrobial Treatments of Hemp Fibers Grafted with B-Cyclodextrin Derivatives. *Textile Research Journal* 2012; 82(13): 1317-1328.
57. Hebeish A, El-Hilw Z. Chemical Finishing of Cotton using Reactive Cyclodextrin. *Coloration Technology* 2001; 117(2): 104-110.
58. Kistamah N, Carr C, Rosunee S. Surface Chemical Analysis of Tencel and Cotton Treated with a Monochlorotriazinyl (MCT) B-Cyclodextrin Derivative. *Journal of Materials Science* 2006; 41(8): 2195-2200.
59. Sricharussin W, Sopajaree C, Maneerung T, et al. Modification of Cotton Fabrics with B-Cyclodextrin Derivative for Aroma Finishing. *Journal of the Textile Institute* 2009; 100(8): 682-687.
60. Hashem M, El-Aref A, Refaie R. Cotton Fabric Bearing Cationic and B-Cyclodextrin Moieties: A Study of the Reaction Parameters. *Research Journal of Textile* 2004; 8(2): 76-94.
61. Abdel-Mohdy F, El-Aref A, Hashem A, et al. Monochlorotriazinyl-cyclodextrin Finished Cotton Fabric and Its Inclusion Ability Towards Some Guest Molecules. *Egyptian Journal of Textile Polymer Science Technology* 2005; 9(2): 85-95.
62. Abdel-Mohdy F, Fouda MM, Rehan M, et al. Repellency of Controlled-Release Treated Cotton Fabrics Based on Cypermethrin and Prallethrin. *Carbohydrate Polymers* 2008; 73(1): 92-97.
63. Chen M, Wang Y, Xie X, et al. Inclusion Complex of Monochlorotriazine-Beta-Cyclodextrin and Wormwood oil: Preparation, Characterization, and Finishing on Cotton Fabric. *The Journal of The Textile Institute* 2015; 106(1): 31-38.
64. Setthayanond J, Sodsangchan C, Suwanruji P, et al. Influence of MCT-B-Cyclodextrin Treatment on Strength, Reactive Dyeing and third-hand Cigarette Smoke Odor Release Properties of Cotton Fabric. *Cellulose* 2017; 24(11): 5233-5250.
65. Sodsangchan C, Setthayanond J, Suwanruji P. Influence of Monochlorotriazine-B-Cyclodextrin Treatment on Dyeing and Fastness Properties of the Hot-Dyeing Reactive Dye on Cotton. Paper presented at: *Applied Mechanics and Materials*, 2014.
66. Sundrarajan M, Rukmani A. Biopolishing and Cyclodextrin Derivative Grafting on Cellulosic Fabric for Incorporation of Antibacterial Agent Thymol. *Journal of the Textile Institute* 2013; 104(2): 188-196.

67. Kut D, Gunesoglu C, Orhan M. An investigation into the possibility of using cyclodextrin in crease resistant finish. *FIBRES & TEXTILES in Eastern Europe* 2007, 15, 2(61): 93-96.
68. Hebeish A, El Shafei A, Shaarawy S. Synthesis and Characterization of Multifunctional Cotton Containing Cyclodextrin and Butylacrylate Moieties. *Polymer-Plastics Technology Engineering* 2009; 48(8): 839-850.
69. El Shafei A, Shaarawy S, Hebeish A. Application of Reactive Cyclodextrin Poly Butyl Acrylate Preformed Polymers Containing Nano-Zno to Cotton Fabrics and their Impact on Fabric Performance. *Carbohydrate Polymers* 2010; 79(4): 852-857.
70. Abdel-Halim E, Abdel-Mohdy F, Fouda MM, et al. Antimicrobial Activity of Monochlorotriazinyl-B-Cyclodextrin/Chlorohexidin Diacetate Finished Cotton Fabrics. *Carbohydrate Polymers* 2011; 86(3): 1389-1394.
71. Hebeish AA, Abdel-Halim ES, Hamdy IA, et al. Synthesis of Cotton Graft Copolymers Containing Glycidyl Methacrylate and Different Cyclodextrins Moieties Using Linear Electron Beam Radiation. *Research Journal of Textile Apparel* 2009; 13(3): 57-68.