

References

1. Dalton P. *Chem. Senses* 2000; 25, 487.
2. Wiśniewska M, Kulig A, Lelicińska K, Serafin SN. *Appl. Sci.*, 2019; 1, 550.
3. Balkhyour MA, Ahmad I, Saudi M. *Rehan. J. Biol. Sci* 2019; 26(4): 653.
4. Lamplugh A, Harries M, Xiang F, Trinh J, Hecobian A, Montoya LD. *Environ. Pollut.* 2019; 249: 518.
5. EN 149:2001+A1:2009. Respiratory Protective Devices—Particle filtering half Masks—Requirements, Testing, Marking; CEN: Brussels, Belgium, 2001.
6. Brochocka A. Significance of Functional Studies Designing Filtering Half-masks with Superabsorbent Polymer. *FIBRES & TEXTILES in Eastern Europe* 2020; 28, 2(140): 61-66. DOI: 10.5604/01.3001.0013.7317.
7. Gonzaga MC, Abrahão RF, Tereso MJA. Effectiveness of Personal Protective Equipment for Farm Workers Who Grow Pineapples. In: R. Goonetilleke, and W. Karwowski (eds) *Advances in Physical Ergonomics and Human Factors. Advances in Intelligent Systems and Computing* 2016; 489. Springer, Cham.
8. Yuwono AS, Lammers PS. *Agri. Eng. Int. CIGR J.* 2004; 6, 1.
9. Yuwono AS, Hamacher T, Nieß J, Boeker B, Lammers PS. Odour Measuring System Using a Mass Sensitive Sensor Array and its Performance Improvement. 2nd World Engineering Congress At: Kuching, Sarawak, Malaysia, 2002.
10. Sówka I. Methods of Identifying Odorogenic Gases Emitted from Industrial Facilities [pl]. Scientific Work of the Institute of Environmental Protection Engineering, Wrocław University of Technology, Publishing House of the Wrocław University of Technology, Wrocław, Poland, 2011.
11. Altundag A, Tekeli H, Salihoglu M, Cayonu M, Kendirli MT, Yasar H, Oztur A. *Indian J. Otolaryngol.*, 2015; 67, 7.
12. Voznessenskaya VV, Klyuchnikova MA, *Dokl. Biol. Sci.* 2017, 473, 77.
13. Hummel T, Pfetzing U, Lotsch J. *J. Neurol.*, 2010; 257: 1316.
14. Brochocka A, Nowak A, Panek R, Franus W. *Appl. Sci.* 2020; 9, 515.
15. Okrasa M, Szulc J, Brochocka A, Gutarowska B. Application of Olfactometry to Assess the An-Ti-Odour Properties of Filtering Facepiece Respirators Containing Activated Carbon Nonwovens. *Under review in Int. J. Ind. Ergon.*
16. St. Croix Sensory Inc, Odor Sensitivity Test Procedure, (2000) <http://www.fivesenses.com/equipment/olfactometry-equipment/odor-sensitivity-test-kit/>.
17. ASTM E1432-19. Standard Practice for Defining and Calculating Individual and Group Sensory Thresholds from Forced-Choice Data Sets of Intermediate Size, ASTM International, West Conshohocken, PA, 2019.
18. ASTM E679-19. Standard Practice for Determination of Odor and Taste Thresholds By a Forced-Choice Ascending Concentration Series Method of Limits, ASTM International, West Conshohocken, PA, 2019.
19. Likert R. *Arch. Psychol.*, 1932; 22, 55.
20. EN 14387:2004+AC:2004. Respiratory Protective Devices. Gas filter(s) and Combined filter(s). Re-quirements, Testing, Marking, CEN: Brussels, Belgium, 2004.
21. Okrasa M, Hitz J, Brochocka A, Zagawa A, Thelen C, Walczak Z. *Int. J Environ. Res. Public Health* 2019; 16, 1973.
22. Tanaka S, Tsuda Y, Kitamura S, Shimada M, Arito H, Seki Y. *Am. Ind. Hyg. Assoc. J.* 2010; 62, 168–171.
23. Linders MJG, Mallens EPJ, Van Bokhoven JJGM, Kapteijn F, Moulijn JA, *Am. Ind. Hyg. Assoc. J.* 2003; 64, 173–180.