

7. Rehman F, Shahid A, Summia Q, Ijaz BA, Muhammad S, Mohammad Z. Dyeing behaviour of gamma irradiated cotton fabric using Lawson dye extracted from henna leaves (*Lawsonia inermis*). *Radiation Physics and Chemistry* 2012; 81: 1752-1756.
8. Ibrahim N, Refaie R, Ahmed A. A new approach for natural dyeing and functional finishing of cotton cellulose. *Carbohydrate polymers* 2010; 82: 1205-1211.
9. Ali S, Hussain T, Nawaz R. Optimization of alkaline extraction of natural dye from Henna leaves and its dyeing on cotton by exhaust method. *Journal of Cleaner Production* 2009; 17: 61-66.
10. Iqbal J, Bhatti IA, Adeel S. Effect of UV radiation on dyeing of cotton fabric with extracts of henna leaves. *Indian J. Fibre Text. Res.* 2008; 33: 157-162.
11. Patino A, Canal C, Rodriguez C, Caballero G, Navarro A, Canal JM. Surface and bulk cotton fibre modifications: plasma and cationization. Influence on dyeing with reactive dye. *Cellulose* 2011; 18: 1073-1083.
12. Montazer M, Malek RMA, Rahimi A. Salt free reactive dyeing of cationized cotton. *Fibers and Polymers* 2007; 8: 608-612.
13. Cunha AG, Freire CSR, Silvestre AJD, Neto CP, Gandini A, Orblin E, Fardim P. Characterization and evaluation of the hydrolytic stability of trifluoroacetylated cellulose fibers. *Journal of Colloid and Interface Science* 2007; 316: 360-366.
14. Khalil-Abad MS, Yazdanshenas ME, Nateghi MR. Effect of cationization on adsorption of silver nanoparticles on cotton surfaces and its antibacterial activity. *Cellulose* 2009; 16: 1147-1157.
15. Micheal MN, Tera FM, Ibrahim SF. Effect of chemical modification of cotton fabrics on dyeing properties. *Journal of Applied Polymer Science* 2002; 85: 1897-1903.
16. Gies H, Roy C, Holmes G. Ultraviolet radiation protection by clothing: comparison of in vivo and in vitro measurements. *Radiation protection dosimetry* 2000; 91: 247-250.
17. Wilson C, Gies PH, Niven BE, Mclennan A, Bevin NK. The relationship between UV transmittance and color-visual description and instrumental measurement. *Textile Research Journal* 2008; 78: 128-137.
18. Feng XX, Zhang LL, Chen JY, Zhang JC. New insights into solar UV-protective properties of natural dye. *Journal of Cleaner Production* 2007; 15: 366-372.
19. Sundaram V, Sreenivasan S. *Handbook of Methods of Tests*. Mumbai: CIRCOT (ICAR), 2004.

Received 19.12.2014 Reviewed 16.03.2015



INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

LABORATORY OF METROLOGY

The **Laboratory** is active in testing fibres, yarns, textiles and medical products. The usability and physico-mechanical properties of textiles and medical products are tested in accordance with European EN, International ISO and Polish PN standards.

Tests within the accreditation procedure:

- linear density of fibres and yarns
- mass per unit area using small samples
- elasticity of yarns
- breaking force and elongation of fibres, yarns and medical products
- loop tenacity of fibres and yarns
- bending length and specific flexural rigidity of textile and medical products

Other tests:

- for fibres
 - diameter of fibres
 - staple length and its distribution of fibres
 - linear shrinkage of fibres
 - elasticity and initial modulus of drawn fibres
 - crimp index
- for yarn
 - yarn twist
 - contractility of multifilament yarns
- for textiles
 - mass per unit area using small samples
 - thickness
 - tenacity
- for films
 - thickness-mechanical scanning method
 - mechanical properties under static tension
- for medical products
 - determination of the compressive strength of skull bones
 - determination of breaking strength and elongation at break
 - suture retention strength of medical products
 - perforation strength and dislocation at perforation

The Laboratory of Metrology carries out analyses for:

- research and development work
- consultancy and expertise

Main equipment:

- Instron Tensile testing machines
- Electrical Capacitance Tester for the determination of linear density unevenness - Uster Type C
- Lanameter



AB 388

Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES
 ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland
 Beata Palys M.Sc. Eng.
 tel. (+48 42) 638 03 41, e-mail: metrologia@ibwch.lodz.pl