- 14. Şardağ S, Kanik M, Özdemir Ö. The Effect of Vacuum Steaming Processes on Physical and Dyeability Properties of Polyamide 6 Yarns. *Textile Research Journal* 2010; 80(15): 1531-1539.
- Below EB, Lomov SV, Truevtsev NN, Harword Rj. Study of Yarn Snarling, Part II: , Mathematical Modelling. *Journal of Textile Institute* 2002; 93; I: 4.
- Primentas A. Direct Determination of Yarn Snarliness. *Indian Journal of Fibre* & Textile Research 2003; 28(1): 23-28.
- Xu BG, Murrels CM, Tao XM. Automatic Measurements and Recognition of Yarn Snarls by Digital Image and Signal Processing Methods. *Textile Research Journal* 2008; 78(5): 439-456.
- Xu BG, Murrels CM, Tao XM. Evaluation of a Digital Image-Signal Approach on the Automatic Measurement of Cotton Yarn Snarls. Textile Research Journal 2010; 80(12): 1151-1159.
- 19. Yazdi AA. Woven Fabric Skewness and Yarn Twist. In: 2nd International
- 20. Istanbul Textile Congress 2004; April: 1-7.
- Welker Catalogue About Necessary Knowledge For Conditioning Yarns, 2003.
- 22. Xorella AG Catalogue, 2005.
- 23. Welker Catalogue About Conditioning Systems, 2003.
- 24. Şardağ S. *A Study About Vacuum Steaming Processes of Yarns and Their Effects on Yarn Properties*. Ph.D. Thesis, Uludağ University, Bursa, 2008, pp: 1, 95, 105-109, 158-160, 192-194.
- 25. Kringel Factor Meter Instruction Manual Book Keisokki Kogyo Co., LTD, 507-70011, 2007, pp. 1-2.
- Adanur S. Wellington Sears Handbook of Industrial Textiles, Technomic Publishing Co.Inc. Lancaster.-Basel, 1995, pp. 582-618.
- Collier BJ, Tortora PG. *Understanding Textiles*. Prentice- Hall, Inc., Upper Saddle River, New Jersey, 2001, pp. 38.
- 28. Moncrieff RW. *Man Made Fibres*. Heywood Books Ltd., 1969, pp. 89-91.
- Goswami BC, Anandjiwala RD, Hall DM. Textile Sizing, Marcel Dekker. Inc. New York Basel, pp. 26.
- Morton WE, Hearle JWS. Physical Properties of Textile Fibres. Heineman 1975: 127 292
- Hunter L. Cotton Spinning Technology, Cotton: Science and Technology. The Textile Institue, Edited by S.Gordon and Y-L.Hsieh, Woodhead Publishing Limited, Cambridge, England, 2007, pp. 270, 272.
- 32. www.welker.de, 2003.
- 33. www.welker.de./html/ English/ heatset-ting.html, 2003.
- 34. www.welker.de, 2004, 2008.
- Received 09.07.2012 Reviewed 11.03.2013



## INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

## LABORATORY OF BIODEGRADATION

The Laboratory of Biodegradation operates within the structure of the Institute of Biopolymers and Chemical Fibres. It is a modern laboratory with a certificate of accreditation according to Standard PN-EN/ISO/IEC-17025: 2005 (a quality system) bestowed by the Polish Accreditation Centre (PCA). The laboratory works at a global level and can cooperate with many institutions that produce, process and investigate polymeric materials. Thanks to its modern equipment, the Laboratory of Biodegradation can maintain cooperation with Polish and foreign research centers as well as manufacturers and be helpful in assessing the biodegradability of polymeric materials and textiles.

The Laboratory of Biodegradation assesses the susceptibility of polymeric and textile materials to biological degradation caused by microorganisms occurring in the natural environment (soil, compost and water medium). The testing of biodegradation is carried out in oxygen using innovative methods like respirometric testing with the



continuous reading of the  $\,\text{CO}_2$  delivered. The laboratory's modern MICRO-OXYMAX RESPIROMETER is used for carrying out tests in accordance with International Standards.

The methodology of biodegradability testing has been prepared on the basis of the following standards:

- testing in aqueous medium: 'Determination of the ultimate aerobic biodegrability of plastic materials and textiles in an aqueous medium. A method of analysing the carbon dioxide evolved' (PN-EN ISO 14 852: 2007, and PN-EN ISO 8192: 2007)
- testing in compost medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated composting conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 20 200: 2007, PN-EN ISO 14 045: 2005, and PN-EN ISO 14 806: 2010)
- testing in soil medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated soil conditions in a laboratory-scale test. A method of determining the weight loss" (PN-EN ISO 11 266:





1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).

The following methods are applied in the assessment of biodegradation: gel chromatography (GPC), infrared spectroscopy (IR), thermogravi-

metric analysis (TGA) and scanning electron microscopy (SEM).

## Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland Agnieszka Gutowska Ph. D., tel. (+48 42) 638 03 31, e-mail: lab@ibwch.lodz.pl