

14. Jackowska-Strumillo, L.; Cyniak, D.; Czekalski, J.; Jackowski, T. Neural Model of the Spinning Process Dedicated to Predicting Properties of Cotton-Polyester Blended Yarns on the Basis of the Characteristics of Feeding Streams, *Fibres & Textiles in Eastern Europe*, **2008**, 16, 1(66), 28-36.
15. Beltran, R.; Wang, L.; Wang, X. Predicting Worsted Spinning Performance with an Artificial Neural Network model, *Textile Res. J.*, **2004**, 74(9), 757-763.
16. Beltran, R.; Wang, L.; Wang, X. Mill Specific Prediction of Worsted Yarn Performance, *J. Textile Inst.*, **2006**, 97(1).
17. Guruprasad, R.; Behera, B. K. Review Articles: Soft Computing in Textiles, *Indian J. Fibre & Text. Res.*, **2010**, 35, 75-84
18. Farooq, A.; Cherif, C. Use of Artificial Neural Networks for Determining the Leveling Action Point at the Auto-Leveling Draw Frame, *Textile Res. J.*, **2008**, 78(6), 502.
19. Patterson, D. W. Artificial Neural Networks, Theory and applications, *Prentice Hall Press*, **1996**.
20. Schalkoff, R. J. Artificial Neural Networks, *McGraw-Hill Press*, **1997**.
21. MATLAB Software, Version 7.7.0.471 (R2008b).
22. Ethridge, M. D.; Towery, J. D.; Hembree, J. F. Estimating Functional Relationships Between Fibre Properties and the Strength of Open-End Spun Yarns, *Textile Res. J.*, **1982**, 52 (1), 35.
23. Ucar, N.; Ertugrul, S. Predicting Circular Knitting Machine Parameters for Cotton Plain Fabrics Using Conventional and Neuro-fuzzy Methods, *Textile Res. J.*, **2002**, 72(4), 361.
24. Majumder, P. K.; Majumdar, A. Predicting the Breaking Elongation of Ring Spun Cotton Yarns Using Mathematical, Statistical, and Artificial Neural Network Models, *Textile Res. J.*, **2004**, 74(7), 652.
25. Majumdar, A.; Majumder, P. K.; Sarkar, B. Application of linear regression, artificial neural network and neuro-fuzzy algorithm to predict the breaking elongation of rotor-spun yarns, *Indian J. of Fibre & Text. Res.*, **2005**, 30(4), 19-25.
26. Ethridge, D.; Zhu, R. Prediction of Rotor Spun Cotton Yarn Quality: A Comparison of Neural Network and Regression Algorithms, *In Proc. of the Beltwide Cotton Conference*, **1996**, 1314-1317.
27. Gharehaghaji, A. A.; Shanbeh, M.; Palhang, M. Analysis of Two Modeling Methodologies for Predicting the Tensile Properties of Cotton – covered Nylon Core Yarns, *Textile Res. J.*, **2007**, 77(8), 565-571.
28. Luo, M. R.; Rigg, B. BFD (I:c) Colour-Difference Formula, Part II: Performance of the Formula”, *J. Soc. Dyers*, **1987**, 103, 126-132.



INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

LABORATORY OF BIODEGRADATION

The Laboratory of Biodegradation operates within the structure of the Institute of Biopolymers and Chemical Fibres. It is a modern laboratory with a certificate of accreditation according to Standard PN-EN/ISO/IEC-17025: 2005 (a quality system) bestowed by the Polish Accreditation Centre (PCA). The laboratory works at a global level and can cooperate with many institutions that produce, process and investigate polymeric materials. Thanks to its modern equipment, the Laboratory of Biodegradation can maintain cooperation with Polish and foreign research centers as well as manufacturers and be helpful in assessing the biodegradability of polymeric materials and textiles.

The Laboratory of Biodegradation assesses the susceptibility of polymeric and textile materials to biological degradation caused by microorganisms occurring in the natural environment (soil, compost and water medium). The testing of biodegradation is carried out in oxygen using innovative methods like respirometric testing with the continuous reading of the CO₂ delivered. The laboratory's modern MICRO-OXYMAX RESPIROMETER is used for carrying out tests in accordance with International Standards.



The methodology of biodegradability testing has been prepared on the basis of the following standards:

- **testing in aqueous medium:** 'Determination of the ultimate aerobic biodegradability of plastic materials and textiles in an aqueous medium. A method of analysing the carbon dioxide evolved' (PN-EN ISO 14 852: 2007, and PN-EN ISO 8192: 2007)
- **testing in compost medium:** 'Determination of the degree of disintegration of plastic materials and textiles under simulated composting conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 20 200: 2007, PN-EN ISO 14 045: 2005, and PN-EN ISO 14 806: 2010)
- **testing in soil medium:** 'Determination of the degree of disintegration of plastic materials and textiles under simulated soil conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 11 266: 1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).



AB 388



1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).

The following methods are applied in the assessment of biodegradation: gel chromatography (GPC), infrared spectroscopy (IR), thermogravimetric analysis (TGA) and scanning electron microscopy (SEM).

Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES
ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland
Agnieszka Gutowska Ph. D.,
tel. (+48 42) 638 03 31, e-mail: lab@ibwch.lodz.pl