- Militký J, Havrdová (now Havlová) M. Spatial analysis of clean room textiles air permeability uniformity. In: 1st Czech-Chinese Seminar. ISBN 80-7083-508-7.
- Gooijer H, Warmoeskerken, M, Wassink G. Flow resistance of textile materials, Part I: Monofilament Fabrics. *Textile Res. J.* 2003; 73 (6): 437 – 443.
- Lu WM, at all. Fluid Flow Through basic Weaves of Monofilament Filter Cloth. *Textile Research Journal* 1996; 66 (5): 311 – 323.
- Gooijer H, Warmoeskerken M, Wassink G. Flow resistance of textile materials, Part II: Multifilament Fabrics. *Textile Res. J.* 2003; 73(6): 480 – 484.
- Havlová M. Influence of vertical porosity on woven fabric air permeability. In: *TEXSCI 2009*, September 2009, Liberec.
- Robertson AF. Air porosity of Open-Weave Fabric. *Text. Res. J.* 1950; December: 838 – 857.
- Neckář B. Příze tvorba, struktury a vlastnosti. SNTL. Praha, 1990.
- Křemenáková D, Rubnerová J, Aneja AP. Influence of fiber geometry on polyester yarn packing density and porosity. In: 8th Int. Conf. STRUTEX, Technical University of Liberec, Czech republic, 2001, pp. 435 – 440.
- Fatahi I, Yazdi A. Assessment of the Relationship between Air Permeability of Woven Fabrics and Its Mechanical Properties. *Fibres & Textiles in Eastern Europe* 2010; 18, 6 (83): 68 – 71.
- Frontczak-Wasiak I, Snycerski M, Kunicki M, Cybulska M. Weft Take-up Distribution Over the Width of Woven Fabrics Manufactured with the Use of Jet Looms. *Fibres & Textiles in Eastern Europe* 2002; 10, 4: 25 – 30.
- Milašius R, Milašius V. Investigation of Unevenness of Some Fabric Cross-Section Parameters. *Fibres & Textiles in Eastern Europe* 2002; 10, 3: 47 – 49.
- Milašius R, Rukuižiene Ž. Investigation of Correlation of Fabric Inequality in Width with Fabric Shrinkage. *Fibres & Textiles in Eastern Europe* 2003; 11, 3: 42 – 45.
- Rukuižiene Ž, Milašius R. Inequality of Woven Fabric Elongation in Width and Change of Warp Inequality under Axial and Bi-axial Tensions. *Fibres & Textiles in Eastern Europe* No. 2006; 14, 1: 36 – 38.
- Rukuižiene Ž, Milašius R. Influence of Reed on Fabric Inequality in Width. *Fibres & Textiles in Eastern Europe* 2006; 14, 4: 44 – 47.
- Havlová M. Evaluation of permeability of fabrics with plain weave. In: 17th Int. Conf. STRUTEX, Liberec 2010, Czech Republic.

Received 15.03.2012 Reviewed 07.05.2012

LABORATORY OF BIODEGRADATION

The Laboratory of Biodegradation operates within the structure of the Institute of Biopolymers and Chemical Fibres. It is a modern laboratory with a certificate of accreditation according to Standard PN-EN/ISO/IEC-17025: 2005 (a quality system) bestowed by the Polish Accreditation Centre (PCA). The laboratory works at a global level and can cooperate with many institutions that produce, process and investigate polymeric materials. Thanks to its modern equipment, the Laboratory of Biodegradation can maintain cooperation with Polish and foreign research centers as well as manufacturers and be helpful in assessing the biodegradability of polymeric materials and textiles.

The Laboratory of Biodegradation assesses the susceptibility of polymeric and textile materials to biological degradation caused by microorganisms occurring in the natural environment (soil, compost and water medium). The testing of biodegradation is carried out in oxygen using innovative methods like respirometric testing with the



continuous reading of the CO₂ delivered. The laboratory's modern MICRO-OXYMAX RESPIROMETER is used for carrying out tests in accordance with International Standards.

The methodology of biodegradability testing has been prepared on the basis of the following standards:

- testing in aqueous medium: 'Determination of the ultimate aerobic biodegrability of plastic materials and textiles in an aqueous medium. A method of analysing the carbon dioxide evolved' (PN-EN ISO 14 852: 2007, and PN-EN ISO 8192: 2007)
- testing in compost medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated composting conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 20 200: 2007, PN-EN ISO 14 045: 2005, and PN-EN ISO 14 806: 2010)
- testing in soil medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated soil conditions in a laboratory-scale test. A method of determining the weight loss" (PN-EN ISO 11 266:



1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).

The following methods are applied in the assessment of biodegradation: gel chromatography (GPC), infrared spectroscopy (IR), thermogravi-

metric analysis (TGA) and scanning electron microscopy (SEM).

Contact:

