

References

1. Surowska B, Weroński A. Structure and properties of biomaterials (in Polish). Research works of Lublin University of Technology. 219 Mechanics, No 50, 1995.
2. Athanasiou KA, Niederauer GG, Agrawal CM. Sterilization, toxicity, biocompatibility and clinical applications of polylactic acid copolymers. *Biomaterials* 1996; 17: 93-102.
3. Vert M, Li SM, Speniehauser G, Guerir P. Bioresorbability and biocompatibility of aliphatic polyesters. *J. Mater. Sci.: Mater Med.* 1992; 3: 432-46.
4. Cai Q, Bei JZ, Wang SG. Study on the biocompatibility and degradation behavior of poly(l-lactide-co-glycolide) in vitro and in vivo. *Chin. J. Functional Polym.* 2000; 13: 249-54.
5. Sander EA, Alb AM, Nauman EA. Solvent effects on the microstructure and properties of 75/25 poly(D,L-lactide-co-glycolide) tissue scaffolds. *J. Biomed. Mater. Res.* 2004; A, 70: 506.
6. Rajesh V, Kirubanandan S, Dhirendra SK. Degradation behavior of electrospun microfibres of blends of poly (lactide-co-glycolide) and Pluronic, F-108. *Polym. Degrad. Stab.* 2010; 95: 1605.
7. Adwent M, Cieślik M, Sabat D, Cieślik-Bielecka A, Bajor G, Kłapcińska P, Cieślik T.: PGLA+CF and PGLA+HAP composites implanted into mandible and soft tissue of the rabbit - one year study (in Polish). *Engineering of Biomaterials* 2007; 61: 5-8.
8. Adwent M, Cieślik M, Sabat D, Cieślik-Bielecka A, Bajor G, Kłapcińska P, Cieślik T. Lactide-co-glycolide implants in vivo- one year study. *Engineering of Biomaterials* 2007; 61: 9-12.
9. Pitt CG, Gratzel MM, Kimmel GL, Surlis J, Schindler A. Aliphatic polyesters. 2. The degradation of poly(DL-lactide), poly(ϵ -caprolactone) and the copolymers in vivo. *Biomaterials* 1981; 2: 215-20.
10. Opferich GA. Mechanisms of polymer degradation and erosion. *Biomaterials* 1996; 17: 103-14.
11. Vert M, Li SM, Garreau H. Attempts to map the structure and degradation characteristics of aliphatic polyesters derived from lactic and glycolic acids. *J. Biomater. Sci. Polym. Edn.* 1994; 6: 639-49.
12. Li SM, Vert M. Biodegradation of aliphatic polyesters. In: Scott G, Gilead D. (eds.) *Degradable polymers: principles and applications*. Chapman & Hall, London, 1995, pp. 43-87.
13. Chłopek J, Pamuła E, Błażewicz M, Makinen K. Composite materials from a new biodegradable glycolide-lactide copolymer for medical applications (in Polish). *Inż. Biomat.* 2000; 12: 23-28.
14. Adwent M, Cieślik M, Cieślik-Bielecka A, Sabat D, Duda M, Cieślik T. Evaluation of copolymer PGLA implanted in the jaw and soft tissues of rabbits-half-year observations (in Polish). *Inż. Biomat.* 2005; 47-53: 219-221.
15. Józwicka J, Gzyra-Jagięła K, Gutowska A, Struszczyk MH, Kostanek K, Cichecka M, Wilbik-Hałgas B, Kowalski K, Kopias K, Ciechańska D, Krucińska I. Accelerated Ageing of Implantable, Ultra- Light, Knitted Medical Devices Modified by Low-Temperature Plasma Treatment - Part 2. Effect on Chemical Purity. *Fibres&Textiles in Eastern Europe* 2014; 22, 3(105): 133-139.
16. Krucińska I. (ed.) Biodegradable fibre products (in Polish). Research works of Lodz University of Technology. Issue I, ISBN 978-83-7283-639-7, Łódź, 2014.
17. Frank S, Chmielewska M, Dudziński M, Rączkiewicz M, Rosochacka A, Wojtowitz A. Surgical sutures- types and application. *Implants* 2014; 4: 26-28.

18. Józwicka J, Gzyra-Jagiela K, Gutowska A, Twarowska-Schmidt K, Ciepliński M. Chemical purity of PLA fibres for medical devices. *Fibres & Textiles in Eastern Europe* 2012; 6B: 135-141.
19. Józwicka J, Gzyra-Jagiela K, Struszczyk MH, Gutowska A, Ciechańska D, Krucińska I. The aspects of chemical characterization of leachables profile from ultra-light knitting textiles for uses as medical implants in urogynecology and general surgery. *Fibres & Textiles in Eastern Europe* 2012; 6A: 128-134.
20. PN-EN ISO 10993-12:2009.: Biological assessment of medical devices - Part 12: Preparation of the sample and reference materials (in Polish).
21. PN-EN ISO 10993-18:2009: Biological assessment of medical devices. Part 18: Chemical Characterization of materials (in Polish).
22. European Pharmacopoeia-8th Edition volume I 01/2014 2.4 Limit Tests.
23. The United States Pharmacopoeia USP 38 NF 33 2015.
24. Józwicka J, Gzyra-Jagiela K, Struszczyk MH, Gutowska A, Ciechańska D, Krucińska I. Accelerated ageing of implantable, ultra- light, knitted medical devices modified by low-temperature plasma treatment- part 2. Effect on chemical purity. *Fibres & Textiles in Eastern Europe* 2014; 22, 3(105): 133-139.
25. Patent PL 191 846.
26. Zywiecka B, Zaczyńska E, Czarny A, Twarowska-Schmidt K. Evaluation of cytotoxicity in vitro of biodegradable polylactide fibres with spin finishes. *European Cells and Materials* 2011; 21, 2: 82.
27. PN-P-04607:1983: Determination of nonfibrous substance content of textile raw materials and yarns (in Polish).
28. PN-EN ISO:2007: Textiles. Determination of pH of aqueous extract (in Polish).
29. The turbidity (transparency) of the aqueous extracts (in Polish). *Polish Pharmacopoeia* 2005; VII: 109.
30. PN-P-04781/04:1987: Textile dressing materials. Determination of sulfates content (in Polish).
31. PN-P-04895:1984: Method of chemical tests. Knitted medical articles. Determination of chloride ions (in Polish).
32. PN-P-04781/06:1988: Textile dressing materials. Determination of water soluble matter (in Polish).
33. PN-P-04781/14:1989: Textile dressing materials. Determination of frothing agent (in Polish).
34. Jabłońska-Trypuć A. The biological activity of selected microelements in the skin and their role in diabetes (in Polish). *Przegląd Kardiologiczny* 2007; 2, 2: 122-126.
35. Food and Nutrition Board, Institute of Medicine. Dietary reference intakes for vitamin A, vitamin K, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. Washington DC. National Academy Press 2001: 442.
36. Dobrzyński P, Kasperczyk J, Janeczek H. Synthesis of biodegradable copolymers with the use of low toxic zirconium compounds. Copolymerization of glycolide with L-lactide initiated by Zr(Acac)₄. *Macromolecules* 2001; 34: 5090–5099.
37. Rusak A, Rybak Z. New Directions of Research Related to Chronic Wound Healing. *Polim. Med.* 2013; 43, 3: 199-204.