

References

1. Van Dingenen JLJ. Gel-spun high-performance polyethylene fibres. In: Hearle JWS (ed) *High-performance fibers*. Cambridge: Woodhead Publishing Limited, 2004, pp. 69 – 80.
2. Redlich G, Fortuniak K. The way of use of waste of ballistic polyethylene products. *Tworzywa Sztuczne i Chemia* 2010; 3: 8.
3. Chin J, Petit S, Forster A, et al. Effect of artificial perspiration and cleaning chemical's on the mechanical and chemical properties of ballistic materials. *Journal of Applied Polymer Science* 2009; 113: 567-584.
4. Marissen R. Design with Ultra Strong Polyethylene Fibers. *Materials Sciences and Applications* 2011; 2: 319-330.
5. Fink JK. *Handbook of engineering and specialty thermoplastics, Volume 1: Polyolefins and Styrenics* New Jersey: John Wiley & Sons, Inc. Hoboken. Salem Massachusetts: Scrivener Publishing LLC, 2010, pp. 82-83.
6. Vlasblom MP and van Dingenen J. The manufacture, properties and applications of high strength, high modulus polyethylene fibres. In: Bunsell A (ed) *Handbook of tensile properties of textile and technical fibres*. Cambridge: Woodhead Publishing, 2009, pp. 437-485.
7. Jacobs MJN, van Dingenen JLJ. Ballistic protection mechanisms in personal armour. *Journal of Materials Science* 2001; 36: 3137-3142.
8. Chocron S, Pintor A, Gálvez F, Roselló C, Cendón D, Sánchez-Gálvez V. Lightweight polyethylene non-woven felts for ballistic impact applications: material characterization. *Composites Part B: Engineering* 2008; 39: 1240-1246.
9. Ong CW, Boey CW, Hixson RS, Sinibaldi JO. Advanced layered personnel armor. *Int J Impact Eng* 2011; 38: 369-383.
10. Fejdyś M, Łandwijt M, Habaj W, Struszczyk MH. Ballistic helmet development using UHMWPE fibrous materials. *Fibres & Textiles in Eastern Europe* 2015; 23, 1(109): 89-97.
11. David NV, Gao X-L, Zheng JQ. Ballistic resistant body armor: contemporary and prospective materials and related protection mechanisms. *Appl Mech Rev* 2009; 5: 62.
12. Attwood JP, Khaderi SN, Karthikeyan K, et al. The out-of-plane compressive response of Dyneema® composites. *Journal of the Mechanics and Physics of Solids* 2014; 70: 200-226.
13. Iremonger MJ. Polyethylene composites for protection against high velocity small arms bullets. In: *Proceedings of the 18th International Symposium on Ballistics* (ed WG Reinecke), San Antonio TX: Technomic Publishing Company Inc, 1999, pp. 946–954.
14. Cunniff PM. Dimensionless parameters for optimization of textile-based body armor systems. In: *Proceedings of the 18th International Symposium on Ballistics* (ed WG Reinecke), San Antonio TX: Technomic Publishing Company Inc, 1999, pp. 1303-10.
15. Morye SS, Hine PJ, Duckett RA, Bacon DJ, Ward IM. Modelling of the energy absorption by polymer composites upon ballistic impact. *Compos Sci Technol* 2000; 60: 2631-2642.

16. Jacobs MJN, Van Dingenen JLJ. Ballistic protection mechanisms in personal armour. *J Mater Sci* 2001; 36: 3137-3142.
17. Karthikeyan K, Russell BP, Fleck NA, Wadley HNG, Deshpande VS. The effect of shear strength on the ballistic response of laminated composite plates. *Eur J Mech A/Solids* 2013;42:35-53.
18. O'Masta MR, Deshpande VS, Wadley HNG. Mechanisms of projectile penetration in Dyneema® encapsulated aluminum structures. *Int J Impact Eng* 2014; 74: 16–35.
19. Polak J. Dyneema body armours. *Techniczne Wyroby Włókiennicze* 1997; 1: 5-9.
20. Vargas-Gonzalez L, Walsh SM, Wolbert J. Impact and ballistic response of hybridized thermoplastic laminates. Technical Report No. ARL-MR-0769, August 2011. Army Research Laboratory: Aberdeen Proving Ground MD.
21. Vargas-Gonzalez LR, Walsh SM, Gurganus JC. Examining the relationship between ballistic and structural properties of lightweight thermoplastic unidirectional composite laminates. Technical Report No. ARL-RP-0329, August 2011. Army Research Laboratory: Aberdeen Proving Ground MD.
22. Lee BL, Walsh TF, Won ST, Patts HM, Song JW, Mayer AH. Penetration failure mechanisms of armor-grade fiber composites under impact. *J Compos Mater* 2001; 35: 1605-1633.
23. Greenhalgh E, Bloodworth VM, Iannucci L, Pope D. Fractographic observations on Dyneema® composites under ballistic impact. *Compos Part A* 2013; 44: 51-62.
24. Russell BP, Karthikeyan K, Deshpande VS, Fleck NA. The high strain rate response of ultrahigh molecular-weight polyethylene: from fibre to laminate. *Int J Impact Eng* 2013; 60: 1-9.
25. O'Masta MR, Deshpande VS, Wadley HNG. Defect controlled transverse compressive strength of polyethylene fiber laminates. *International Journal of Solids and Structures* 2015; 52: 130–149
26. Shujia L, Jia W, Yanping W, Yimin W. Improving the ballistic performance of ultrahigh molecular weight polyethylene fiber reinforced composites using conch particles. *Materials and Design* 2010; 31: 1711-1715.
27. PN-EN ISO 2286-1:2000. Rubber- or plastics- coated fabrics – Determination of roll characteristics – Part 1: Methods for determination of length, width and net mass.
28. PN-EN ISO 2286-2:1999. Rubber- or plastics- coated fabrics – Determination of roll characteristics – Part 2: Methods for determination of total mass per unit area, mass per unit area of coating and mass per unit area of substrate.
29. PN-EN ISO 2286-3:2000. Rubber- or plastics- coated fabrics – Determination of roll characteristics – Part 3: Method for determination of thickness.
30. PN-EN ISO 1421:2001. Rubber- or plastics-coated fabrics – Determination of tensile strength and elongation at break.

31. PN-EN ISO 4674-1:2005. Rubber- or plastics-coated fabrics – Determination of tear resistance – Part 1: Constant rate of tear methods.
32. PBB-31:2014. Ballistic tests – Determination of ballistic resistance of sample set.
33. PN-V-87000:2011. Light ballistic armours – Ballistic protection vests – Requirements and tests.
34. PN-EN ISO 2039-2. Plastics – Determination of hardness – Part 2: Rockwell hardness.
35. Fejdyś M, Łandwijt M, Struszczyk MH. Effect of accelerated ageing conditions on the degradation process of dyneema® polyethylene composites. *Fibres & Textiles in Eastern Europe* 2011;19, 1(84):60-65.
36. Sungsik K, Young CN. Effect of radiation on ultra high molecular weight polyethylene (UHMWPE). In: Controlling of degradation effects in radiation processing of polymers. Vienna: IAEA, 2009, pp. 85-94.
37. Zieliński W. The spectroscopic methods and their application for the identification of organic compound. Warszawa: WNT, 2000.
38. Rocha M, Mansur A, Mansur H. Characterization and accelerated ageing of UHMWPE used in orthopedic prosthesis by peroxide. *Materials* 2009; 2: 562-576.
39. Fejdyś M, Cichecka M, Łandwijt M, Struszczyk MH. Prediction of the durability of composite soft ballistic inserts. *Fibres & Textiles in Eastern Europe* 2014; 22, 6(108): 81-89.
40. Karthikeyan K, Russell BP, Fleck NA, Wadley HNG, Deshpande VS. The effect of shear strength on the ballistic response of laminated composite plates. *European Journal of Mechanics A/Solids* 2013; 42: 35-53.
41. Attwood JP, Khaderi SN, Karthikeyan K, Fleck NA, O'Masta MR, Wadley HNG, Deshpande VS. The out-of-plane compressive response of image composites. *Journal of the Mechanics and Physics of Solids* 2014; 70: 200-226.
42. Guelcher SA, Gallagher KM, Didier JE, Klinedinst DB, Doctor JS, Goldstein AS, Wilkes GL, Beckman EJ, Hollinger JO. Synthesis of biocompatible segmented polyurethanes from aliphatic diisocyanates and diurea diol chain extenders. *Acta Biomaterialia* 2005; 1: 471–478.
43. Karacan I. Structure-property relationships in high-strength high-modulus polyethylene fibres. *Fibres & Textiles in Eastern Europe* 2005; 13: 15.