- Wongsagonsup R, Shobsngob S, Oonkhanond B, Varavinit S. Zeta Potential (ζ) and Pasting Properties of Phose phorylated or Crosslinked Rice Starches. *Starch/Stärke* 2005; 57: 32-37.
- Shukur MF, Ithnin R, and Kadir MFZ. Electrical properties of proton conducting solid biopolymer electrolytes based on starch–chitosan blend. *Ionics 2014*; 20: 977-999.
- Lundqvist H, Eliasson AC, Olofsson G.Binding of hexadecyltrimethylammonium bromide to starch polysaccharides. Part I. Surface tension measurements. *Carbohydrate Polymers* 2002; 49:109-120.
- Zhong Y, Song XY, and Li YF. Antimicrobial, physical and mechanical properties of kudzu starch–chitosan composite films as a function of acid solvent types. *Carbohydrate Polymers* 2011; 84: 335-342.
- Zhang CH, Xu DS, and Zhu ZF. Octenylsuccinylation of Cornstarch to Improve Its Sizing Properties for Polyester/Cotton Blend Spun Yarns. *Fibers and Polymers* 2014; 15: 2319-2328.
- Xu YX, Kim KM, Hanna MA, and Nag D. Chitosan–starch composite film: preparation and characterization. *Industrial Crops and Products* 2005; 21: 185-192.
- Chillo S, Flores S, Mastromatteo M, Conte A, Gerschenson L, and Del Nobile MA. Influence of glycerol and chitosan on tapioca starch-based edible film properties. *Journal of Food Engineering* 2008; 88: 159-168.
- Dang KM, and Yoksan R. Development of thermoplastic starch blown film by incorporating plasticized chitosan. *Carbohydrate Polymers* 2015; 115: 575-581.
- 35. Shim WS, Lee H, and Lee DW. The Interaction of Moving Yarns with Stationary Surfaces. *Fibers and Polymers* 2013; 14: 164-171.
- Tanoglu M, Ziaee S, Mcknight SH, Palmese GR, and JR Gillespie JW. Investigation of properties of fiber/matrix interphase formed due to the glass fiber sizings. *Journal of Materials Science* 2001; 36: 3041-3053.
- Zinck P, Mäder E, and Gerard J. Role of silane coupling agent and polymeric film former for tailoring glass fiber sizings from tensile strength measurements. *Journal of Materials Science* 2001; 36: 5245-5252.
- Cho DH and Jeong Y. Study on the Strength Retention of Technical Cord Yarn. *Fibers and Polymers* 2006; 7: 305-309.
- Koo YS. Correlation of Yarn Tension with Parameters in the Knitting Process. *Fibers and Polymers* 2002; 3: 80-84.
- Feih S, Thraner A, and Lilhol H. Tensile strength and fracture surface characterisation of sized and unsized glass fibers. *Journal of Materials Science 2005*; 40: 1615-1623.

Received 26.04.2016 Reviewed 16.10.2016

BWCh

## INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

## LABORATORY OF ENVIRONMENTAL PROTECTION

The Laboratory works and specialises in three fundamental fields:

R&D activities:

- research works on new technology and techniques, particularly environmental protection;
- evaluation and improvement of technology used in domestic mills;
- development of new research and analytical methods;
- research services (measurements and analytical tests) in the field of environmental protection, especially monitoring the emission of pollutants;
- seminar and training activity concerning methods of instrumental analysis, especially the analysis of water and wastewater, chemicals used in paper production, and environmental protection in the papermaking industry.

Since 2004 Laboratory has had the accreditation of the Polish Centre for Accreditation No. AB 551, confirming that the Laboratory meets the requirements of Standard PN-EN ISO/IEC 17025:2005.



Investigations in the field of environmental protection technology:

- Research and development of waste water treatment technology, the treatment technology and abatement of gaseous emissions, and the utilisation and reuse of solid waste.
- Monitoring the technological progress of environmentally friendly technology in paper-making and the best available techniques (BAT),
- Working out and adapting analytical methods for testing the content of pollutants and trace concentrations of toxic compounds in waste water, gaseous emissions, solid waste and products of the paper-making industry,
- Monitoring ecological legislation at a domestic and world level, particularly in the European Union.

A list of the analyses most frequently carried out:

- Global water & waste water pollution factors: COD, BOD, TOC, suspended solid (TSS), tot-N, tot-P
- Halogenoorganic compounds (AOX, TOX, TX, EOX, POX)
- Organic sulphur compounds (AOS, TS)
- Resin and chlororesin acids
- Saturated and unsaturated fatty acids
- Phenol and phenolic compounds (guaiacols, catechols, vanillin, veratrols)
- Tetrachlorophenol, Pentachlorophenol (PCP)
- Hexachlorocyclohexane (lindane)
- Aromatic and polyaromatic hydrocarbons
- Benzene, Hexachlorobenzene
- Phthalates
- CarbohydratesGlycols
- Polychloro-Biphenyls (PCB)
   Glyoxal
- Tin organic compounds

Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland Michał Janiga, M.Sc., Eng.