

REFERENCES

1. Sureshkumar P S, Thanikaivelan P, Phebe K, Kaliappa K, Jagadeeswaran R and Chandrasekaran B. Investigations on structural, mechanical, and thermal properties of pineapple leaf fiber-based fabrics and cow softy leathers: an approach toward making amalgamated leather products. *Journal of Natural Fibers* 2012; 9(1): 37-50.
2. Tsaknaki V, Fernaeus Y and Schaub M. Leather as a material for crafting interactive and physical artifacts. *Research Gate* 2014; 05: 5-14.
3. Turk M, Ehrmann A and Mahltig B. Water-, oil-, and soil-repellent treatment of textiles, artificial leather, and leather. *Journal of the Textile Institute* 2014; 106 (6): 1-10.
4. Schwarz I G, Kovacevic S and Kos I. Physical-mechanical properties of automotive textile materials. *Research Gate* 2015; 11.
5. Ujevic D, Kovacevic S, Wadsworth L C, Schwarz I and Sajatovic B B. Analysis of artificial leather with textile fabric on the backside. *Journal of Textile and Apparel, Technology and Management* 2009; 6 (2): 1-9.
6. Prestige Sunroofs. Are Perforated Leather Seats Better. *Leather Seats and Trims*, 2014. <http://prestigesunroofs.com.au>
7. Popely R. What's the difference between perforated leather and regular leather? *I'm Just Wondering*, September 16, 2012. <http://ask.cars.com>
8. McMullan A and Mealman M. An investigation of automotive seat fabric sound absorption. *SAE Technical Paper*, 2001; 2011-01-1454: 1-6.
9. Vilhena L and Ramalho A. Friction of human skin against different fabrics for medical use. *Lubricants* 2016; 4 (6): 1-10.
10. Derler S, Schrade U and Gerhardt L C. Tribology of human skin and mechanical skin equivalents in contact with textiles. *Wear* 2007; 263: 1112-1116.
11. Rotaru G M, Pille D, Lehmeier F K, Stampfli R, Scheel-Sailer A, Rossi R M and Derler S. Friction between human skin and medical textiles for decubitus prevention. *Tribology International* 2013; 65: 91-96.
12. Tasron D N, Thurston T J and Carre M J. Frictional behaviour of running sock textiles against plantar skin. *Procedia Engineering*, 2015; 112: 110-115.
13. Bertaux E, Lewandowski M and Derler S. Relationship between friction and tactile properties for woven and knitted fabrics. *Textile Research Journal*, 2007; 77 (6): 387-396.

14. Das A, Kothari V K and Vandana N. A study on frictional characteristics of woven fabrics. *Autex Research Journal*, 2005; 5 (3): 133-140.
15. Takuya S, Tsuneaki Y, Soo K I and Yuji E. Frictional properties of electrospun polyurethane nanofiber web. *Tribology Online* 2010; 5 (6): 262-265.
16. Nachbauer W, Mossner M, Rohm S, Schindelwig K and Hasler M. Kinetic friction of sport fabrics on snow. *Lubricants* 2016; 4 (7): 1-8.
17. Dong Y, Kong J, Mu Ch and Lu X. Materials design towards sport textiles with low-friction and moisture-wicking dual functions. *Materials and Design* 2015; 88: 82-87.
18. Phillipp M. Reduced textile friction for cotton, synthetics and blends: GLIDER by HeiQ. *Textile Intelligence Inside* 2014: 1-3.
19. Jawale S N and Patil U J. Yarn friction and its importance, theory, factors, measurement. *The Indian Textile Journal*, 2011.
20. Gerhardt L C, Lottenbach R, Rossi R M and Derler S. Tribological investigation of a functional medical textile with lubricating drug-delivery finishing. *Colloids and Surfaces* 2013.
21. Strazdienė E, Gutauskas M V, Papreckienė L and Williams J T. The behaviour of textile membranes in punch deformation process. *Materials Science (Medžiagotyra)* 1997; 5 (2): 50-54.
22. Rocher J E, Allaoui S, Hivet G, Blond E. Experimental testing of two three-dimensional (3D)-non crimp fabrics of commingled yarns. *13th Autex World Textile Conference* 2013: 1-6.
23. Vanleeuw B, Carvelli V, Barburski M, Lomov S V and van Vuure A W. Quasi-unidirectional flax composite reinforcement: deformability and complex shape forming. *Composites Science and Technology* 2015; 110: 76-86.
24. Wu F F, Zhang G A and Wu X F. Extrinsic size effects on performance of Zr-based metallic glass under biaxial loading. *Journal of Material Science* 2012; 47: 2213-2217.
25. Zhang X, Sahraei E and Wang K. Deformation and failure characteristics of four types of lithium-ion battery separators. *Journal of Power Sources* 2016; 327: 693-701.
26. DIN EN ISO 8295 (2004 10) Plastics. Film and sheeting. Determination of the coefficient of friction.
27. Fontaine S, Marsiquet C and Renner M. Adhesion, roughness and friction characterization on time-dependant materials: example with fibrous structures. *SEM Annual Conference and Exposition on Experimental and Applied Mechanics* 2006; 4: 1948-1953.

28. Ezazshahabi N, Latifi M and Tehran M A. Analysis of frictional behavior of woven fabrics by a multi-directional tactile sensing mechanism. *Journal of Engineered Fibers and Fabrics* 2015; 10 (3): 129-135.