

## References

1. Ayutsede J, Gandhi M, Sukigara S, et al. Regeneration of Bombyx mori silk by electrospinning. Part 3: characterization of electrospun nonwoven mat. *Polymer J* 2005; 46(5): 1625-1634.
2. Wu Z L, Zhang P, Gao M X, et al. One-pot hydrothermal synthesis of highly luminescent nitrogen-doped amphoteric carbon dots for bioimaging from Bombyx mori silk–natural proteins. *Journal of Materials Chemistry B J* 2013; 1(22): 2868-2873.
2. Wang Y, Blasioli D J, Kim H J, et al. Cartilage tissue engineering with silk scaffolds and human articular chondrocytes. *Biomaterials J* 2006; 27(25): 4434-4442.
3. Wang Y, Kim H J, Vunjak-Novakovic G, et al. Stem cell-based tissue engineering with silk biomaterials. *Biomaterials J* 2006; 27(36): 6064-6082.
4. Meinel A J, Kubow K E, Klotzsch E, et al. Optimization strategies for electrospun silk fibroin tissue engineering scaffolds. *Biomaterials J* 2009; 30(17): 3058-3067.
5. Chao P H G, Yodmuang S, Wang X, et al. Silk hydrogel for cartilage tissue engineering. *Journal of Biomedical Materials Research Part B: Applied Biomaterials J* 2010; 95(1): 84-90.
6. Min B M, Lee G, Kim S H, et al. Electrospinning of silk fibroin nanofibers and its effect on the adhesion and spreading of normal human keratinocytes and fibroblasts in vitro. *Biomaterials J* 2004; 25(7): 1289-1297.
7. Matthews J A, Wnek G E, Simpson D G, et al. Electrospinning of collagen nanofibers. *Biomacromolecules J* 2002; 3(2): 232-238.
8. Iijima S. Helical microtubules of graphitic carbon. *Nature J* 1991; 354(6348): 56-58.
9. Cheng H K F, Pan Y, Sahoo N G, et al. Improvement in properties of multiwalled carbon nanotube/polypropylene nanocomposites through homogeneous dispersion with the aid of surfactants. *Journal of Applied Polymer Science J* 2012; 124(2): 1117-1127.
10. Coleman J N, Khan U, Blau W J, et al. Small but strong: a review of the

- mechanical properties of carbon nanotube–polymer composites. *Carbon J* 2006; 44(9): 1624-1652.
11. Hou H, Ge J J, Zeng J, et al. Electrospun polyacrylonitrile nanofibers containing a high concentration of well-aligned multiwall carbon nanotubes. *Chemistry of Materials J* 2005; 17(5): 967-973.
  12. Wei K, Xia J, Kim B S, et al. Multiwalled carbon nanotubes incorporated bombyx mori silk nanofibers by electrospinning. *Journal of Polymer Research J* 2011; 18(4): 579-585.
  13. Lovat V, Pantarotto D, Lagostena L, et al. Carbon nanotube substrates boost neuronal electrical signaling. *Nano letters J*, 2005; 5(6): 1107-1110.
  14. Clingerman M L, Weber E H, King J A, et al. Development of an additive equation for predicting the electrical conductivity of carbon-filled composites. *Journal of applied polymer science J* 2003, 88(9): 2280-2299.
  15. Jeong J S, Jeon S Y, Lee T Y, et al. Fabrication of MWNTs/nylon conductive composite nanofibers by electrospinning. *Diamond and Related Materials J* 2006, 15(11): 1839-1843.
  16. Kang M, Jin H J. Electrically conducting electrospun silk membranes fabricated by adsorption of carbon nanotubes. *Colloid and Polymer Science J* 2007, 285(10): 1163-1167.
  17. Um I C, Kweon H Y, Park Y H, et al. Structural characteristics and properties of the regenerated silk fibroin prepared from formic acid. *International Journal of Biological Macromolecules J* 2001, 29(2): 91-97.
  18. Kang M, Chen P, Jin H J. Preparation of multiwalled carbon nanotubes incorporated silk fibroin nanofibers by electrospinning. *Current Applied Physics J* 2009, 9(1): S95-S97.
  19. Lu Q., Wang X.L., Lu S.Z., Li M.Z., Kaplan D.L., Zhu H.S. Nanofibrous architecture of silk fibroin scaffolds prepared with a mild self-assembly process. *Biomaterials J* 2011, 32 (4) : 1059-1067.
  20. Mercante L A, Pavinatto A, Iwaki L E O, et al. Electrospun polyamide 6/poly (allylamine hydrochloride) nanofibers functionalized with carbon nanotubes for

electrochemical detection of dopamine. *ACS Applied Materials & Interfaces J* 2015, 7(8): 4784-4790.

21. Chen D, Liu T, Zhou X, et al. Electrospinning fabrication of high strength and toughness polyimide nanofiber membranes containing multiwalled carbon nanotubes. *The Journal of Physical Chemistry B J* 2009, 113(29): 9741-9748.