- Brochocka A, Majchrzycka K, Makowski K. Modified melt-blown nonwovens for respiratory protective devices against nanoparticles. *Fibres and Textiles in Eastern Europe* 2013; 21, 4(100): 106-111.
- Przekop R and Gradoń L. Deposition and filtration on nanoparticles in the composites of nano- and microsized fibres. *Aerosol Sci. Technol.* 2008; 42(6): 483-493.
- Brochocka A. and Majchrzycka K. Technology for the Production of Bioactive Melt-blown Filtration Materials Applied to Respiratory Protective Devices. *Fibres and Textiles in Eastern Europe* 2009; 17, 5(76): 92-98.
- 9. Thakur R, Das D and Das A. Electret Air Filters. *Separation & Purification Reviews* 2012; 42: 87-129, ISSN 1542-2119.
- Irzmańska E and Dudkiewicz J. Preliminary evaluation of airlaid nonwovens with superabsorbent for use in protective footwear: tests involving a thermal foot model and climatic chamber. Fibers and Textiles in Eastern Europe 2015; 6(114): 138-142.
- Dutkiewicz J. Superabsorbent Materials from Shellfish Waste – A Review. Journal of Biomedical Materials Research 2002; 63, 3: 245-381.
- EN 13274-7: 2008. Respiratory protective devices – Methods of tests – Part 7: Determination of particle filter penetration.
- EN 149:2001 +A1:2009. Respiratory Protective devices – Particle filtering half masks – Requirements, testing, marking.
- EN 13274-3: 2008. Respiratory protec0 tive devices – Methods of tests – Part 3: Determination of breathing resistance.
- Urbaniak-Domagała W, Wrzosek H, Szymanowski H, Majchrzycka K and Brochocka A. Plasma Modification of Filter Nonwovens Used for the Protection of Respiratory Tracts. *Fibres and Textiles in Eastern Europe* 2010, 83 (6): 94-99.
- Brochocka A, Mian I, Majchrzycka K, Sielski J and Tyczkowski J. Plasma modified polycarbonate nonwovens as filtering material for liquid aerosols. *Fibres and Textiles in Eastern Europe* 2013; 22, 1(103): 80-84.
- 17. Bartels V.T. Handbook of Medical Textiles, Woodhead Publishing 2011, 505-547.
- Irzmańska E, Brochocka A and Majchrzycka K. Textile composite materials with bioactive melt-blown nonwovens for protective footwear. *Fibres and Textiles in Eastern Europe* 2012, 20, 6A(95), 119-125.
- Irzmańska E and Brochocka A. Influence of the physical and chemical properties of composite insoles on the microclimate in protective footwear. *Fibres and Textiles in Eastern Europe* 2014, 22, 5(107), 89-95.

Received 15.02.2017 Reviewed 06.04.2017

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES

LABORATORY OF BIODEGRADATION

The Laboratory of Biodegradation operates within the structure of the Institute of Biopolymers and Chemical Fibres. It is a modern laboratory with a certificate of accreditation according to Standard PN-EN/ISO/IEC-17025: 2005 (a quality system) bestowed by the Polish Accreditation Centre (PCA). The laboratory works at a global level and can cooperate with many institutions that produce, process and investigate polymeric materials. Thanks to its modern equipment, the Laboratory of Biodegradation can maintain cooperation with Polish and foreign research centers as well as manufacturers and be helpful in assessing the biodegradability of polymeric materials and textiles.

The Laboratory of Biodegradation assesses the susceptibility of polymeric and textile materials to biological degradation caused by microorganisms occurring in the natural environment (soil, compost and water medium). The testing of biodegradation is carried out in oxygen using innovative methods like respirometric testing with



the continuous reading of the CO_2 delivered. The laboratory's modern MI-CRO-OXYMAX RESPIROMETER is used for carrying out tests in accordance with International Standards.

The methodology of biodegradability testing has been prepared on the basis of the following standards:

- testing in aqueous medium: 'Determination of the ultimate aerobic biodegrability of plastic materials and textiles in an aqueous medium. A method of analysing the carbon dioxide evolved' (PN-EN ISO 14 852: 2007, and PN-EN ISO 8192: 2007)
- testing in compost medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated composting conditions in a laboratory-scale test. A method of determining the weight loss' (PN-EN ISO 20 200: 2007, PN-EN ISO 14 045: 2005, and PN-EN ISO 14 806: 2010)
- testing in soil medium: 'Determination of the degree of disintergation of plastic materials and textiles under simulated soil conditions in a laboratory-scale test. A method of determining the weight loss" (PN-EN ISO 11 266: 1997, PN-EN ISO 11 721-1: 2002, and PN-EN ISO 11 721-2: 2002).



The following methods are applied in the assessment of biodegradation: gel chromatography (GPC), infrared spectroscopy (IR), thermogravimetric analysis (TGA) and scanning electron microscopy (SEM).

Contact:

INSTITUTE OF BIOPOLYMERS AND CHEMICAL FIBRES ul. M. Skłodowskiej-Curie 19/27, 90-570 Łódź, Poland Agnieszka Gutowska Ph. D., tel. (+48 42) 638 03 31, e-mail: lab@ibwch.lodz.pl