

References

1. Cranston RW, Davis M, Scroggie J.G. Development of the “sirolime” unhairing process. *J Am Leather Chem As* 1986; 81: 347-355.
2. Thanikaivelan P, Rao JR, Nair BU, Ramasami T. Zero Discharge Tanning: A Shift from Chemical to Biocatalytic Leather Processing. *Environ Sci Technol* 2002; 6: 4187-4194.
3. Karthikeyan R, Balaji S, Sehgal PK. Industrial applications of keratins – A review. *J Sci Ind Res India* 2007; 66: 710-715.
4. Dettmer A, Cavalli E, Ayub MAZ, Gutterres M. Environmentally friendly hide unhairing: enzymatic hide processing for the replacement of sodium sulfide and delimiting. *J Clean Prod* 2013; 47: 11-18.
5. Wang R, Min C, Haiming C, Zhiqiang L. Enzyme unhairing – an eco-friendly biotechnological process. *J Soc Leath Tech Ch* 2009; 93: 51-55.
6. Thanikaivelan P, Rao JR, Nair BU, Ramasami T. Progress and recent trends in biotechnological methods for leather processing. *Trends Biotechnol* 2004; 22: 181-188.
7. Valeika V, Beleska K, Sirvaityte J. Alkali-free method of hide preparation to tanning. *Braz J. Chem Eng* 2012; 29: 315-323.
8. Frendrup W. Hair-save unhairing methods in leather processing (report), *US/RAS/92/120. Regional Programme for Pollution Control in the Tanning Industry in South-East Asia, United Nations Industrial Development Organization, 12 September 2000, 7-8, 2000.*
9. Bienkewicz K. *Physical chemistry of leather making*. Robert E. Krieger publishing Co. Inc., Malabar, Florida, 1983.
10. Heidemann E. *Fundamentals of leather manufacturing*, Eduard Roetger KG druckerei und Verlag, Darmstadt, 1993.
11. Cantera CS. Hair-saving unhairing process Part 2. Immunization phenomenon. *J Soc Leath Tech Ch* 2001; 85: 1-5.
12. Castiello D, Puccini M, Shelly D, Vitolo S. Studies of mono and divalent cations effects on hair immunization *J Am Leather Chem As* 2007; 102: 341-346.

13. Thanikaivelan P, Rao, JR, Nair BU and Ramasami, T. Approach towards zero discharge tanning: Exploration of NaOH based opening up method. *J Am Leather Chem As* 2001; 96: 222-233.
14. Sirvaityte J, Beleska K, Valeika V. Lime free unhairing: Sodium aluminate as an alternative towards a cleaner process *J Am Leather Chem As* 2016; 111: 406-412.
15. Saravanabhavan S, Thanikaivelan P, Rao JR, Nair BU and Ramasami T. Sodium metasilicate based fiber opening for greener leather processing. *Environ Sci Technol* 2008; 42:1731-1739.
16. Valeika V, Sirvaityte J, Beleska K, Alaburdaite R, Valeikiene V. Immunization action of sodium silicate on hair. *J Soc Leath Tech Ch* 2015; 99: 223-230.
17. Sirvaityte J, Beleska K, Valeikiene V, Plavan V, Valeika V. Immunization action of sodium silicate on hair: Part 2, Hair-save process based on lime substitution by sodium silicate. *J Soc Leath Tech Ch* 2015; 99: 231-237.
18. Strazdas K, Raiselis J, Vaickelionis G. *Tirpusis ir skystasis stiklas*, Technologija, Kaunas, Lithuania, 2004 (in Lithuanian).
19. Golovteeva E, Kutsidi A, Sankin L. *Laboratornyj praktikum po khimiyi i tekhnologiyi kozhy i mekha*. Legkaiya i Pischevaiya Promyslenost, Moscow, 1982 (in Russian).
20. Buika G, Getautis V, Martynaitis V, Rutkauskas K. *Spectroscopy of organic compounds*. Vitae Litera, Kaunas, Lithuania, 2007 (in Lithuanian).
21. Bendit, EG. Infrared absorption spectrum of keratin. I. Spectra of alpha-, beta-, and supercontracted keratin. *Biopolymers* 1966; 4: 539.
22. Kong J and Yu S. Fourier transform infrared spectroscopic analysis of protein secondary structures. *Acta Biochim Biophys Sin* 2007; 39: 549-559.
23. Espinoza EO, Baker BW, Moores TD, Voin D. Forensic identification of elephant and giraffe hair artifacts using HATR FTIR spectroscopy and discriminant analysis, *Endanger Species Res* 2008; 9: 239-246.
24. Lipp-Symonowicz B, Sztajnowski S, Kułak A. (2012). IR Spectroscopy as a Possible Method of Analysing Fibre Structures and Their Changes Under Various Impacts, Infrared Radiation, Dr.

Vasyl Morozhenko (Ed.), InTech, DOI: 10.5772/37155. Available from:

<http://www.intechopen.com/books/infrared-radiation/ir-spectroscopy-as-a-possible-method-of-analysing-fibre-structures-and-their-changes-under-various-i>

25. Wojciechowska E, Wlochowicz A, Weselucha-Birczyrska A. Application of Fourier-transform infrared and Raman spectroscopy to study degradation of the wool fiber keratin. *J Mol Struct* 1999; 511-512: 307-318.