

References

1. Sahunin C, Kaewboran J, Hunsom M. Treatment of textile dyeing wastewater by photo oxidation using UV/H₂O₂/Fe²⁺ reagents. *Science Asia* 2006; 32: 181-186.
2. Lee Y H, Matthews R D, Pavlostathis S G. Biological decolorization of reactive anthraquinone and phthalocyanine dyes under various oxidation/reduction conditions. *Water Environment Research* 2006; 78: 156-169.
3. Riera-Torres M, Gutierrez-Bouzan C, Crespi M. Combination of coagulation/flocculation and nanofiltration techniques for dye removal and water reuse in textile effluents. *Desalination* 2010; 252: 53-59.
4. Hai F I, Yamamoto K, Fukushi K. Hybrid treatment systems for dye wastewater. *Critical Reviews in Environmental Science and Technology* 2007; 37: 315-377.
5. Gupta V K, Suhas. Application of low-cost adsorbents for dye removal review. *Journal of Environmental Management* 2009; 90: 2313-2342.
6. Ustun G E, Solmaz S K A, Birgul A. Regeneration of industrial district wastewater using a combination of Fenton process and ion exchange-A case study. *Resources Conservation and Recycling* 2007; 52: 425-440.
7. Kim T H, Park C, Yang J, Kim S. Comparison of disperse and reactive dye removals by chemical coagulation and fenton oxidation. *Journal of Hazardous Materials* 2004; 112(1-2): 95-103.
8. Foo K Y, Hameed B H. Decontamination of textile wastewater via TiO₂/activated carbon composite materials. *Advances in Colloid and Interface Science* 2010; 159: 130-143.
9. Anliker R. in Richardson M. (Ed.). Toxic hazard assessment of chemicals. The Royal Society of Chemistry 1986, London.
10. Barredo-Damas S, Alcaina-Miranda M I, Iborra-Clar M I , Bes-Pià A, Mendoza J A, Iborra-Clar A. Study of the UF process as pretreatment of NF membranas for textile wastewater reuse. *Desalination* 2006; 200: 745-747.
11. Fu Y, Viraraghavan T. Fungal decolorization of dye wastewaters: a review. *Bioresource Technology* 2001; 79: 251-262.
12. Ciabatti I, Tognotti F, Lombardi L. Treatment and reuse of dyeing effluents by potassium ferrate. *Desalination* 2010; 250: 222-228.
13. Merzouk B, Madani K, Sekki A. Using electrocoagulation-electroflotation technology to treat synthetic solution and textile wastewater, two case studies. *Desalination* 2010; 250: 573-577.

14. Selcuk H, Meric S. Ozone pre-oxidation of a textile industry wastewater for acute toxicity removal. *Global NEST Journal* 2006; 8(2): 95-102.
15. Kos L, Michalska K, Żyłka R, Perkowski J. Effect of acetic acid on pollutant decomposition in textile wastewater treated by the Fenton method. *Environmental Protection Engineering* 2012; 38(2): 29-39.
16. Hassaan M A, El Nemr A. Advanced Oxidation Processes for Textile Wastewater Treatment. *International Journal of Photochemistry and Photobiology* 2017; 2(3): 85-96.
17. Salwiczek S, Barbusiński K, Dymaczewski Z, Matyska Z, Żołnierczyk M. Preliminary studies on modified Fenton and UV/H₂O₂ processes for purification of wastewater from 2-ethylhexyl nitrate production. *Przemysł Chemiczny* 2016; 95(1): 118-120.
18. El Haddad M, Regti A, Laamari M R, Mamouni M, Saffaj N. Use of Fenton reagent as advanced oxidative process for removing textile dyes from aqueous solutions. *Journal of Materials and Environmental Science* 2014; 5(3): 667-674.
19. Barbusiński K, Fajkis S. Optimization of the Fenton Oxidation of Wastewater Generated by Rape Oil Soapstock Splitting. *Environmental Progress & Sustainable Energy* 2011; 30(4): 620-631.
20. Verma A K, Bhunia P, Dash R R. Decolorization and COD Reduction Efficiency of Magnesium over Iron based Salt for the Treatment of Textile Wastewater Containing Diazo and Antraquinone Dyes. *International Journal of Environmental, Chemical, Ecological, Geological and Geophysical Engineering* 2012; 6(6): 365-372.
21. PN-EN ISO 10523:2012 Water Quality. Determination of pH.
22. PN-ISO 7887:2012 Water Quality. Examination and determination of colour.
23. PN-ISO 15705:2005 Water Quality. Determination of the Chemical Oxygen Demand Index. Small-scale. Sealed-tube Method.
24. PN-EN 1484:1999 Water Analysis. Guidelines for the determination of Total Organic Carbon (TOC) and Dissolved Organic Carbon (DOC).
25. Kang Y W, Cho M J, Hwang K Y. Correction of hydrogen peroxide interference on standard chemical oxygen demand test. *Water Research* 1999; 33: 1247-1251.
26. BN-89/6191-04 Chemical reagents. Hydrogen peroxide about 30% (m/m), solution.
27. PN-EN 903:1993 Water Quality. Determination of anionic surfactants by measurement of the methylene blue index MBAS.
28. Kos L, Michalska K, Perkowski J. Textile Wastewater Treatment by the Fenton Method. *Fibres & Textiles in Eastern Europe* 2010; 4(81): 105-109.

29. Eslami A, Moradi M, Ghanbari F, Mehdipour F. Decolorization and COD removal from real textile wastewater by chemical and electrochemical Fenton process: comparative study. *Journal of Environmental Health Science and Engineering* 2013; 11(31): 1-8.
30. Taghavi K, Purkareim S, Pendashteh AR, Chaibakhsh N. Optimized Removal of Sodium Dodecylbenzenesulfonate by Fenton-like Oxidation Using Response Surface Methodology. *Iranian Journal of Chemistry and Chemical Engineering* 2016; 35(4): 113-124.
31. Torrades F, Garcia-Montano J. Using central composite experimental design to optimize the degradationof real dye wastewater by Fenton anfd photo-Fenton reactions. *Dyes and Pigments* 2014; 100: 184-189.
32. Arslan-Alaton I, Tureli G, Olmez-Hancı T. Treatment of azo dye production wastewaters using Photo-Fenton-like advanced oxidation processes: Optimization by response surface methodology. *Journal of Photochemistry and Photobiology A: Chemistry* 2009; 202: 142–153.