

References

1. Mikučionienė D, Milašiute L, Baltušnikaitė J, et al. Influence of Plain Knits Structure on Flammability and Air Permeability. *Fibres & Textiles in Eastern Europe* 2012; 20, 5 (94): 66-69.
2. Weil ED, Levchik SV. Flame Retardants in Commercial Use or Development for Textiles. *J. Fire Sci.* 2008;26(3):243-281., DOI: 10.1177/0734904108089485
3. Chapple S, Anandjiwala R. Flammability of Natural Fiber: Reinforced Composites and Strategies for Fire Retardancy: A Review. *J. Thermoplast. Compos. Mater.* 2010; 23(6) :871–893.
4. Tsai JS. The effect of flame retardants on the properties of acrylic and modacrylic fibers. *J. Mater. Sci.* 1993; 28(5):1161–7.
5. Mard HH, Hamalainen C, Cooper AS, Harper RJ, Reeves WA. Book of Papers, National Technical Conference of AATCC 1974; 126.
6. Horrocks AR, Hall ME, Roberts D. Environmental consequences of using flame-retardant textiles – a simple life cycle analytical model. *Fire Mater.* 1997; 21: 229-234.
7. Horrocks AR. Flame retardant finishing of textiles. *Rev. Prog. Color. Relat. Top.* 1986;16:62-101.
8. Horrocks AR, Kandola BK., Davies PJ., et al. Development in flame retardants textile- A review. *Polym. Degrad. Stab.* 2005;88(1):3-12.
9. Horrocks AR. Flame retardant challenges for textiles and fibres: New chemistry versus innovatory solutions. *Polym. Degrad. Stab.* 2011; 96(3): 377-392., DOI: 10.1016/j.polymdegradstab.2010.03.036
10. Yang CQ, He Q, Lyon RE, et al. Investigation of the flammability of different textile fabrics using micro-scale combustion calorimetry. *Polym. Degrad. Stab.* 2010;95(5):108-115.
11. Bokova ES, Kovalenko GM, Woźniak B, Pawłowa M, Bokova KS. Interpolymer Complexes as Modifying Compounds for Reducing Cotton Blended Fabric Flammability. *Fibres & Textiles in Eastern Europe* 2016; 24, 6(120): 157-160. DOI: 10.5604/12303666.1221750
12. Havenetih G. In: Elsner P, Hatch K, Wiggert-Alberti W, editors. *Textiles and the Skin, Curr. Probl. Dermatol, Clothing and Thermoregulation, Basel: Karger, 2003. p.35-49., DOI:10.1159/isbn.978-3-318-00863-0*

13. Nygård P, Grundke K, Mäder E, et al. Wetting kinetics and adhesion strength between polypropylen melt and glass fibre: influence of chemical reactivity and fibre roughness. *Adhesion. Sci. Technol.* 2002; 16(13):1781-1808, <http://dx.doi.org/10.1163/156856102320396148>
14. Kuehn, N, Jacobasch, HJ, Lunkenheimer Z. Zusammenhang zwischen dem Kontaktwinkel zwischen Wasser und festen Polymeren und ihrem Zeta-Potential gegenüber wäßrigen Lösungen, *K. Acta Polym.* 1986;37(6):394-396.
15. Temmel S, Kern W, Luxbacher T. Zeta Potential of Photochemically Modified Polymer Surfaces, *T. Progr. Colloid Polym. Sci.* 2006;132(1):54-61.
16. Jacobasch HJ, Bauböck G, Schurz J. Problems and results of zeta-potential measurements on fibres. *Colloid Polym. Sci.* 1985; 263(1):3-24.
17. Bellmann C, Klinger C, Opfermann A, et al. Evaluation of surface modification by electrokinetic measurements. *Prog. Org. Coat.* 2002;44(2):93-98., [doi:10.1016/S0300-9440\(01\)00248-X](https://doi.org/10.1016/S0300-9440(01)00248-X)
18. Böhme F, Klinger C, Bellmann C. Surface properties of polyamidines. *Colloids Surf. A.* 2001;189(1-3): 21-27, [doi:10.1016/S0927-7757\(01\)00593-3](https://doi.org/10.1016/S0927-7757(01)00593-3)
19. Luxbacher T, Bukšek H, Petrinić I, Pušić T. Zeta potential determination of flat solid surfaces using a SurPASS electrokinetic analyzer. *Tekstil* 2009;58(8):401-409.
20. Luxbacher T. In Kozłowski R, editor. Handbook of natural fibres, Vol. 2: Electrokinetic properties of natural fibers. Cambridge: *Woodhead Publishing*, 2012.
21. Delgado AV, González-Caballero F, Hunter RJ, et al. Measurement and Interpretation of Electrokinetic Phenomena. *Journal of Colloid and Interface Science.* 2007; 309(2), 194-224., [doi:10.1016/j.jcis.2006.12.075](https://doi.org/10.1016/j.jcis.2006.12.075)
22. Jacobasch HJ. Characterization of Solid Surfaces by Electrokinetic Measurements. *Prog. Org. Coat.* 1989; 17(2):115-133., [doi:10.1016/0033-0655\(89\)80018-4](https://doi.org/10.1016/0033-0655(89)80018-4)
23. ASTM D2863 - 10 Standard Test Method for Measuring the Minimum Oxygen Concentration to Support Candle-Like Combustion of Plastics (Oxygen Index).
24. <http://www.tetraexim.com/tetra/Protex%20catalogue.pdf>, 25.3.2015
25. Varga K, Noisternig MF, Griesser UJ, et al. Thermal and sorption study of flame resistant fibres, *Lenzinger Berichte* 2011; 89:50-59.

26. Flinčec Grgac S, Katović D, Katović A, et al. Thermal and FT- IR analysis of cotton fabrics treated with two different flame retardant agents. *5th International Textile, Clothing & Design Conference – Magic World of Textiles* (ed Dragčević Z); Dubrovnik, Croatia, October 5th to 8th 2010, Book of Proceedings ISSN 1847-7275, 318-323.
27. Marcelo M. Hirschler Fire Hazard and Toxic Potency of the Smoke from Burning Materials. *Journal of Fire Sciences* 1987; 5; 289 DOI: 10.1177/073490418700500501
28. Giuntoli J, de Jong W, Arvelakis S, Spliethoff H, Verkooijen A.H.M. Quantitative and kinetic TG-FTIR study of biomass residue pyrolysis: Dry distiller's grains with solubles (DDGS) and chicken manure. *Journal of Analytical and Applied Pyrolysis*, 85 (2009) 301–312
29. Zhu H.M, Jiang X.G, Yan J.H, Chi Y, Cen K.F. TG-FTIR analysis of PVC thermal degradation and HCl removal. *J. Anal. Appl. Pyrolysis* 82 (2008) 1–9
30. Bismarck A, Springer J, Mohanty AK, et al. [Characterization of several modified jute fibers using zeta-potential measurements](#). *Colloid Poly. Sci.* 2000;278(3): 229-235.
31. Pušić T, Grancarić AM, Soljačić I, et al. The effect of mercerisation on the electrokinetic potential ... *Soc. of the Dyers and Colour* 1999; 115(4):121-124.
32. Zimmermann R, Dukhin S, Werner C. Electrokinetic measurement reveal interfacial charge at polymer films caused by simple electrolyte ions. *J. Phys. Chem.* 2001; B 105(36): 8544-8549., doi: 10.1021/jp004051u
33. Zimmermann R, Freudenberg U, Schweiß R, et al. Hydroxide and hydronium ion adsorption - A survey *Curr. Opin. Colloid Interface Sci.* 2010;15(3):196-202., [doi:10.1016/j.cocis.2010.01.002](#)
34. Stana-Kleinschek K, Ribitsch V, Kreze T, et al. Determination of the adsorption character of cellulose fibres using surface tension and surface charge. *Mat. Res. Innovat.* 2002; 6(1):13-18.
35. Walker SL, Bhattacharjee S, Hoek EMV, et al. A Novel Asymmetric Clamping Cell for Measuring Streaming Potential of Flat Surfaces. *Langmuir* 2002; 18(6), 2193–2198., **doi:** 10.1021/la011284j