

## References

1. Taj S, Manuwar A, Khan S. Natural Fiber-Reinforced Polymer Composites. *Proc. Pakistan Acad. Sci.* 2007; 44(2): 129-144.
2. Hull D, Clyne T. An introduction to composite materials. 2nd ed. Cambridge University Press, 1996.
3. Riedel U, Nickel J. Applications of Natural Fiber Composites for Constructive Parts in Aerospace, Automobiles, and Other Areas. *Biopolymers* 2005; 272: 34–40.
4. Bogoeva-Gaceva G, Avella M, Malinconico M, Buzarovska A, Grozdanov A, Gentile G, Errico ME. Fatigue properties of highly oriented polypropylene tapes and all-polypropylene composites. *Polymer composite* 2008; 16(2): 101 –113.
5. Pickering KL, Efendy MGA, Le TM. A review of recent developments in natural fibre composites and their mechanical performance. *Composites Part A: Applied Science and Manufacturing* 2005; 83: 98–112.
6. Joshi SV, Drzal LT, Mohanty AK, Arora S. Are natural fiber composites environmentally superior to glass fiber reinforced composites?. *Composites Part A: Applied Science and Manufacturing* 2004; 35(3): 371–376.
7. Ansell MP. Natural Fibre Composites. *Tropical Natural Fibre Composites: Properties, Manufacture and Applications* 2015; 365–374.
8. Rodríguez E, Petrucci R, Puglia D, Kenny JM, Vázquez A. Vacuum Infusion Characterization of Composites Based on Natural and Glass Fibers Obtained by vacuum infusion. *Journal of Composite Materials* 2005; 39(3):265–282.
9. Gu Y, Tan X, Yang Z, Zhang Z. Hot compaction and mechanical properties of ramie fabric/epoxy composite fabricated using vacuum assisted resin infusion molding. *Materials & Design* 2014; 56: 852–861.
10. Jauhari N., Mishra R, Thakur H. Natural Fibre Reinforced Composite Laminates – A Review. *Materials Today: Proceedings* 2015; 2: 2868–2877.
11. O'Donnell A, Dweib MA. Natural fiber composites with plant oil-based resin. *Composites Science and Technology* 2004; 64: 1135–1145.
12. Cortés D. Salazar L. Analisis estructural, seleccion de la configuracion estructural y seleccion de materiales de la aeronave de propulsion humana SUE-SUA para la competencia internacional Kremer en la categoria maraton. Thesis. Universidad San

Buenaventura, Colombia, 2011.

13. Hashim MY, Roslan MN, Amin AM, Mujahid A, Zaidi A. Mercerization Treatment Parameter Effect on Natural Fiber Reinforced Polymer Matrix Composite: A Brief Review. *World Academy of Science, Engineering and Technology* 2012; 6(8): 1638–1644.
14. Yue Y, Han G, Wu Q. Transitional properties of cotton fibers from cellulose I to cellulose II structure. *BioResources* 2013; 8(4): 6460–6471.
15. Mwaikambo LY, Ansell MP. The effect of chemical treatment on the properties of hemp, sisal, jute and kapok for composite reinforcement. *Macromolecular Materials and Engineering* 1999; 1–16.
16. Campbell F. *Manufacturing processes for advanced composites*. 1<sup>a</sup> ed. UK: Elsevier, 2004, p.180.
17. Song X. Vacuum Assisted Resin Transfer Molding ( VARTM ): Vacuum Assisted Resin Transfer Molding ( VARTM ). *PhD Thesis*, Virginia Polytechnic Institute and State University, Virginia, 2003.
18. ASTM D3039/D3039M – 14 Standard Test Method for Tensile Properties of Polymer Matrix Composite Materials.
19. Greenhalgh ES. Failure analysis and fractography of polymer composite. Cambridge: Woodhead Publishing Limited, 2009.
20. Koyuncu M, Karahan M, Karahan N, Shaker K, Nawab Y. Static and dynamic mechanical properties of cotton/epoxy green composites. *FIBRES & TEXTILES in Eastern Europe* 2016; 24, 4(118): 105–111. DOI: 10.5604/12303666.1201139
21. Phillips S, Baets J, Lessard L, Hubert P, Verpoest I. Characterization of flax/epoxy prepregs before and after cure. *Journal of Reinforced Plastics and Composites* 2013; 32(11): 777–785.
22. Hossain MR, Islam MA, Van Vuurea A, Verpoest I. Tensile behavior of environment friendly jute epoxy laminated composite. *Procedia Engineering* 2013; 56: 782–788.
23. Naveenkumar R, Sharun V, Dhanasakkaravarthi B, Theophilus I. Comparative study on jute and Kenaf fiber composite material. *Journal of Applied Sciences and Engineering Research* 2015; 4(2): 250–258.
24. Oksman K, Wallström L, Berglund LA, Toledo RD. Morphology and mechanical properties of unidirectional sisal-epoxy composites. *Journal of Applied Polymer*

*Science* 2002; 84(13): 2358–2365.

25. Aguirre EF. Caracterización a esfuerzo último y tenacidad de fractura translaminar de un material compuesto embebido en matriz epóxica reforzado con fibras de algodón. Thesis, Universidad Nacional de Colombia, Colombia, 2013.
26. Yuhazri M, Phongsakorn P, Sihombing H. A Comparison Process Between Vacuum Infusion And Hand Lay up Method Toward Kenaf/Polyester Composites. *International Journal of Basic & Applied Sciences* 2010; 10(33): 63–66.
27. Yun-hae Kim C, Hee-Beom An A, Takagi B A Comparison of Mechanical Property of Jute/Styrene By Vartm and Hand-Lay Up Methods. *The Society of Naval Architects of Korea Conference Kit* 2011; 1–4.