

References

1. Cheng T, Cherif C, Hund RD, Lin T, Zhao NP. Functionalised roving for structural health monitoring of composites. *Mater. Technol.* 2010; 25(2): 112.
2. Yan Y, Zhu Y, Ge M. Study on the photochromic properties of coloured luminous fibres based on PA6. *FIBRES & TEXTILES in Eastern Europe* 2016; 24, 3(117): 38-43.
3. Medvedeva D, Bobrovsky A, Boiko N, Shibaev V, Zavarzin L, Kalik M, Krayushkin M. A Combination of Selective Light Reflection and Fluorescence Modulation in a Cholesteric Polymer Matrix. *Macromol. Rapid. Comm.* 2005; 26(3): 177.
4. Rigau L H, Jensen B E B, Fjeldsø K S, Postma A, Li G, Goldie K N, Albericio F, Zelikin A N, Städler B. Surface Adhered composite poly (vinyl Alcohol) physical hydrogels: polymersome-aided delivery of therapeutic small molecules. *Adv Healthc Mater* 2012; 1(6):791.
5. Kim C, Oh S, Kim Y, Cha H, Kang Y. Characterization of the Spiroanthoxazine Doped Photochromic Glass: The Effect of Matrix Polarity and Pore Size *J. Phys. Chem. C*, 2008; 112 (4):1140 .
6. York M, Evans R. Synthesis and properties of 1,3,3-trimethylspiro[indoline-2,3'-naphtho[2,1- b][1,4]oxazin]-6'-amine, a novel, red colouring photochromic spirooxazine. *Tetrahedron lett.* 2010; 51(16):2195 .
7. Fu ZS, Sun BB, Chen J, Yuan L. Preparation and photochromism of carboxymethyl chitin derivatives containing spirooxazine moiety. *Dyes Pigments.* 2008; 76(2): 515.
8. Cheng T., Lin T., Brady R. and Wang X. Photochromic fabrics with improved durability and photochromic performance. *Fiber. Polym.* 2008, 9(5): 521.

9. Feczko T, Kovács M, Voncina B. Improvement of fatigue resistance of spirooxazine in ethyl cellulose and poly(methyl methacrylate) nanoparticles using a hindered amine light stabilizer. *J. Photoch. Photobio. A*, 2012; 247(11): 1.
10. Kim SH, Lee SJ, Park SY, Suh HJ, Jin SH, Gal YS. Synthesis and properties of ionic conjugated polymer with spirooxazine moiety. *Dyes Pigments* 2006; 68(1): 61.
11. Partington SM, Towns AD. Photochromism in spiroindolinonaphthoxazine dyes: Effects of alkyl and ester substituents on photochromic properties. *Dyes Pigments* 2014; 104(1): 123 .
12. Khenoussi N, Drean E, Schacher L, Adolphe DC, Balard H. Preparation and morphology study of carbon nanotube reinforced polyacrylonitrile nanofibres. *Mater. Technol.* 2009, 24(1):36 .
13. Yang GC, Gong J, Yang R, Guo HW, Wang YZ, Liu BF, Dong SJ. Modification of electrode surface through electrospinning followed by self-assembly multilayer film of polyoxometalate and its photochromic. *Electrochem. Commun.* 2006; 8(5):790.
14. Wang JC, Wu JL, Xu W, Zhang Q, Fu Q. Preparation of poly(vinylidene fluoride) films with excellent electric property, improved dielectric property and dominant polar crystalline forms by adding a quaternary phosphorus salt functionalized graphene. *Compos. Sci. Technol.* 2014; 91(2): 1 .
15. Zou Q, Li X, Zhou J, Bai KK, Ågren H. Synthesis and photochromism of a spirooxazine derivative featuring a carbazole moiety: Fast thermal bleaching and excellent fatigue resistance. *Dyes Pigments* 2014; 107(13): 174.
16. Krupa A, Sobczyk AT, Jaworek A. Surface properties of plasma-modified poly

(vinylidene fluoride) and poly (vinyl chloride) nanofibres. *FIBRES & TEXTILES in Eastern Europe* 2014; 2(104): 35-39.

17. Venugopal J, Ramakrishna S. Applications of polymer nanofibers in biomedicine and biotechnology. *Applied biochemistry and biotechnology* 2005, 125(3): 147.
18. Yoon S, Prabu AA, Kim KJ, Park C. Metal Salt-Induced Ferroelectric Crystalline Phase in Poly(vinylidene fluoride) Films. *Macromol Rapid Comm.* 2008; 29(15): 1316.
19. Ying L, Kang ET, Neoh KG. Synthesis and Characterization of Poly(N-isopropylacrylamide)-graft-Poly(vinylidene fluoride) Copolymers and Temperature-Sensitive Membranes. *Langmuir* 2002; 18(16): 6416.